

Quiz – 2

ملحوظة:

الحل كتابة وليس اختيار من متعدد.

The following code contains many syntax errors. Assuming that all the syntax errors are corrected, what is the output of the following code if the input is 6 and 4?

```
Int a = Input.nextInteger();
Doubl b = Input.nextDouble();
b = ++a - 4;
integre num = a + (int)b;
Sys.o.Println(a + " " + b + " " + num);
SWICH(num) {
Case 1: case 31: case 18:
Case 12: Sys.out.println((int) (a+b-num));
CASE 11: case 9:
case 3: S.out.Printline((int) (a+b+num));
    break;
Default:
    S.out((int) (a+b));
}
```

The following code contains many syntax errors. Assuming that all the syntax errors are corrected, what is the output of the following code if the input is 6 and 4?

```
INT a = Input.NextInt();
DOUBLE b = Input.NextDouble();
a = (INT)(b) + 3;
b = ++a - 4;
IF (a >= 8.4) {
    a++;
    b += 2.5;
    System.out.Pritline(a + b);
}
ELSE {
    a--;
    b += 1.5;
    System.Pritline(a - b);
}
```

The following code contains many syntax errors. Assuming that all the syntax errors are corrected, what is the output of the following code if the input is 6 and 4?

```
Integer a = IN.nextInteger();
Doubel b = IN.nextDOUBEL();
integer num = a + (int)b;
b = ++a - 4;
S.out.Printline(a + " " + b + " " + num);
Swich (num) {
    Case 1: case 3: Case 8:
    CASE 11: S.out.Printline((integer) (a+b+num));
    case 12: case 10:
    Case -5: S.out.Printline((Int) (a+b-num));
        break;
    Default:
        Sys.out.Println((INT) (a+b));
}
}
```

The following code contains many syntax errors. Assuming that all the syntax errors are corrected, what is the output of the following code if the input is 6 and 4?

```
Double a = in.NextDOUBLE();
Integer b = in.NextINTEGER()
a = (b++) + 3;
b = (int)a - 4;
If (a >= 8.4) {
    b += 2.5;
    a++;
    System.out.PRINTLN(a + b);
}
Else {
    b += 1.5;
    a--;
    Sout(a - b);
}
```