

# Technical Analysis Report

مديرية الصحة العامة

Generated on: 2026-01-17 06:06:54 | Ref: CC-20260170606

## ACTION REQUIRED: Executive Summary


Critical alert: 2 vaccine batches failed safety protocols and 2 require urgent redistribution.

Total Batches	Safe	Warning	Discard (Red)
5	1	2	2

## Detailed Batch Analysis

ID	Name	Category	Virtual VVM	Status Alert	Stability Budget	Thaw Rem.
C001	Health Center A (Safe)	Fridge Vaccine		<div><div></div></div> SAFE (STAGE 1)	<div><div></div></div>	-
C002	Warehouse Stage 3	Heat Sensitive		<div><div></div></div> DISCARD (STAGE 3/4) (Thermal Exhaustion)	<div><div></div></div>	-
C003	Mobile Unit Stage 4	Highly Sensitive		<div><div></div></div> DISCARD (STAGE 4/4) (Thermal Exhaustion)	<div><div></div></div>	-
C004	Ultra Cold Hub	mRNA Vaccine		<div><div></div></div> USE FIRST (STAGE 2)	<div><div></div></div>	72.5h

# Visual Trends



System Logic: VVM reflects cumulative biochemical damage over time. Vaccines can expire within 2-8°C if storage is prolonged or inconsistent.