

## ENGINE FIRE EXTINGUISHING BOTTLE CARTRIDGE - REMOVAL/INSTALLATION

*EFFECTIVITY: ALL*

### 1. General

- A. This section contains the procedures to removal/installation the cartridges of the engine fire extinguishing bottle.
- B. The procedures in this section are given in the sequence below. The tasks identified with (♦) are part of the Scheduled Maintenance Requirements Document (SMRD).

TASK NUMBER	DESCRIPTION	EFFECTIVITY
26-21-04-000-801-A	ENGINE FIRE EXTINGUISHING BOTTLE CARTRIDGES - REMOVAL	ALL
26-21-04-400-801-A	ENGINE FIRE EXTINGUISHING BOTTLE CARTRIDGES - INSTALLATION	ALL

TASK 26-21-04-000-801-A

EFFECTIVITY: ALL

## 2. ENGINE FIRE EXTINGUISHING BOTTLE CARTRIDGES - REMOVAL

### A. General

(1) To do the task, refer to the instructions in Pacific Scientific CMM 26-20-202.

### B. References

REFERENCE	DESIGNATION
AMM MPP 71-00-00/200	- MAINTENANCE PRACTICES
AMM TASK 26-21-02-000-801-A/400	ENGINE FIRE-EXTINGUISHING BOTTLE - REMOVAL
Pacific Scientific CMM 26-20-202	-

### C. Zones and Accesses

ZONE	PANEL/DOOR	LOCATION
312	312AR	Tail cone compartment

### D. Tools and Equipment

Not Applicable

### E. Auxiliary Items

ITEM	DESCRIPTION	PURPOSE	QTY
Commercially available	Ladder	To get access to the tail cone compartment	1

### F. Consumable Materials

Not Applicable

### G. Expandable Parts

Not Applicable

### H. Persons Recommended

QTY	FUNCTION	PLACE
1	Does the task	Tail cone compartment

### I. Preparation

SUBTASK 841-002-A

**WARNING: BEFORE YOU DO THE TASK, OBEY THE SAFETY PRECAUTIONS GIVEN IN AMM MPP 71-00-00/200 TO PREVENT INJURY TO PERSONS AND DAMAGE TO MATERIAL.**

(1) Remove the engine fire-extinguishing bottle (AMM TASK 26-21-02-000-801-A/400).

J. Removal

*SUBTASK 020-002-A*

**WARNING: THE CARTRIDGES ARE EXPLOSIVE DEVICES. ACCIDENTAL DETONATION OF A CARTRIDGE CAN CAUSE INJURY. DURING THE TASK OBEY ALL SAFETY PRECAUTIONS CONTAINED IN THE PACIFIC SCIENTIFIC CMM.**

- (1) Remove the cartridges. Refer to the last revision of Pacific Scientific CMM 26-20-202.

TASK 26-21-04-400-801-A

EFFECTIVITY: ALL

### 3. ENGINE FIRE EXTINGUISHING BOTTLE CARTRIDGES - INSTALLATION

#### A. General

(1) To do the task, refer to the instructions in Pacific Scientific CMM 26-20-202.

#### B. References

REFERENCE	DESIGNATION
<a href="#">AMM MPP 71-00-00/200</a>	- MAINTENANCE PRACTICES
<a href="#">AMM TASK 26-21-02-400-801-A/400</a>	ENGINE FIRE-EXTINGUISHING BOTTLE - INSTALLATION
Pacific Scientific CMM 26-20-202	-

#### C. Zones and Accesses

ZONE	PANEL/DOOR	LOCATION
312	312AR	Tail cone compartment

#### D. Tools and Equipment

Not Applicable

#### E. Auxiliary Items

ITEM	DESCRIPTION	PURPOSE	QTY
Commercially available	Ladder	To get access to the tail cone compartment	1

#### F. Consumable Materials

Not Applicable

#### G. Expandable Parts

Not Applicable

#### H. Persons Recommended

QTY	FUNCTION	PLACE
1	Does the task	Tail cone compartment

I. Installation

*SUBTASK 420-002-A*

**WARNING:** • BEFORE YOU DO THE TASK, OBEY THE SAFETY PRECAUTIONS GIVEN IN [AMM MPP 71-00-00/200](#) TO PREVENT INJURY TO PERSONS AND DAMAGE TO MATERIAL.

- THE CARTRIDGES ARE EXPLOSIVE DEVICES. ACCIDENTAL DETONATION OF A CARTRIDGE CAN CAUSE INJURY. DURING THE TASK OBEY ALL SAFETY PRECAUTIONS CONTAINED IN THE PACIFIC SCIENTIFIC CMM.

- (1) Install the cartridges. Refer to the last revision of Pacific Scientific CMM 26-20-202.

J. Follow-on

*SUBTASK 842-002-A*

- (1) Install the engine fire-extinguishing bottle ( [AMM TASK 26-21-02-400-801-A/400](#) ).

