

TABLE OF CONTENTS

<u>PAGEBLOCK TASK</u>	<u>REVISION STATUS</u>	<u>REVISION DATE</u>
38-10-01/400 WATER TANK - REMOVAL/INSTALLATION	U	Oct 30/15
38-10-01-000-801-A WATER TANK - REMOVAL	U	Oct 30/15
38-10-01-400-801-A WATER TANK - INSTALLATION	U	Oct 30/15
38-10-01/700 WATER TANK - CLEANING/PAINTING	U	Oct 30/15
38-10-01-100-801-A WATER TANK - CLEANING	U	Oct 30/15
38-10-02/400 FAUCET SUPPLY TUBING - REMOVAL/INSTALLATION	U	Oct 30/15
38-10-02-000-801-A FAUCET SUPPLY TUBING - REMOVAL	U	Oct 30/15
38-10-02-400-801-A FAUCET SUPPLY TUBING - INSTALLATION	U	Oct 30/15
38-10-03/400 FAUCET - REMOVAL/INSTALLATION	U	Oct 30/15
38-10-03-000-801-A FAUCET ASSEMBLY - REMOVAL	U	Oct 30/15
38-10-03-400-801-A FAUCET ASSEMBLY - INSTALLATION	U	Oct 30/15
38-10-04/400 CONFIG-1 <i>EFFECTIVITY: ACFT MODEL(S) EMB-145</i> HEATED NIPPLES - REMOVAL/INSTALLATION	U	Oct 30/15
38-10-04-000-801-A CONFIG-1 <i>EFFECTIVITY: ACFT MODEL(S) EMB-145</i> HEATED NIPPLES - REMOVAL	U	Oct 31/17
38-10-04-400-801-A CONFIG-1 <i>EFFECTIVITY: ACFT MODEL(S) EMB-145</i> HEATED NIPPLES - INSTALLATION	U	Oct 31/17

Revision Status: U - Unchanged, R - Revised, N - New, D - Deleted

EMB-145 - AMM 1285

TOC

Chapter 38
Page 1 of 9
Rev 55 - Oct 29/18

<u>PAGEBLOCK TASK</u>	<u>REVISION STATUS</u>	<u>REVISION DATE</u>
38-10-04/400 CONFIG-2 <i>EFFECTIVITY: ACFT MODEL(S) EMB-135</i> HEATED NIPPLES - REMOVAL/INSTALLATION	U	Oct 30/15
38-10-04-000-802-A CONFIG-2 <i>EFFECTIVITY: ACFT MODEL(S) EMB-135</i> HEATED NIPPLES - REMOVAL	U	Oct 30/15
38-10-04-400-802-A CONFIG-2 <i>EFFECTIVITY: ACFT MODEL(S) EMB-135</i> HEATED NIPPLES - INSTALLATION	U	Oct 30/15
38-10-04/500 HEATED NIPPLES - ADJUSTMENT/TEST	U	Oct 30/15
38-10-04-700-801-A HEATED NIPPLES - TEST	U	Oct 31/17
38-10-05/400 TANK DRAIN VALVE - REMOVAL/INSTALLATION	U	Oct 30/15
38-10-05-000-801-A TANK DRAIN VALVE - REMOVAL	U	Oct 30/15
38-10-05-400-801-A TANK DRAIN VALVE - INSTALLATION	U	Oct 30/15
38-10-05/500 TANK DRAIN VALVE - ADJUSTMENT/TEST	U	Oct 30/15
38-10-05-700-801-A TANK DRAIN VALVE - TEST	U	Oct 30/15
38-10-06/400 CONFIG-1 <i>EFFECTIVITY: ACFT MODEL(S) EMB-145</i> TANK DRAIN VALVE CONTROL CABLE - REMOVAL/INSTALLATION	U	Oct 30/15
38-10-06-000-801-A CONFIG-1 <i>EFFECTIVITY: ACFT MODEL(S) EMB-145</i> TANK DRAIN-VALVE CONTROL CABLE - REMOVAL	U	Oct 31/17
38-10-06-400-801-A CONFIG-1 <i>EFFECTIVITY: ACFT MODEL(S) EMB-145</i> TANK DRAIN-VALVE CONTROL CABLE - INSTALLATION	U	Oct 31/17

Revision Status: U - Unchanged, R - Revised, N - New, D - Deleted

EMB-145 - AMM 1285

TOC

Chapter 38
Page 2 of 9
Rev 55 - Oct 29/18

<u>PAGEBLOCK TASK</u>	<u>REVISION STATUS</u>	<u>REVISION DATE</u>
38-10-06/400 CONFIG-2 <i>EFFECTIVITY: ACFT MODEL(S) EMB-135</i> TANK DRAIN VALVE CONTROL CABLE - REMOVAL/INSTALLATION	U	Oct 30/15
38-10-06-000-802-A CONFIG-2 <i>EFFECTIVITY: ACFT MODEL(S) EMB-135</i> TANK DRAIN-VALVE CONTROL CABLE - REMOVAL	U	Oct 31/17
38-10-06-400-802-A CONFIG-2 <i>EFFECTIVITY: ACFT MODEL(S) EMB-135</i> TANK DRAIN-VALVE CONTROL CABLE - INSTALLATION	U	Oct 31/17
38-10-07/400 CONFIG-1 <i>EFFECTIVITY: ACFT MODEL(S) EMB-145</i> WATER-TANK FILL AND OVERFLOW LINES - REMOVAL/INSTALLATION	U	Oct 31/17
38-10-07-000-801-A CONFIG-1 <i>EFFECTIVITY: AIRCRAFT WHOSE FILL/OVERFLOW LINES ARE ATTACHED TO THE FORWARD</i> WATER-TANK FILL AND OVERFLOW LINES - REMOVAL	U	Oct 31/17
38-10-07-400-801-A CONFIG-1 <i>EFFECTIVITY: AIRCRAFT WHOSE FILL/OVERFLOW LINES ARE ATTACHED TO THE FORWARD</i> WATER-TANK FILL AND OVERFLOW LINES - INSTALLATION	U	Oct 31/17
38-10-07-000-803-A CONFIG-1 <i>EFFECTIVITY: AIRCRAFT WHOSE FILL/OVERFLOW LINES ARE ATTACHED UNDER THE PASSENGER-CABIN FLOOR PANEL</i> WATER-TANK FILL AND OVERFLOW LINES - REMOVAL	U	Oct 31/17
38-10-07-400-803-A CONFIG-1 <i>EFFECTIVITY: AIRCRAFT WHOSE FILL/OVERFLOW LINES ARE ATTACHED UNDER THE PASSENGER-CABIN FLOOR PANEL</i> WATER-TANK FILL AND OVERFLOW LINES - INSTALLATION	U	Oct 31/17
38-10-07/400 CONFIG-2 <i>EFFECTIVITY: ACFT MODEL(S) EMB-135</i> WATER-TANK FILL AND OVERFLOW LINES - REMOVAL/INSTALLATION	U	Oct 31/17
38-10-07-000-802-A CONFIG-2 <i>EFFECTIVITY: ACFT MODEL(S) EMB-135</i> WATER-TANK FILL AND OVERFLOW LINES - REMOVAL	U	Oct 30/15

Revision Status: U - Unchanged, R - Revised, N - New, D - Deleted

EMB-145 - AMM 1285

TOC

Chapter 38
Page 3 of 9
Rev 55 - Oct 29/18

PAGEBLOCK TASK	REVISION STATUS	REVISION DATE
38-10-07-400-802-A CONFIG-2 <i>EFFECTIVITY: ACFT MODEL(S) EMB-135</i> WATER-TANK FILL AND OVERFLOW LINES - INSTALLATION	U	Oct 30/15
38-10-09/400 <i>EFFECTIVITY: AIRCRAFT WITH WATER PUMP</i> WATER PUMP - REMOVAL/INSTALLATION	U	Oct 30/15
38-10-09-000-801-A <i>EFFECTIVITY: AIRCRAFT WITH WATER PUMP</i> WATER PUMP - REMOVAL	U	Oct 30/15
38-10-09-400-801-A <i>EFFECTIVITY: AIRCRAFT WITH WATER PUMP</i> WATER PUMP - INSTALLATION	U	Oct 30/15
38-10-14/400 <i>EFFECTIVITY: AIRCRAFT WITH WATER PUMP</i> BY-PASS VALVE - REMOVAL/INSTALLATION	U	Oct 30/15
38-10-14-000-801-A <i>EFFECTIVITY: AIRCRAFT WITH WATER PUMP</i> BYPASS VALVE - REMOVAL	U	Oct 30/15
38-10-14-400-801-A <i>EFFECTIVITY: AIRCRAFT WITH WATER PUMP</i> BYPASS VALVE - INSTALLATION	U	Oct 30/15
38-30-00/300 CONFIG-1 <i>EFFECTIVITY: ACFT MODEL(S) EMB-145</i> WASTE DISPOSAL - SERVICING	U	Oct 30/15
38-30-00-600-801-A CONFIG-1 <i>EFFECTIVITY: ACFT MODEL(S) EMB-145</i> WASTE DISPOSAL - SERVICE	U	Oct 30/15
38-30-00/300 CONFIG-2 <i>EFFECTIVITY: ACFT MODEL(S) EMB-135</i> WASTE DISPOSAL - SERVICING	U	Oct 30/15
38-30-00-600-801-A CONFIG-2 <i>EFFECTIVITY: ACFT MODEL(S) EMB-135</i> WASTE DISPOSAL - SERVICE	U	Oct 30/15
38-32-01/400 TOILET UNIT - REMOVAL/INSTALLATION	U	Oct 30/15

Revision Status: U - Unchanged, R - Revised, N - New, D - Deleted

EMB-145 - AMM 1285

TOC

Chapter 38
Page 4 of 9
Rev 55 - Oct 29/18

PAGEBLOCK TASK	REVISION STATUS	REVISION DATE
38-32-01-000-801-A TOILET UNIT - REMOVAL	U	Oct 30/15
38-32-01-400-801-A TOILET UNIT - INSTALLATION	U	Oct 31/16
38-32-01/600 TOILET UNIT - INSPECTION/CHECK	U	Oct 30/15
38-32-01-200-801-A DRAIN VALVE - CHECK	U	Oct 30/15
38-32-01/700 TOILET UNIT - CLEANING/PAINTING	U	Oct 30/15
38-32-01-100-801-A TOILET UNIT - CLEANING	U	Oct 30/15
38-32-02/400 CONFIG-1 <i>EFFECTIVITY: ACFT MODEL(S) EMB-145</i> WASTE DRAIN HOSE - REMOVAL/INSTALLATION	U	Oct 30/15
38-32-02-000-801-A CONFIG-1 <i>EFFECTIVITY: ACFT MODEL(S) EMB-145</i> WASTE DRAIN HOSE - REMOVAL	U	Oct 30/15
38-32-02-400-801-A CONFIG-1 <i>EFFECTIVITY: ACFT MODEL(S) EMB-145</i> WASTE DRAIN HOSE - INSTALLATION	U	Oct 30/15
38-32-02/400 CONFIG-2 <i>EFFECTIVITY: ACFT MODEL(S) EMB-135</i> WASTE DRAIN HOSE - REMOVAL/INSTALLATION	U	Oct 30/15
38-32-02-000-802-A CONFIG-2 <i>EFFECTIVITY: ACFT MODEL(S) EMB-135</i> AFT WASTE-DRAIN HOSE - REMOVAL	U	Oct 30/15
38-32-02-400-802-A CONFIG-2 <i>EFFECTIVITY: ACFT MODEL(S) EMB-135</i> AFT WASTE-DRAIN HOSE - INSTALLATION	U	Oct 30/15
38-32-03/400 VENT LINE - REMOVAL/INSTALLATION	U	Oct 30/15
38-32-03-000-801-A VENT LINE - REMOVAL	U	Oct 30/15

Revision Status: U - Unchanged, R - Revised, N - New, D - Deleted

EMB-145 - AMM 1285

TOC

Chapter 38
Page 5 of 9
Rev 55 - Oct 29/18

PAGEBLOCK TASK	REVISION STATUS	REVISION DATE
38-32-03-400-801-A VENT LINE - INSTALLATION	U	Oct 30/15
38-32-04/200 WASTE DRAIN VALVE - MAINTENANCE PRACTICES	U	Oct 30/15
38-32-04-960-801-A WASTE DRAIN VALVE O-RING - REPLACEMENT/DISPOSAL	U	Oct 30/15
38-32-04-960-802-A WASTE DRAIN VALVE CAP SEAL - REPLACEMENT/DISPOSAL	U	Oct 30/15
38-32-04/400 CONFIG-1 <i>EFFECTIVITY: ACFT MODEL(S) EMB-145</i> WASTE DRAIN VALVE - REMOVAL/INSTALLATION	U	Oct 30/15
38-32-04-000-801-A CONFIG-1 <i>EFFECTIVITY: ACFT MODEL(S) EMB-145</i> WASTE DRAIN VALVE - REMOVAL	U	Oct 30/15
38-32-04-400-801-A CONFIG-1 <i>EFFECTIVITY: ACFT MODEL(S) EMB-145</i> WASTE DRAIN VALVE - INSTALLATION	U	Oct 30/15
38-32-04/400 CONFIG-2 <i>EFFECTIVITY: ACFT MODEL(S) EMB-135</i> WASTE DRAIN VALVE - REMOVAL/INSTALLATION	U	Oct 30/15
38-32-04-000-802-A CONFIG-2 <i>EFFECTIVITY: ACFT MODEL(S) EMB-135</i> WASTE DRAIN VALVE - REMOVAL	U	Oct 30/15
38-32-04-400-802-A CONFIG-2 <i>EFFECTIVITY: ACFT MODEL(S) EMB-135</i> WASTE DRAIN VALVE - INSTALLATION	U	Oct 30/15
38-32-06/400 CONFIG-1 <i>EFFECTIVITY: ACFT MODEL(S) EMB-145</i> TOILET DRAIN CABLE - REMOVAL/INSTALLATION	U	Oct 30/15
38-32-06-000-801-A CONFIG-1 <i>EFFECTIVITY: ACFT MODEL(S) EMB-145</i> TOILET DRAIN CABLE - REMOVAL	U	Oct 31/17
38-32-06-400-801-A CONFIG-1 <i>EFFECTIVITY: ACFT MODEL(S) EMB-145</i> TOILET DRAIN CABLE - INSTALLATION	U	Oct 31/17

Revision Status: U - Unchanged, R - Revised, N - New, D - Deleted

EMB-145 - AMM 1285

TOC

Chapter 38
Page 6 of 9
Rev 55 - Oct 29/18

<u>PAGEBLOCK TASK</u>	<u>REVISION STATUS</u>	<u>REVISION DATE</u>
38-32-06/400 CONFIG-2 <i>EFFECTIVITY: ACFT MODEL(S) EMB-135</i> TOILET DRAIN CABLE - REMOVAL/INSTALLATION	U	Oct 30/15
38-32-06-000-802-A CONFIG-2 <i>EFFECTIVITY: ACFT MODEL(S) EMB-135</i> TOILET DRAIN CABLE - REMOVAL	U	Oct 30/15
38-32-06-400-802-A CONFIG-2 <i>EFFECTIVITY: ACFT MODEL(S) EMB-135</i> TOILET DRAIN CABLE - INSTALLATION	U	Oct 30/15
38-32-07/400 CONFIG-1 <i>EFFECTIVITY: ACFT MODEL(S) EMB-145</i> RINSE NIPPLE - REMOVAL/INSTALLATION	U	Oct 30/15
38-32-07-000-801-A CONFIG-1 <i>EFFECTIVITY: ACFT MODEL(S) EMB-145</i> RINSE NIPPLE - REMOVAL	U	Oct 31/17
38-32-07-400-801-A CONFIG-1 <i>EFFECTIVITY: ACFT MODEL(S) EMB-145</i> RINSE NIPPLE - INSTALLATION	U	Oct 31/17
38-32-07/400 CONFIG-2 <i>EFFECTIVITY: ACFT MODEL(S) EMB-135</i> RINSE NIPPLE - REMOVAL/INSTALLATION	U	Oct 30/15
38-32-07-000-802-A CONFIG-2 <i>EFFECTIVITY: ACFT MODEL(S) EMB-135</i> RINSE NIPPLE - REMOVAL	U	Oct 30/15
38-32-07-400-802-A CONFIG-2 <i>EFFECTIVITY: ACFT MODEL(S) EMB-135</i> RINSE NIPPLE - INSTALLATION	U	Oct 30/15
38-32-08/400 TOILET-UNIT DRAIN VALVE - REMOVAL/INSTALLATION	U	Oct 30/15
38-32-08-000-801-A TOILET-UNIT DRAIN VALVE - REMOVAL	U	Oct 30/15
38-32-08-400-801-A TOILET-UNIT DRAIN VALVE - INSTALLATION	U	Oct 30/15
38-32-09/400 TOILET-UNIT MOTOR PUMP FILTER - REMOVAL/INSTALLATION	N	Oct 29/18

Revision Status: U - Unchanged, R - Revised, N - New, D - Deleted

EMB-145 - AMM 1285

TOC

Chapter 38
Page 7 of 9
Rev 55 - Oct 29/18

PAGEBLOCK TASK	REVISION STATUS	REVISION DATE
38-32-09-000-801-A Toilet-Unit Motor Pump Filter	N	Oct 29/18
38-32-09-400-801-A Toilet-Unit Motor Pump Filter	N	Oct 29/18
38-33-01/400 WASHBASIN DRAIN VALVE - REMOVAL/INSTALLATION	U	Oct 30/15
38-33-01-000-801-A WASHBASIN DRAIN VALVE - REMOVAL	U	Oct 30/15
38-33-01-400-801-A WASHBASIN DRAIN VALVE - INSTALLATION	U	Oct 30/15
38-33-03/400 MUFFLER - REMOVAL/INSTALLATION	U	Oct 30/15
38-33-03-000-801-A MUFFLER ASSEMBLY - REMOVAL	U	Oct 30/15
38-33-03-400-801-A MUFFLER ASSEMBLY - INSTALLATION	U	Oct 30/15
38-33-03/600 MUFFLER - INSPECTION/CHECK	U	Oct 30/15
38-33-03-200-801-A MUFFLER ASSEMBLY - INSPECTION	U	Oct 30/15
38-33-04/400 WASH BASIN - REMOVAL/INSTALLATION	U	Oct 30/15
38-33-05/400 CONFIG-1 <i>EFFECTIVITY: ACFT MODEL(S) EMB-145</i> WASHBASIN HEATED DRAIN - REMOVAL/INSTALLATION	U	Oct 30/15
38-33-05-000-801-A CONFIG-1 <i>EFFECTIVITY: ACFT MODEL(S) EMB-145</i> WASHBASIN HEATED DRAIN - REMOVAL	U	Oct 30/15
38-33-05-400-801-A CONFIG-1 <i>EFFECTIVITY: ACFT MODEL(S) EMB-145</i> WASHBASIN HEATED DRAIN - INSTALLATION	U	Oct 30/15

Revision Status: U - Unchanged, R - Revised, N - New, D - Deleted

EMB-145 - AMM 1285

TOC

Chapter 38
Page 8 of 9
Rev 55 - Oct 29/18

**PAGEBLOCK
TASK**

**REVISION
STATUS**

**REVISION
DATE**

38-33-05/400 CONFIG-2

U

Oct 30/15

EFFECTIVITY: ACFT MODEL(S) EMB-135

WASHBASIN HEATED DRAIN - REMOVAL/INSTALLATION

38-33-05-000-804-A CONFIG-2

U

Oct 30/15

EFFECTIVITY: ACFT MODEL(S) EMB-135

WASHBASIN HEATED DRAIN - REMOVAL

38-33-05-400-804-A CONFIG-2

U

Oct 30/15

EFFECTIVITY: ACFT MODEL(S) EMB-135

WASHBASIN HEATED DRAIN - INSTALLATION

Revision Status: U - Unchanged, R - Revised, N - New, D - Deleted

EMB-145 - AMM 1285

TOC

Chapter 38
Page 9 of 9
Rev 55 - Oct 29/18

