

SPINNER - INSPECTION/CHECK

EFFECTIVITY: PRE-MOD. S.B. AE3007A-72-167

1. General

- A. This section gives the procedures to do the inspection of the engine fan spinner assembly for cracks.
- B. The procedures in this section are given in the sequence below. The tasks identified with (◆) are part of the Scheduled Maintenance Requirements Document (SMRD).

TASK NUMBER	DESCRIPTION	EFFECTIVITY
72-31-01-200-801-A ◆	INSPECT FAN SPINNER ASSEMBLY IN- SPECTION FOR CRACKS - DETAILED IN- SPECTION	PRE-MOD. S.B. AE3007A-72-167

TASK 72-31-01-200-801-A

EFFECTIVITY: PRE-MOD. S.B. AE3007A-72-167

2. INSPECT FAN SPINNER ASSEMBLY INSPECTION FOR CRACKS - DETAILED INSPECTION

A. General

- (1) Obey the instructions in Rolls-Royce MM CSP34022 to inspect the engine fan spinner assembly for cracks.

B. References

REFERENCE	DESIGNATION
AMM MPP 71-00-00/200	- MAINTENANCE PRACTICES

C. Zones and Accesses

ZONE	PANEL/DOOR	LOCATION
413		LH Engine
423		RH Engine

D. Tools and Equipment

Not Applicable

E. Auxiliary Items

ITEM	DESCRIPTION	PURPOSE	QTY
Commercially available	Workstand	To get access to the cowling	1

F. Consumable Materials

Not Applicable

G. Expandable Parts

Not Applicable

H. Persons Recommended

QTY	FUNCTION	PLACE
1	Does the task	On the engine

I. Preparation

SUBTASK 841-002-A

- (1) On the circuit breaker panel, open the START 1/2 circuit breakers and attach a DO-NOT-CLOSE tag to it:
- (2) Put the workstand in the work area.

J. Inspect (Detailed Inspection) Fan Spinner

SUBTASK 220-002-A

WARNING: BEFORE YOU DO THE TASK OBEY THE SAFETY PRECAUTIONS GIVEN IN [AMM MPP 71-00-00/200](#) TO PREVENT INJURY TO PERSONS AND DAMAGE TO THE MATERIAL.

- (1) Do a detailed inspection of the fan spinner for cracks. Refer to the latest revision of Rolls-Royce MM CSP34022.

K. Follow-on

SUBTASK 842-002-A

- (1) Remove the DO-NOT-CLOSE tag and close the START 1/2 circuit breakers.
- (2) Remove the workstand from the work area.

