

## BAGGAGE-COMPARTMENT FIRE EXTINGUISHER BOTTLE CARTRIDGE - REMOVAL/INSTALLATION

*EFFECTIVITY: CLASS-C BAGGAGE COMPARTMENT*

### 1. General

- A. This section gives the procedures to remove and install the cartridge of the baggage-compartment fire-extinguisher bottle.
- B. The procedures in this section are given in the sequence below. The tasks identified with (◆) are part of the Scheduled Maintenance Requirements Document (SMRD).

TASK NUMBER	DESCRIPTION	EFFECTIVITY
26-23-02-000-801-A	BAGGAGE-COMPARTMENT FIRE-EXTIN- GUISHER-BOTTLE CARTRIDGE - RE- MOVAL	CLASS-C BAGGAGE COMPARTMENT
26-23-02-400-801-A	BAGGAGE-COMPARTMENT FIRE-EXTIN- GUISHER BOTTLE CARTRIDGE - INSTAL- LATION	CLASS-C BAGGAGE COMPARTMENT

TASK 26-23-02-000-801-A

EFFECTIVITY: CLASS-C BAGGAGE COMPARTMENT

## 2. BAGGAGE-COMPARTMENT FIRE-EXTINGUISHER-BOTTLE CARTRIDGE - REMOVAL

### A. General

- (1) To do the task, refer to the instructions in Pacific Scientific CMM ATA 26-23-46 and Pacific Scientific CMM ATA 26-23-47.

### B. References

REFERENCE	DESIGNATION
<a href="#">AMM TASK 26-23-01-000-801-A/400</a>	BAGGAGE FIRE EXTINGUISHER BOTTLES - REMOVAL
Pacific Scientific CMM ATA 26-23-46	-
Pacific Scientific CMM ATA 26-23-47	-

### C. Zones and Accesses

ZONE	PANEL/DOOR	LOCATION
272	272DR	Electronic compartment

### D. Tools and Equipment

Not Applicable

### E. Auxiliary Items

ITEM	DESCRIPTION	PURPOSE	QTY
Commercially available	Ladder	To get access to the electronic compartment	1

### F. Consumable Materials

Not Applicable

### G. Expandable Parts

Not Applicable

### H. Persons Recommended

QTY	FUNCTION	PLACE
1	Does the task	Electronic compartment

### I. Preparation

SUBTASK 841-002-A

- (1) Remove the fire-extinguisher bottles ( [AMM TASK 26-23-01-000-801-A/400](#) ).

J. Removal

*SUBTASK 020-002-A*

**WARNING: THE CARTRIDGES ARE EXPLOSIVE DEVICES. ACCIDENTAL DETONATION OF A CARTRIDGE CAN CAUSE INJURY. DURING THE TASK, OBEY ALL SAFETY PRECAUTIONS GIVEN IN THE PACIFIC SCIENTIFIC CMM.**

- (1) Remove the cartridge. Refer to the last revision of the Pacific Scientific CMM ATA 26-23-46 (for high rate bottle) and Pacific Scientific CMM ATA 26-23-47 (for metering bottle).

TASK 26-23-02-400-801-A

EFFECTIVITY: CLASS-C BAGGAGE COMPARTMENT

### 3. BAGGAGE-COMPARTMENT FIRE-EXTINGUISHER BOTTLE CARTRIDGE - INSTALLATION

#### A. General

- (1) To do the task, refer to the instructions in Pacific Scientific CMM ATA 26-23-46 and Pacific Scientific CMM ATA 26-23-47.

#### B. References

REFERENCE	DESIGNATION
AMM TASK 26-23-01-400-801-A/400	BAGGAGE FIRE EXTINGUISHER BOTTLES - INSTALLATION
Pacific Scientific CMM ATA 26-23-46	-
Pacific Scientific CMM ATA 26-23-47	-

#### C. Zones and Accesses

ZONE	PANEL/DOOR	LOCATION
272	272DR	Electronic compartment

#### D. Tools and Equipment

Not Applicable

#### E. Auxiliary Items

ITEM	DESCRIPTION	PURPOSE	QTY
Commercially available	Ladder	To get access to the electronic compartment	1

#### F. Consumable Materials

Not Applicable

#### G. Expandable Parts

Not Applicable

#### H. Persons Recommended

QTY	FUNCTION	PLACE
1	Does the task	Electronic compartment

#### I. Installation

SUBTASK 420-002-A

**WARNING: THE CARTRIDGES ARE EXPLOSIVE DEVICES. ACCIDENTAL DETONATION OF A CARTRIDGE CAN CAUSE INJURY. DURING THE TASK, OBEY ALL SAFETY PRECAUTIONS GIVEN IN THE PACIFIC SCIENTIFIC CMM.**

- (1) Install the cartridges. Refer to the last revision of the Pacific Scientific CMM ATA 26-23-46 (for high rate bottle) and Pacific Scientific CMM ATA 26-23-47 (for metering bottle).

J. Follow-on

*SUBTASK 842-002-A*

- (1) Install the baggage fire extinguisher bottles ([AMM TASK 26-23-01-400-801-A/400](#)).

