

ATTENDANT CALL SWITCH ASSEMBLY - REMOVAL/INSTALLATION

EFFECTIVITY: ALL

1. General

- A. This section gives the procedures for the removal/installation of the attendant call switch assembly.
- B. The attendant call switch assembly is located in the lavatory, zones 271 and 272.
- C. Attention must be given to safety precautions presented below, when working on the attendant call switch assembly.
 - Disconnect electrical power.
 - Always use insulated tools when working on or near electrical circuits.
- D. The procedures in this section are given in the sequence below. The tasks identified with (◆) are part of the Scheduled Maintenance Requirements Document (SMRD).

TASK NUMBER	DESCRIPTION	EFFECTIVITY
33-25-03-000-801-A	ATTENDANT CALL SWITCH ASSEMBLY - REMOVAL	ALL
33-25-03-400-801-A	ATTENDANT CALL SWITCH ASSEMBLY - INSTALLATION	ALL

TASK 33-25-03-000-801-A

EFFECTIVITY: ALL

2. ATTENDANT CALL SWITCH ASSEMBLY - REMOVAL

A. General

(1) This section gives the procedures for the removal of the attendant call switch assembly.

B. Zones and Accesses

Not Applicable

C. Tools and Equipment

Not Applicable

D. Auxiliary Items

Not Applicable

E. Consumable Materials

Not Applicable

F. Expandable Parts

Not Applicable

G. Persons Recommended

QTY	FUNCTION	PLACE
1	Performs the Task	Passenger Cabin

H. Removal of the Attendant Call Switch Assembly ([Figure 401](#))

SUBTASK 020-002-A


(1) Remove the bonded switch panel (1).

(2) Remove the nuts (2), the washers (3), and the screws (4) from the bezel (5).

EFFECTIVITY: ALL

Attendant Call Switch Assembly - Removal/Installation

Figure 401



EM145AMM331024A.DGN

TASK 33-25-03-400-801-A

EFFECTIVITY: ALL

3. ATTENDANT CALL SWITCH ASSEMBLY - INSTALLATION

A. General

(1) This section gives the procedures for the installation of the attendant call switch assembly.

B. Zones and Accesses

Not Applicable

C. Tools and Equipment

Not Applicable

D. Auxiliary Items

Not Applicable

E. Consumable Materials

SPECIFICATION (BRAND)	DESCRIPTION	QTY
P/N 468	Adhesive	AR

F. Expandable Parts

Not Applicable

G. Persons Recommended

QTY	FUNCTION	PLACE
1	Performs the task	Passenger cabin

H. Installation of the Attendant Call Switch Assembly (Figure 401)

SUBTASK 420-002-A

- (1) Install the nuts (2), the washers (3), and the screws (4) on the bezel (5).
- (2) Apply adhesive to the mounting surfaces of the switch panel (1). Install the bonded switch panel.