



AIRCRAFT
MAINTENANCE MANUAL

LAVATORY DOOR - CLEANING/PAINTING

EFFECTIVITY: ALL

1. General

- A. This section gives the procedures to clean the lavatory door parts.
- B. The procedures in this section are given in the sequence below. The tasks identified with (♦) are part of the Scheduled Maintenance Requirements Document (SMRD).

TASK NUMBER	DESCRIPTION	EFFECTIVITY
25-40-03-100-801-A	LAVATORY DOOR PARTS - CLEANING	ALL



EMB145 – EMB135

AIRCRAFT
MAINTENANCE MANUAL

TASK 25-40-03-100-801-A

EFFECTIVITY: ALL

2. LAVATORY DOOR PARTS - CLEANING

A. General

(1) This task gives the procedures to clean the components of the lavatory door.

B. References

REFERENCE	DESIGNATION
AMM TASK 25-00-00-100-801-A/700	EQUIPMENT/FURNISHINGS - CLEANING

C. Zones and Accesses

Not Applicable

D. Tools and Equipment

Not Applicable

E. Auxiliary Items

ITEM	DESCRIPTION	PURPOSE	QTY
Commercially available	Rubber gloves	Hand protection	1
Commercially available	Safety goggles	Eye protection	1
Commercially available	Brush, Soft non-metallic bristles	To remove the dirt	AR
Commercially available	Wiper-Soft, Lint-Free	For cleaning	AR

F. Consumable Materials

SPECIFICATION (BRAND)	DESCRIPTION	QTY
AMS 1550 or equivalent	General Purpose Detergent/Degreaser	AR
MIL-PRF-680 or equivalent	Solvent	AR
MIL-D-16791 Type I	Neutral Detergent	AR

G. Expandable Parts

Not Applicable

H. Persons Recommended

QTY	FUNCTION	PLACE
1	Does the task	Lavatory door



EMB145 – EMB135

AIRCRAFT
MAINTENANCE MANUAL

I. Lavatory door

SUBTASK 110-002-A

WARNING: PUT ON GLOVES AND GOOGLES WHEN YOU USE CLEANING MATERIALS AND DO NOT LET IT TOUCH YOUR SKIN OR EYES.

CAUTION: THE DECORATIVE LAMINATE SURFACE OF VARIOUS INTERIOR COMPONENTS CAN BE DAMAGED BY THE USE OF INCORRECT CLEANING MATERIALS AND EQUIPMENT, OR IF YOU DO NOT MIX THE CLEANING MATERIALS AS SPECIFIED.

- (1) Clean all surfaces of the lavatory door, to remove dirt, oil and debris with neutral detergent or general purpose detergent/degreaser. Refer to cleaning procedures for plastic or vinyl panels ([AMM TASK 25-00-00-100-801-A/700](#)).

WARNING: THE SOLVENT CONTAINS POISONOUS AGENTS AND ARE FLAMMABLE. PUT ON GLOVES AND GOOGLES WHEN YOU USE IT AND DO NOT LET IT TOUCH YOUR SKIN OR EYES. HAVE A SUFFICIENT FLOW OF AIR OR USE RESPIRATORS.

CAUTION: DO NOT LET SOLVENTS CONTACT THE DECORATIVE MATERIALS OR PLASTIC COMPONENTS. THEY CAN DAMAGE SOME COMPONENTS AND MATERIALS .

- (2) Clean all metallic parts of the lavatory door to remove dirt, oil and debris with solvent or general purpose detergent/degreaser. Refer to cleaning procedures for metal surfaces ([AMM TASK 25-00-00-100-801-A/700](#)).

NOTE: Do not permit solvent to evaporate on surface. Dry the parts with a clean, dry cotton cloth.

