

## MEGAPHONE - ADJUSTMENT/TEST

*EFFECTIVITY: ALL*

1. General

- A. This section gives the procedures to do the operational test of the megaphone.
- B. The procedures in this section are given in the sequence below. The tasks identified with (◆) are part of the Scheduled Maintenance Requirements Document (SMRD).

TASK NUMBER	DESCRIPTION	EFFECTIVITY
25-60-04-710-801-A ◆	MEGAPHONE - OPERATIONAL CHECK	ALL

TASK 25-60-04-710-801-A

EFFECTIVITY: ALL

## 2. MEGAPHONE - OPERATIONAL CHECK

### A. General

- (1) The function of this test is to make sure that the megaphone is complete and that it correctly operates.
- (2) The megaphone is attached with a clamp in a support, installed either inside of the outboard galley or RH wardrobe.

### B. Zones and Accesses

Not Applicable

### C. Tools and Equipment

Not Applicable

### D. Auxiliary Items

Not Applicable

### E. Consumable Materials

Not Applicable

### F. Expandable Parts

Not Applicable

### G. Persons Recommended

QTY	FUNCTION	PLACE
1	Does the task	Passenger cabin

### H. Preparation (Figure 501)

#### SUBTASK 841-002-A

- (1) Get access to the megaphone (1).
- (2) Open the clamp and remove the megaphone (1) from the support.

### I. Operational Test of the Megaphone (Figure 501)

#### SUBTASK 710-002-A

- (1) Do the operational test of the megaphone (1) as follows:
  - (a) Push and hold the handle (3) of the megaphone (1).
    - 1 You hear a clicking sound from the speaker.
  - (b) Adjust the volume control button (2) to different levels and speak some words at the mouthpiece of the megaphone (1).
    - 1 You hear the sound of your voice at different volume levels.
  - (c) Release the handle (3) of the megaphone (1).

(d) Disconnect the alarm plug pin (4) from the megaphone (1).

1 The alarm operates.

(e) Connect the alarm plug pin (4) to the megaphone (1).


1 The alarm stops operating.

J. Follow-on ([Figure 501](#))

*SUBTASK 842-002-A*

(1) Put the megaphone (1) on the support and close the clamp.

**EFFECTIVITY: ALL**  
 Megaphone - Adjustment/Test  
 Figure 501



145AMM250142.MCE