

## FAN - INSPECTION/CHECK

*EFFECTIVITY: ALL*

1. General

- A. This section gives the procedures to do the inspection of the fan assembly.
- B. The procedures in this section are given in the sequence below. The tasks identified with (◆) are part of the Scheduled Maintenance Requirements Document (SMRD).

TASK NUMBER	DESCRIPTION	EFFECTIVITY
72-21-00-200-801-A	FAN ASSEMBLY - INSPECTION	ALL

TASK 72-21-00-200-801-A

EFFECTIVITY: ALL

## 2. FAN ASSEMBLY - INSPECTION

### A. General

(1) To do this task, refer to the instructions given in Rolls-Royce MM CSP 34022.

### B. References

REFERENCE	DESIGNATION
<a href="#">AMM MPP 71-00-00/200</a>	- MAINTENANCE PRACTICES
Rolls-Royce MM CSP 34022	-

### C. Zones and Accesses

ZONE	PANEL/DOOR	LOCATION
415		LH Engine
425		RH Engine

### D. Tools and Equipment

Not Applicable

### E. Auxiliary Items

ITEM	DESCRIPTION	PURPOSE	QTY
Commercially available	Ladder	To get access to the engine fan assembly	01

### F. Consumable Materials

Not Applicable

### G. Expandable Parts

Not Applicable

### H. Persons Recommended

QTY	FUNCTION	PLACE
01	Does the task	Engine fan assembly

### I. Preparation

SUBTASK 841-002-A

**WARNING: BEFORE YOU DO THE TASK OBEY THE SAFETY PRECAUTIONS GIVEN IN [AMM MPP 71-00-00/200](#) TO PREVENT INJURY TO THE PERSONS AND DAMAGE TO THE MATERIAL.**

- (1) On the circuit breaker panel, open the circuit breakers below and attach a DO-NOT-CLOSE tag to them.
  - START 1/2.

- (2) Put the ladder next to the air intake.

J. Fan Assembly - Inspection

*SUBTASK 212-002-A*

- (1) Visually inspect the fan assembly. Refer to the last revision of Rolls-Royce MM CSP 34022.

K. Follow-on

*SUBTASK 842-002-A*

- (1) Remove the ladder.
- (2) On the circuit breaker panel, close the circuit breakers below and remove the DO-NOT-CLOSE tags from them.
  - START 1/2.

