

APU FIRE EXTINGUISHER BOTTLE CARTRIDGE - REMOVAL/INSTALLATION

EFFECTIVITY: ALL

1. General

- A. This section contains the procedures to removal/installation the cartridge of the APU fire extinguishing bottle.
- B. The procedures in this section are given in the sequence below. The tasks identified with (◆) are part of the Scheduled Maintenance Requirements Document (SMRD).

TASK NUMBER	DESCRIPTION	EFFECTIVITY
26-22-03-000-801-A	APU - FIRE EXTINGUISHING BOTTLE CARTRIDGE - REMOVAL	ALL
26-22-03-400-801-A	APU FIRE EXTINGUISHING BOTTLE CARTRIDGE - INSTALLATION	ALL

TASK 26-22-03-000-801-A

EFFECTIVITY: ALL

2. APU - FIRE EXTINGUISHING BOTTLE CARTRIDGE - REMOVAL

A. General

(1) To do the task, refer to the instructions in Pacific Scientific CMM 26-20-202.

B. References

REFERENCE	DESIGNATION
AMM MPP 49-00-00/200	- MAINTENANCE PRACTICES
AMM TASK 26-22-01-000-801-A/400	APU FIRE-EXTINGUISHER BOTTLE - REMOVAL
Pacific Scientific CMM 26-20-202	-

C. Zones and Accesses

ZONE	PANEL/DOOR	LOCATION
312	312AR	Tail cone compartment

D. Tools and Equipment

Not Applicable

E. Auxiliary Items

ITEM	DESCRIPTION	PURPOSE	QTY
Commercially available	Ladder	To get access to the tail cone compartment	1

F. Consumable Materials

Not Applicable

G. Expandable Parts

Not Applicable

H. Persons Recommended

QTY	FUNCTION	PLACE
1	Does the task	Tail cone compartment

I. Preparation

SUBTASK 841-002-A

WARNING: BEFORE YOU DO THE TASK, OBEY THE SAFETY PRECAUTIONS GIVEN IN [AMM MPP 49-00-00/200](#) TO PREVENT INJURY TO PERSONS AND DAMAGE TO MATERIAL.

(1) Remove the APU-fire extinguishing bottle ([AMM TASK 26-22-01-000-801-A/400](#)).

J. Removal

SUBTASK 020-002-A

WARNING: THE CARTRIDGES ARE EXPLOSIVE DEVICES. ACCIDENTAL DETONATION OF A CARTRIDGE CAN CAUSE INJURY. DURING THE TASK OBEY ALL SAFETY PRECAUTIONS CONTAINED IN THE PACIFIC SCIENTIFIC CMM.

- (1) Remove the cartridge. Refer to the last revision of Pacific Scientific CMM 26-20-202.

TASK 26-22-03-400-801-A

EFFECTIVITY: ALL

3. APU FIRE EXTINGUISHING BOTTLE CARTRIDGE - INSTALLATION

A. General

(1) To do the task, refer to the instructions in Pacific Scientific CMM 26-20-202.

B. References

REFERENCE	DESIGNATION
AMM MPP 49-00-00/200	- MAINTENANCE PRACTICES
AMM TASK 26-22-01-400-801-A/400	APU FIRE-EXTINGUISHER BOTTLE - INSTALLATION
Pacific Scientific CMM 26-20-202	-

C. Zones and Accesses

ZONE	PANEL/DOOR	LOCATION
312	312AR	Tail cone compartment

D. Tools and Equipment

Not Applicable

E. Auxiliary Items

ITEM	DESCRIPTION	PURPOSE	QTY
Commercially available	Ladder	To get access to the tail cone compartment	1

F. Consumable Materials

Not Applicable

G. Expandable Parts

Not Applicable

H. Persons Recommended

QTY	FUNCTION	PLACE
1	Does the task	Tail cone compartment

I. Installation

SUBTASK 420-002-A

WARNING: • BEFORE YOU DO THE TASK, OBEY THE SAFETY PRECAUTIONS GIVEN IN [AMM MPP 49-00-00/200](#) TO PREVENT INJURY TO PERSONS AND DAMAGE TO MATERIAL.

- THE CARTRIDGES ARE EXPLOSIVE DEVICES. ACCIDENTAL DETONATION OF A CARTRIDGE CAN CAUSE INJURY. DURING THE TASK OBEY ALL SAFETY PRECAUTIONS CONTAINED IN THE PACIFIC SCIENTIFIC CMM.

- (1) Install the cartridge. Refer to the last revision of Pacific Scientific CMM 26-20-202.

J. Follow-on

SUBTASK 842-002-A

- (1) Install the APU fire-extinguishing-bottle ([AMM TASK 26-22-01-400-801-A/400](#)).

