

Quantifying Corruption

Exploring the impact of donations on legislation


Background

Prior to 2010 until the *FEC v Citizens United* Decision by SCOTUS the FEC tried to limit campaign contributions to US Reps.

SCOTUS determined that SPAC contributions cannot be limited* .

Neat!

*Subject to some restrictions



Background

This limitless contribution ability means that individuals who have more money can spend more money contributing to a campaign.

The obvious issue being those with more money can pay more to elect people they like.

Goal:

To determine the impact on voting record that these contributions display and to understand if the concerns of equal representation are well founded.

Collecting Data

- A lot of webscraping!
 - Python and BeautifulSoup are amazing
- Data came from govtrack.us & OpenSecrets.org

Collecting Data Cont.

- Issues

- Multiple links

- JQuery

- Download links

The image shows a screenshot of the govtrack website and a browser's developer tools. The website displays 'Voting Records' for the 114th Congress, with a filter for 'S. 612: WIN Act'. It lists several votes, including 'Senate Vote #163' and 'Motion to Invoke Cloture on the Motion to Concur in the House Amendment to S. 612'. The developer tools show a network request to 'https://www.govtrack.us/congress/votes/114/createdsession=380' with a status of 200 OK. The response headers include 'Cache-Control: public', 'Content-Type: text/json', and 'X-Konklone-Force-HTTPS: TRUE'.

Cleaning Donation Data

- Data was nasty, no header
- |2014|,|H2MD08159|,|N00012668|,|Ken
Timmerman (R)|,|R|,|MD08|,| |,| |,| |,| |,|RN|,| |
- :%s/|,|//g – sed
- Then kept name, party, and candidate ID
- Candidate ID links donations to candidate

Cleaning Voting Data

- 705 votes cast
- Data wasn't too nasty
 - 1st line description of the vote then
 - Person ID,state,district,vote,name,party
- Kept PersonID, Vote (0,1,2), name, party

Donation & Voting Data

- Python script to link the two
 - Voting data has PersonID
 - Donation data has Candidate ID
- Needed for clustering

Building Donation Profiles

- Collect Data
 - Candidate ID
 - Donation Amount
 - Party
- Normalize Data



Building Donation Profiles

- Set Benchmarks
 - Average
 - Standard Deviation
 - Variance
- Group into Categories by Candidate



Building Donation Profiles

- Benchmarks
 - Up to 580.49
 - 580.49 to 1526.17
 - 1526.17 to 4012.47
 - 4012.47 to 10549.24
 - Over 10549.24




Clustering Donation Profiles

- Allows us to look at broader trends
- Effectively filters out anomalous donations

Clustering Donation Profiles


- Picking a value of k



Visualizing Clusters

Large: Top 2
donation Categories

Small: Bottom 2
Donation Categories




Cluster 0: mostly small contributions

Cluster 1: Some of small and large contributions

Cluster 2: Mostly Large Contributions

Visualizing Clusters



Looking in
terms of
percentages.

Donation Categories

0: 0 to 580.49


1: 580.49 to 1526.17

2: 1526.17 to 4012.47

3: 4012.47 to 10549.24

4: over 10549.24

Visualizing Clusters



Although the Republican candidates have a broader range and tend to receive larger single

contributions neither party is limited to a single cluster and both receive a range of donations

Testing For Significance

- To get a sense for how each cluster voted, we averaged all votes for each cluster
- An average value of 1 means all members voted yes

Testing For Significance

- Three aggregate voting records
- Each cluster votes on the same bills, so we have data on paired “events”
- Paired T-Test

Testing For Significance

- T-Test for every pair of clusters
- Highest p-value between clusters: ~ 0.000051

In [6]:

```
1 t_test_pv = np.empty((3, 3))
2 for i, cvl1 in enumerate(cluster_voting):
3     for j, cvl2 in enumerate(cluster_voting):
4         t_test_pv[i][j] = stats.ttest_rel(cvl1, cvl2)[1]
5
6 t_test_pv
```

```
Out[6]: array([[ nan,  5.10779906e-05,  4.11646508e-14],
               [ 5.10779906e-05,  nan,  3.73281923e-12],
               [ 4.11646508e-14,  3.73281923e-12,  nan]])
```

Testing For Significance

- This suggests there's less than a $\sim 0.005\%$ chance differences are due to chance
- **But**, the t-test assumes that the observations follow a normal distribution

Testing For Significance

- We can try a different tact using logistic regression
- Train a logistic regression model on the data, using cluster ID as a categorical variable
- The magnitude of the 2nd and 3rd coefficients is our confidence (those clusters are different)

Testing For Significance

- The percentage of bills that showed significance

```
[[ 0.          0.93019943  0.9031339 ]  
 [ 0.93019943  0.          0.96153846]  
 [ 0.9031339   0.96153846  0.          ]]
```

Conclusions

- Explicitly stating your question (and workflow) is important
- Real data is messy
 - Collecting it is not always straightforward
- Model assumptions matter

What We Didn't Do

- We didn't prove a causal relationship between donations and voting behavior
- We didn't consider the identity of donors
- We didn't examine the content of bills

Are Politicians Corrupt?

- Ya