
Human Reproduction

Para- 3.1

The Male Reproductive System

- 1. The testes are situated outside the abdominal cavity within a pouch called **[Pg-43,E]**
 - (A) urethra
- (B) scrotum
- (C) penis
- (D) none of these
- 2. In humans, sperms are produced in **[Pg-43,E]**
 - (A) epididymis
 - (B) rete testis
 - (C) seminiferous tubules
 - (D) vas deferens
- 3. Sertoli cells which line the seminiferous tubules from inside **[Pg-43,E]**
 - (A) undergo meiotic division to produce sperms
 - (B) provide nutrition to the germ cells
 - (C) synthesise and secrete testicular hormones
 - (D) All of these
- 4. Refer to the given figure showing sectional view of seminiferous tubule. In the figure, some parts are labelled as A, B, C and D. Identify the part which provides nutrition to the developing sperms. [Pg-44,E]



(A) A

(B) C


- (C) D
- (D) B

- 5. The regions outside the seminiferous tubules that contain Leydig cells are called **[Pg-43,E]**
 - (A) interstitial spaces
 - (B) antrum
 - (C) scrotum
 - (D) none of these
- 6. Testicular hormones called androgens are secreted by **[Pg-43,E]**
 - (A) interstitial cells
- (B) Leydig cells
- (C) Sertoli cells
- (D) both (a) and (b)
- 7. Which one is odd from the following structures with reference to the male reproductive system. [NCERT Exemplar]
 - [Pg-43,M]
 - (A) Rete testis
- (B) Epididymis
- (C) Vasa efferentia
- (D) Isthmus
- 8. The vas deferens opens into urethra as [NCERT Exemplar] [Pg-43,E]
 - (A) epididymis
 - (B)ejaculatory duct
 - (C) efferent ductule
 - (D) ureter
- 9. Which of the following depicts the correct pathway of transport of sperms?

[Pg-43,M]

- (A) Rete testis → Efferent ductules → Epididymis → Vas deference
- (B) Rete testis → Epididymis → Efferent ductules → Vas deference
- (C) Rete testis \rightarrow Vas deference \rightarrow Efferent ductules \rightarrow Epididymis
- (D) Efferent ductules \rightarrow Rete testis \rightarrow Vas deference \rightarrow Epididymis
- 10. Among the following which one is not an accessory duct of male reproductive system? [Pg-43,E]
 - (A) Rete testis
- (B) Vasa efferentia
- (C) Vas deferens
- (D) Urethra
- 11. The ejaculatory duct transports the sperms to the outside through **[Pg-43,E]**

- (A) urethra
- (B) rete testis
- (C) vasa efferentia
- (D) none of these
- 12. Refer to the given figure and choose the correct option for the parts labelled as A, B, C and D. [Pg-43,M]



	а	b	С	d
Α	Vas	Semin	Prostate	Bulboureth
	deferens	al	gland	ral gland
		vesicle		
В	Vasa	Prosta	Seminal	Bulboureth
	efferentia	te	vesicle	ral gland
		gland		
С	Prostate	Semin	Bulboureth	Vas
	gland	al	ral gland	deferens
		vesicle		
D	Bulbouret	Vas	Prostate	Vasa
	hral gland	defere	gland	efferentia
		ns		

13. Match the parts given in Column-I to their characteristic features in Column-II and choose the correct option from the codes given below. **[Pg-43,M]**

	Column I		Column II
(a)	Penis	(1)	Loose fold of
			skin
(b)	Glans penis	(2)	Male
			external
			genitalia
(c)	Foreskin	(3)	External
			opening
			urethra
(d)	Urethral	(4)	Enlarged
	meatus		end of penis

Codes-

	а	b	С	d
(A)	2	4	1	3
(B)	3	4	1	2
(C)	2	4	3	1

(D)	4	3	2	1
14.	Urethral	meatus	is/are	[NCERT
	Exemplar]		[Pg	(-43,M]

- (A) the urinogenital duct
- (B) opening of vas deferens into urethra
- (C) external opening of the urinogenital duct
- (D) muscles surrounding the urinogenital duct
- 15. Among the following which one is not a male accessory gland? [NCERT Exemplar] [Pg-43,E]
 - (A) Seminal vesicle
 - (B) Ampulla
 - (C) Prostate
 - (D) Bulbourethral gland
- 16. Match the Column-I (parts) to Column-II (feature) and choose the correct option from the codes given below. [Pg-43,M]

	Column I		Column II	
(a)	Sertoli cells	(1)	Testicular	
			hormones	
(b)	Leydig cells	(2)	External	
			opening of	
			urethra	
(c)	Epididymis	(3)	Nutrition to	
			the germ	
			cells	
(d)	Urethral	(4)	Male sex	
	meatus		accessory	
			duct	

	а	b	С	d
(A)	4	3	2	1
(B)	3	1	4	2
(C)	1	2	3	4
(D)	2	4	1	3

- 17. Seminal plasma is contributed by: [NCERT Exemplar] [Pg-44,E]
 - (I) Seminal vesicle
 - (II) Prostate
 - (III) Urethra
 - (IV) Bulbourethral gland
 - (A) I and II
- (B) I, II and IV
- (C) II, III and IV
- (D) I and IV
- 18. Read the following statements about seminal plasma and choose the correct statement(s) from the given options.

[Pg-44,M]

- (I) Seminal plasma is secreted by seminal vesicles, prostate and bulbourethral glands.
- (II) It is rich in sucrose and calcium.
- (III) It contains certain enzymes also.
- (A) I and II
- (B) II and III
- (C) I and III (D) All of these
- 19. Read the following statements about male reproductive system and choose the incorrect statements from the given options. **[Pg-43,M]**
 - (I) It is located in the pelvis region.
 - (II) The testes are situated outside the abdominal cavity within a pouch called scrotum.
 - (III) Each testis has about 350 testicular tubules.
 - (IV) Penis, the male external genitalia is made up of special tissues to facilitate insemination.
 - (A) I and III
- (B) III and IV
- (C) I and IV
- (D) Only III
- 20. **Assertion**: The scrotum helps in maintaining the low temperature of the testes

Reason: The low temperature of the testes is necessary for spermatogenesis.

[Pg-43,H]

- (A) Both assertion and reason are true and reason is the correct explanation of assertion.
- (B) Both assertion and reason are true, but reason is not the correct explanation of assertion.
- (C) Assertion is true, but reason is false.
- (D) Both assertion and reason are false.
- 21. **Assertion:** The enlarged part of penis is called glans penis.

Reason: The glans penis is covered by a loose fold of skin called foreskin.

[Pg-44,H]

- (A) Both assertion and reason are true and reason is the correct explanation of assertion.
- (B) Both assertion and reason are true, but reason is not the correct explanation of assertion.
- (C) Assertion is true, but reason is false.
- (D) Both assertion and reason are false.

Para-3.2

The Female Reproductive System

22. The primary female sex organ is/are

[Pg-44,E]

- (A) vagina
- (B) uterus
- (C) ovaries
- (D) external genitalia
- 23. Among the following which one is not the part of female reproductive system?

[Pg-44,E]

- (A) Cervix
- (B) Sertoli cells
- (C) Mammary glands (D) Oviducts
- 24. The parts that constitute the female accessory ducts include **[Pg-45,E]**
 - (A) Fallopian ducts
- (B) vagina
- (C) ovaries
- (D) both (a) and (b)
- 25. The funnel-shaped part of Fallopian tube that remains closer to the ovary is –

[Pg-45,E]

- (A) infundibulum
- (B) fimbriae
- (C) ampulla
- (D) isthmus
- 26. The part of the oviduct that joins the uterus is **[Pg-46,E]**
 - (A) ampulla
- (B) isthmus
- (C) fimbriae
- (D) infundibulum
- 27. The uterus is also called **[Pg-46,E]**
 - (A) womb
- (B) cervix
- (C) cervical canal
- (D) none of these
- 28. The inner glandular layer that lines the uterine cavity is [Pg-46,E]
 - (A) perimetrium
- (B) myometrium
- (C) endometrium
- (D) ectometrium
- 29. The uterine layer that undergoes cyclical changes during menstrual cycle is

[Pg-46,E]

- (A) myometrium
- (B) endometrium
- (C) perimetrium
- (D) both (a) and (b)
- 30. Which uterine layer exhibits strong contractions during the delivery of the baby? [Pg-46,E]
 - (A) Endometrium
- (B) Perimetrium
- (C) Myometrium
- (D) Both (a) and (c)
- 31. The female external genitalia include

[Pg-46,E]

- (A) mons pubis
- (B) labia majora
- (C) clitoris
- (D) all of these
- 32. The opening of the vagina is often covered partially by a membrane called **[Pg-46,E]**

(A) hymen

(B) clitoris

(C) labia minora

- (D) none of these
- 33. A tiny finger-like structure which lies at the upper junction of the two labia minora is **[Pg-46,E]**

(A) hymen

(B) mons pubis

- (C) clitoris
- (D) none of these
- 34. How many mammary lobes are found in each breast? **[Pg-47,E]**
 - (A) 20–25

(B) 15–20

- (C) 10–15
- (D) 25-30
- 35. The alveoli of mammary glands open into **[Pg-47,E]**
 - (A) mammary tubules (B) mammary duct
 - (C) lactiferous duct (D) mammary lobes
- 36. The milk is sucked out through **[Pg-47,E]** (A) mammary duct (B) lactiferous duct
 - (C) alveoli
- (D) none of these
- 37. Match the parts of female reproductive system given in Column-I with their functions in Column-II and choose the correct option from the codes given below. [Pg-46,47,M]

	Column I		Column II
(a)	Ovary	(1)	Delivery of baby
(b)	Fimbriae	(2)	Steroid hormone
(c)	Myometrium	(3)	Secretion of milk
(d)	Cells of alveoli	(4)	Collection of ovum

Codes-

	а	b	С	d
(A)	2	4	1	3
(B)	4	3	2	1
(C)	3	4	1	2
(D)	1	4	3	2

38. Match the layers of uterus given in Column-I with their characteristic features given in Column-II and choose the correct option from the codes given below. [Pg-46,M]

	Column I		Column II	
(A)	Perimetrium	(1)	Thick layer of	
			smooth muscles	
(B)	Myometrium	(2)	Thick	
			membranous	
			layer	
(C)	Endometrium	(3)	Glandular layer	
		(4)	Thin	
			membranous	
			layer	

Codes-

	a	b	С
(A)	2	4	3
(B)	4	1	3
(C)	1	2	3
(D)	3	1	2

39. Match the parts of female external genitalia in Column-I with their characteristic features in Column-II. Choose the correct option from the codes given below. [Pg-46,M]

	Column I		Column II
(a)	Mons pubis	(1)	Fleshy folds of tissue
(b)	Labia majora	(2)	Cushion of fatty tissue
(c)	Hymen	(3)	Tiny finger- like structure
(d)	Clitoris	(4)	Covers opening of vagina

Codes-

	a	Ъ	С	d
(A)	2	1	4	3
(B)	4	3	2	1
(C)	1	4	3	2
(D)	2	1	3	4

- 40. The edges of the infundibulum possess finger like projections that **-[Pg-45,M]**
 - (A) are the sight of fertilisation.
 - (B) help in the collection of ovum after fertilisation.
 - (C) are responsible for the release of egg.
 - (D) none of these
- 41. Read the following statements about uterus and choose the correct option from the codes given below. **[Pg-45,46,M]**
 - (I) The shape of the uterus is like inverted pear.
 - (II) The uterus opens into vagina through a narrow cervix.
 - (III) The uterus along with cervix forms the birth canal.

- (A) I and III
- (B) II and III
- (C) I and II
- (D) All of these

- 42. Read the following statements about mammary glands and choose the incorrect statement. [Pg-47,M]
 - (I) The mammary glands contain glandular tissue and fat.
 - (II) The mammary lobes of breasts contain alveoli which secrete milk.
 - (III) The milk secreted by alveoli is stored in lactiferous duct.
 - (A) Only II
- (B) Only III
- (C) Only I
- (D) I and III
- 43. **Assertion:** Ovaries are the primary sex organs.

Reason: Ovaries produce the female gamete. [Pg-44,H]

- (A) Both assertion and reason are correct and reason is the correct explanation of assertion.
- (B) Both assertion and reason are correct but reason is not the correct explanation of assertion.
- (C) Assertion is correct, but reason is incorrect.
- (D) Both assertion and reason are incorrect.
- 44. Assertion: Ovaries produce gamete as well as steroid hormones.

Reason: The oviducts, ovaries and cervix constitute the female accessory ducts.

[Pg-44,H]

- (A) Both assertion and reason are correct and reason is the correct explanation of assertion.
- (B) Both assertion and reason are correct but reason is not the correct explanation of assertion.
- (C) Assertion is correct, but reason is incorrect.
- (D) Both assertion and reason are incorrect.
- 45. Assertion: The uterus opens into vagina through a narrow cervix.

Reason: The cavity of cervix is called cervical canal. [Pg-46,H]

- (A) Both assertion and reason are correct and reason is the correct explanation of assertion.
- (B) Both assertion and reason are correct but reason is not the correct explanation of assertion.

- (C) Assertion is correct, but reason is incorrect.
- (D) Both assertion and reason are incorrect.
- 46. **Assertion:** Mons pubis is a cushion of fatty tissue covered by skin and pubic hair

Reason: The labia majora are paired folds of tissue under the labia minora.

[Pg-46,H]

- (A) Both assertion and reason are correct and reason is the correct explanation of assertion.
- (B) Both assertion and reason are correct but reason is not the correct explanation of assertion.
- (C) Assertion is correct, but reason is incorrect.
- (D) Both assertion and reason are incorrect.
- 47. Assertion: The alveoli of mammary lobes open into their lumen.

Reason: Several lactiferous ducts join to form a mammary duct through which milk is sucked out. [Pg-47,H]

- (A) Both assertion and reason are correct and reason is the correct explanation of assertion.
- (B) Both assertion and reason are correct but reason is not the correct explanation of assertion.
- (C) Assertion is correct, but reason is incorrect.
- (D) Both assertion and reason are incorrect.

<u>Para-3.3</u>

Gametogenesis

48. The process of producing gametes by primary sex organs is known as-

[Pg-47,E]


- (A) gametogenesis
- (B) spermatogenesis
- (C) oogenesis
- (D) none of these
- 49. The immature, diploid male germ cells that produce sperms are **[Pg-47,E]**
 - (A) spermatogonia
 - (B) secondary spermatocytes
 - (C) spermatids

- (D) spermatozoa
- 50. Which of the following cells during gametogenesis is normally diploid? [AIPMT-2015] [Pg-47,M]
 - (A) Spermatid
 - (B) Spermatogonia
 - (C) Secondary polar body
 - (D) Primary polar body
- 51. Among the following, identify the cell(s) which undergo mitotic division during spermatogenesis? **[Pg-47,E]**
 - (A) Primary spermatocytes
 - (B) Secondary spermatocytes
 - (C) Spermatids
 - (D) Spermatogonia
- 52. Spermatogenesis is the process in which immature male germ cells undergo division to produce sperms. Choose the correct one with reference to above. [NCERT Exemplar] [Pg-47,H]
 - (A) Spermatogonia have 46 chromosomes and always undergo meiotic cell division.
 - (B) Primary spermatocytes divide by mitotic cell division.
 - (C) Secondary spermatocytes have 23 chromosomes and undergo second meiotic division.
 - (D) Spermatozoa are transformed into spermatids.
- 53. After spermiogenesis, sperm heads become embedded in **[Pg-47,E]**
 - (A) Leydig cells
- (B) antrum
- (C) Sertoli cells
- (D) interstitial cells
- 54. During spermiation the sperms are released from [NEET Exemplar] [Pg-47,E]
 - (A) seminiferous tubules
 - (B) vas deferens
 - (C) epididymis
 - (D) prostate gland
- 55. The difference between spermiogenesis and spermiation is [NEET-2018]

[Pg-47,H]

- (A) in spermiogenesis spermatids are formed, while in spermiation spermatozoa are formed.
- (B) in spermiogenesis spermatozoa are formed, while in spermiation spermatids are formed.

- (C) in spermiogenesis spermatozoa from Sertoli cells are released into the cavity of seminiferous tubules, while in spermiation spermatozoa are formed.
- (D) in spermiogenesis spermatozoa are formed, while in spermiation spermatozoa are released from Sertoli cells into the cavity of seminiferous tubules.
- 56. Spermatogenesis starts due to significant increase in the secretion of **[Pg-47,E]**
 - (A) FSH
- (B) GnRH
- (C) LH
- (D) oxytocin
- 57. Refer to the given figure showing diagrammatic sectional view of a seminiferous tubule. In the figure, some parts are labeled as A, B, C and D. Identify the part which gets activated by FSH. [Pg-47,M]




(A) A

(B) B

(C) D

- (D) C
- 58. Refer to the given flowchart. In it, some spaces are mentioned as A, B, C and D. Identify the correct option for them from the codes given below. **[Pg-47,M]**



Α	GnRH	LH	Sertoli	Androgen
			cells	S
В	LH	GnRH	Androgen	Sertoli
			S	cells
С	Androgen	LH	Interstitial	FSH
	S		cells	
D	FSH	Sertol	GnRH	LH
		i cells		

59. The anterior portion of the sperm head is covered by a cap-like structure called

[Pg-48,E]

(A) middle piece

(B) antrum

(C) acrosome

(D) none of these

60. Match the Column-I representing parts of the sperm to Column-II showing their functions and choose the correct option.

[NCERT Exemplar] [Pg-48,M]

	Column I		Column II
(a)	Head	(1)	Enzymes
(b)	Middle piece	(2)	Sperm motility
(c)	Acrosome	(3)	Energy
(d)	Tail	(4)	Genetic material

Codes-

	A	В	С	D
(A)	2	4	1	3
(B)	4	3	1	2
(C)	4	1	2	3
(D)	2	1	3	4


- 61. The semen of human male contains [Pg-49,E]
 - (A) seminal plasma

(B) sperms

(C) enzymes

(D) both (a) and (b)

62. Refer to the given figure showing structure of a sperm. The figure is followed by four (I–IV) statements. Choose the incorrect statement(s) about it. [Pg-48,M]



- (I) The acrosome is filled with enzymes that help in fertilizing the ovum.
- (II) The neck possesses numerous mitochondria.
- (III) Tail is responsible for sperm motility.
- (IV) The human male ejaculates 50–100 million sperms during a coitus.
- (A) II and IV

(B) I and III

(C) I and II

(D) III and IV

- 63. Which among the following has 23 chromosomes? **[Pg-48,E]**
 - (A) Spermatogonia

(B) Zygote

(C) Secondary oocyte (D) Oogonia

- 64. The oogenesis is markedly different from spermatogenesis because **[Pg-48,E]**
 - (A) it is initiated during embryonic development stage.
 - (B) it produces diploid gametes.
 - (C) it produces sperms also in special conditions.
 - (D) none of these
- 65. The tertiary follicle is characterized by a fluid filled cavity called **[Pg-48,E]**
 - (A) antrum

(B) corpus luteum

(C) matrix

(D) none of these

- 66. In which stage primary oocyte completes its first meiotic division?
 - (A) Primary follicle
 - (B) Secondary follicle
 - (C) Tertiary follicle
 - (D) None of these
- 67. Match Column-I with Column-II and choose the correct option from the codes given below. **[Pg-48,49,M]**


	Column I		Column II
(a)	Oogonia	(1)	Antrum
(b)	Tertiary	(2)	Gamete
	follicle		mother cells
(c)	Secondary	(3)	Haploid
	follicle		

(d)	Secondary	(4)	More layers
	oocyte		of granulosa

Codes-

	a	b	С	d
(A)	4	3	2	1
(B)	1	2	3	4
(C)	2	1	4	3
(D)	3	4	2	1

- 68. Extrusion of second polar body from egg nucleus occurs [NEET 2019] [Pg-49,M]
 - (A) after entry of sperm, but before fertilisation
 - (B) after fertilisation
 - (C) before entry of sperm into ovum
 - (D) simultaneously with first cleavage
- 69. Refer to the given figure showing diagrammatic section view of ovary. The encircled part of figure is showing a process of oogenesis. Identify it as well as the follicle which is involved in this process. [Pg-49,E]



- (A) Spermiation, Secondary follicle
- (B) Menstruation, Primary follicle
- (C) Ovulation, Graafian follicle
- (D) Ovulation, Tertiary follicle
- 70. **Assertion:** Spermatogenesis starts at the age of puberty.

Reason: There is a significant increase in the secretion of gonadotropin releasing hormone at puberty. **[Pg-47,H]**

- (A) Both assertion and reason are true and reason is the correct explanation of assertion.
- (B) Both assertion and reason are true but reason is not the correct explanation of assertion.
- (C) Assertion is true, but reason is false.
- (D) Both assertion and reason are false.
- 71. **Assertion**: Oogenesis is initiated at puberty.

Reason: Millions of oogonia are formed within each ovary every month. [Pg-48,H]

- (A) Both assertion and reason are true and reason is the correct explanation of assertion.
- (B) Both assertion and reason true but reason is not the correct explanation of assertion.
- (C) Assertion is true but reason is false.
- (D) Both assertion and reason are false.
- 72. **Assertion:** A large haploid secondary oocyte is formed due to unequal division. **Reason:** A tiny second polar body is formed during this division. **[Pg-48,H]**
 - (A) Both assertion and reason are true and reason is the correct explanation of assertion.
 - (B) Both assertion and reason true but reason is not the correct explanation of assertion.
 - (C) Assertion is true but reason is false.
 - (D) Both assertion and reason are false.

Para-3.4

Menstrual Cycle

- 73. The reproductive cycle in the female primates is called **[Pg-49,E]**
 - (A) menstrual cycle
 - (B) oestrous cycle
 - (C) reproduction cycle
 - (D) none of these
- 74. Menarche that begins at puberty is

[Pg-49,E]

- (A) cessation of menstrual cycle
- (B) first menstruation
- (C) period of pregnancy in which menstruation ceases
- (D) none of these
- 75. The cycle of events starting from one menstruation till the next one is called

[Pg-49,E]

- (A) menopause
- (B) menarche
- (C) menstrual cycle
- (D) oestrous cycle
- 76. The menstrual phase of menstrual cycle lasts for: **[Pg-50,E]**
 - (A) 8–15 days
- (B) 1-2 days
- (C) 1 day
- (D) 3-5 days
- 77. Menstrual flow results due to breakdown of **[Pg-50,E]**
 - (A) endometrial lining

- (B) blood vessels
- (C) myometrial lining
- (D) both (a) and (b)
- 78. Menstruation only occurs if **[Pg-50,E]**
 - (A) implantation has occurred
 - (B) the released ovum is fertilized
 - (C) the released ovum is not fertilized
 - (D) both (A) and (D)
- 79. The lack of menstruation may be due to

[Pg-50,E]

- (A) pregnancy
- (B) stress
- (C) poor health
- (D) all of these
- 80. The menstrual phase is followed by

[Pg-50,E]

- (A) follicular phase
- (B) luteal phase
- (C) secretory phase
- (D) both (b) and (c)
- 81. What change(s) occur in ovary and/or uterus during follicular phase of menstrual cycle? [Pg-50,E]
 - (A) Formation of Graafian follicle
 - (B) Formation of corpus luteum
 - (C) Regeneration of endometrium
 - (D) Both (A) and (C)
- 82. The changes in the ovary and uterus during proliferative phase are induced by changes in the levels of **[Pg-50,E]**
 - (A) pituitary hormone
 - (B) ovarian hormone
 - (C) pineal hormone
 - (D) both (a) and (b)
- 83. In the ovary of a healthy human female mature Graafian follicle is generally present around [NCERT Exemplar]


[Pg-51,M]

- (A) 5-8 day of menstrual cycle
- (B) 11-17 day of menstrual cycle
- (C) 18-23 day of menstrual cycle
- (D) 24–28 day of menstrual cycle
- 84. During proliferative phase, the growing follicles secrete [Pg-51,E]
 - (A) LH

- (B) FSH
- (C) gonadotropins
- (D) estrogens
- 85. Refer to the given flowchart, in which three parts are labeled as A, B and C.

Identify them and choose the correct option from the codes given below.

[Pg-51,M]



Codes-

	1	1	1
	A	В	C
(A)	Increase	Increase	Estrogens
(B)	Decrease	Increase	Estrogens
(C)	Decrease	Decrease	Testosterone
(D)	Increase	Decrease	TSH

86. Match the items given in Column-I with those in Column-II and select correct option from the codes given below.

[NEET-2018] [Pg-51,M]

	Column I		Column II
(a)	Proliferative	(1)	Breakdown of
	phase		endometrial
			lining
(b)	Secretary	(2)	Follicular
	phase		phase
(c)	Menstruation	(3)	Luteal phase

Codes-

	a	b	С
(A)	3	2	1
(B)	1	3	2
(C)	2	3	1
(D)	3	1	2

- 87. Both LH and FSH attain a peak level on about 'A' day of cycle. Choose the correct option for 'A'. [Pg-51,E]
 - (A) 10th day
- (B) 14th day
- (C) 19th day
- (D) 5th day
- 88. Read the following statements about LH surge and choose the incorrect one.

[Pg-51,M]

- (A) LH surge is rapid secretion of luteal hormone.
- (B) It occurs in the mid of the cycle.

- (C) LH surge induces degeneration of corpus luteum.
- (D) It causes ovulation.
- 89. The release of ovum occurs during which phase of menstrual cycle? **[Pg-51,E]**
 - (A) Follicular phase
 - (B) Proliferative phase
 - (C) Ovulatory phase
 - (D) Secretory phase
- 90. The ovulatory phase of menstrual cycle is followed by **[Pg-51,E]**
 - (A) luteal phase
 - (B) follicular phase
 - (C) proliferative phase
 - (D) menstrual phase
- 91. No new follicles develop in the luteal phase of the menstrual cycle because [NEET Odisha-2019] [Pg-51,M]
 - (A) Both FSH and LH levels are low in the luteal phase
 - (B) follicles do not remain in the ovary after ovulation
 - (C) FSH levels are high in the luteal phase.
 - (D) LH levels are high in the luteal phase.
- 92. Match the phases of menstrual cycle given in Column-I with the hormones secreted during that phase in Column-II. Choose the correct option from the codes given below. [Pg-50,51,M]

	Column I		Column II
(a)	Follicular	(1)	Progesterone
	phase		
(b)	Ovulatory	(2)	Gonadotropins
	phase		
(c)	Luteal	(3)	LH surge
	Phase		
		(4)	Estrogens

Codes-

	a	b	С
(A)	4	3,1	2
(B)	2,4	3	1
(C)	2	4,1	3
(D)	2	1	4,3


- 93. Among the following which change occurs during luteal phase? [Pg-51,E]
 - (A) Corpus luteum \rightarrow Graafian follicle
 - (B) Graafian follicle \rightarrow Corpus luteum
 - (C) Primary follicle \rightarrow Secondary follicle

(D) Secondary follicle → Graafian follicle
 94. Read the following statements about corpus luteum and choose the correct ones from the following options.

[Pg-50,51,H]

- (I) It is formed during ovulatory phase of menstrual cycle.
- (II) It secretes large amounts of progesterone.
- (III) In the absence of ovulation, the corpus luteum degenerates.
- (IV) The degeneration of corpus luteum causes disintegration of endometrium.
- (A) I and III
- (B) II and III
- (C) II and IV
- (D) I and IV
- 95. In human beings, permanent cessation of menstrual cycle is called: **[Pg-51,E]**
 - (A) Menopause
 - (B) Menarche
 - (C) Ovulation
 - (D) None of these

96-97. Refer to the given figure to answer the question no 96–97. The figure is showing diagrammatic presentation of various events during a menstrual cycle. In the figure, A, B and C, D show the levels of pituitary and ovarian hormones respectively.



96. The gradual increase of which hormone stimulates the secretion of hormone C

[Pg-50,E]

(A) A

(B) B

(C) D

- (D) Both (a) and (b)
- 97. The rapid increase of which hormone will induce rupture of Graafian follicle and thereby the release of ovum? [Pg-50,E]
 - (A) A

(B) C

(C) B

(D) D

- 98. Choose the incorrect statement from the following. [NCERT Exemplar] [Pg-51,M]
 - (I) High levels of estrogen triggers the ovulatory surge.
 - (II) Oogonial cells start to proliferate and give rise to functional ova in regular cycles from puberty onwards.
 - (III) Sperms released from seminiferous tubules are poorly motile/non-motile.
 - (IV) Progesterone level is high during the post ovulatory phase of menstrual cycle.
 - (A) I and III (B) II and IV
 - (C) I and IV (D) I and II
- 99. Consider the following features.

[Pg-51,M]

- (i) Transformation of Graafian follicle into corpus luteum.
- (ii) Secretion of large amount of progesterone from corpus luteum.
- (iii) Maintenance of endometrial lining of the uterus.

Select the correct phase of menstrual cycle that possesses all the above characteristics.

- (A) Follicular phase
- (B) Secretory phase
- (C) Proliferative phase
- (D) Ovulatory phase
- 100. **Assertion:** The lack of mensuration may be indicative of pregnancy.

Reason: Mensuration only occurs if the released ovum is not fertilised. **[Pg-50,H]**

- (A) Both assertion and reason are true and reason is the correct explanation of assertion.
- (B) Both assertion and reason are true but reason is not the correct explanation of assertion.
- (C) Assertion is true but reason is false.
- (D) Both assertion and reason are false.
- 101. Assertion: During secretory phase the levels of LH and FSH gradually increase. Reason: The increased levels of FSH and LH induce Graafian follicles to secrete

progesterone. [Pg-51,H]

(A) Both assertion and reason are true and reason is the correct explanation of assertion.

- (B) Both assertion and reason are true but reason is not the correct explanation of assertion.
- (C) Assertion is true but reason is false.
- (D) Both assertion and reason are false.
- 102. **Assertion:** During pregnancy, all events of the menstrual cycle stop.

Reason: In the absence of fertilisation, the corpus luteum degenerates. **[Pg-51,H]**

- (A) Both assertion and reason are true and reason is the correct explanation of assertion.
- (B) Both assertion and reason are true but reason is not the correct explanation of assertion.
- (C) Assertion is true but reason is false.
- (D) Both assertion and reason are false.

Para-3.5

Fertilization and Implantation


- 103. The sperms released during copulation, finally reach to which part of the Fallopian tube? [Pg-51,E]
 - (A) Infundibulum
 - (B) Isthmus
 - (C) Ampulla
 - (D) Ampullary-isthmic
- 104. All copulations not lead to the fertilisation and pregnancy. Choose the correct reason for the same from the following options. [Pg-51,M]
 - (A) Fertilisation can only occur if sperms are transported to the ampullary-isthmic junction before the ovum.
 - (B) Fertilisation can only occur if the ovum and sperms are transported simultaneously to the ampullary-isthmic junction.
 - (C) Fertilisation can only occur if ovum is transported to the ampullary–isthmic junction before the sperms.
 - (D) None of these
- 105. Capacitation occurs in [NEET-2017]

[Pg-51,M]

- (A) epididymis
- (B) vas deferens
- (C) female reproductive tract
- (D) rete testis
- 106. Capacitation refers to changes in the [AIPMT-2015] **[Pg-51,M]**

- (A) ovum before fertilisation
- (B) ovum after fertilisation
- (C) sperm after fertilisation
- (D) sperm before fertilisation
- 107. Refer to the given figure showing an ovum surrounded by few sperms. Sperm 'A' in the figure is trying to fertilise the ovum. How will this sperm 'A' ensure that no other sperm can fertilise the ovum?

[Pg-51,M]




- (A) By inducing changes in the cells of corona radiata.
- (B) By inducing changes in the zona pellucida layer of the ovum.
- (C) By inducing changes in the perivitelline space of the ovum.
- (D) By releasing some chemicals to kill other sperms.
- 108. The membranous cover of the ovum that is found at the time of ovulation is [NCERT Exemplar] [Pg-51,E]
 - (A) corona radiata
 - (B) zona radiata
 - (C) zona pellucida
 - (D) chorion
- 109. During acrosomal reaction the sperm [NCERT Exemplar] [Pg-51,E]
 - (A) comes in contact with zona pellucida of the ova.
 - (B) undergoes reactions within the uterine environment of female.
 - (C) undergoes reactions within the epididymal environment of the male.
 - (D) produces androgens in the uterus.
- 110. The secretions of the acrosome help the sperm to enter into the cytoplasm of ovum through [Pg-51,E]
 - (A) corona radiata (B) zona pellucida

- (C) chorion (D) amnion
- 111. Match the events given in Column-I with their characteristic features in Column-II and choose the correct option from the codes given below. **[Pg-52,M]**

	1	1	
	Column I		Column II
(a)	Fertilisation	(1)	Female
			reproductive
			tract
(b)	Capacitation	(2)	Contact of
			sperm with
			zona pellucida
(c)	Acrosomal	(3)	Before
	reaction		fertilisation
			and after
			ovulation
(d)	Second polar	(4)	Ampullary -
	body		isthmic
	-		junction

	a	Ъ	С	d
(A)	1	4	2	3
(B)	4	1	2	3
(C)	3	2	4	1
(D)	4	1	3	2

- 112. The embryo having 8–16 blastomeres is called **[Pg-52,E]**
 - (A) blastula
- (B) gastrula
- (C) morula
- (D) trophoblast
- 113. Morula is known as a developmental stage [NCERT Exemplar] [Pg-52,E]
 - (A) between the zygote and blastocyst
 - (B) between the blastocyst and gastrula
 - (C) after the implantation
 - (D) between implantation and parturition
- 114. Refer to the given flowchart. It has some blank spaces mentioned as A, B, C and D. Choose the correct option for these A, B, C and D. [Pg-51,52,H]



- (A) Morula Blastocyst Trophoblast Inner cell mass
- (B) Blastocyst Morula Trophoblast Inner cell mass
 - (C) Morula Blastocyst Inner cell mass Trophoblast
 - (D) Blastocyst Morula Inner cell mass Trophoblast
- 115. The blastomeres in the blastocyst are arranged into **[Pg-52,E]**
 - (A) an outer trophoblast and inner cell mass
 - (B) an outer cell mass and inner trophoblast
 - (C) an outer cell mass and inner cell mass
 - (D) none of these
- 116. During embryogenesis which part of blastocyst gets differentiated into embryo? [Pg-53,E]
 - (A) Trophoblast
- (B) Inner cell mass
- (C) Morula
- (D) Both (a) and (b)
- 117. The embedding of blastocyst in the endometrium of uterus is called

[Pg-53,E]

- (A) pregnancy
- (B) lactation
- (C) embryogenesis
- (D) implantation
- 118. Extrusion of second polar body from egg nucleus occurs [NEET-2015] [Pg-52,M]
 - (A) after entry of sperm but before fertilisation
 - (B) after fertilisation
 - (C) before entry of sperm into ovum
 - (D) simultaneously with first cleavage
- 119. All the haploid gametes produced by the female have **[Pg-53,M]**
 - (A) X-chromosomes


- (B) Y-chromosomes
- (C) 50% gametes have X and 50% have Y-chromosomes
- (D) 25% gametes have X and 75% have Y-chromosomes
- 120. Cleavage that occurs in the zygote as it moves through the isthmus of oviduct towards the uterus is **[Pg-52,E]**
 - (A) meiotic division
 - (B) mitotic division
 - (C) reductional division
 - (D) none of these
- 121. Match the following and choose the correct option from the codes given below. [Pg-52,533,M]

	Column I		Column II
(a)	Trophoblast	(1)	Embedding of Blastocyst in the endometrium
(b)	Cleavage	(2)	Group of cells that would differentiate as embryo
(c)	Inner cell mass	(3)	Outer layer of blastocyst attached to the endometrium
(d)	Implantation	(4)	Mitotic division of zygote

Codes-

	а	Ъ	С	d
(A)	2	1	3	4
(B)	3	4	2	1
(C)	3	1	2	4
(D)	2	4	3	1

122. Refer to the given figure showing transport of ovum, fertilisation and passage of growing embryo through Fallopian tube. The figure is followed by four statements. Choose the incorrect statement about it. **[Pg-52,M]**



- (A) The second meiotic division secondary oocyte occurs after fertilisation.
- (B) The embryo with 8-16 blastomeres is called morula.
- (C) The trophoblast layer of blastocyst gets embedded in the endometrium.
- (D) The cells of inner cell mass differentiate to form embryo.
- 123. **Assertion:** All copulations do not lead to fertilisation and pregnancy.

Reason: Fertilisation can only occur if the ovum and sperms are transported

simultaneously to the ampullary-isthmic junction. [Pg-51,H]

- (A) Both assertion and reason are true and reason is the correct explanation of assertion.
- (B) Both assertion and reason are true but reason is not the correct explanation of assertion.
- (C) Assertion is true but reason is false.
- (D) Both assertion and reason are false.
- 124. Assertion: The secretions of the acrosome help the sperm enter into the cytoplasm of the ovum.

Reason: The entry of sperm into the cytoplasm of the ovum is responsible for the capacitation of sperms. [Pg-51,H]

- (A) Both assertion and reason are true and reason is the correct explanation of assertion.
- (B) Both assertion and reason are true but reason is not the correct explanation of assertion.
- (C) Assertion is true but reason is false.
- (D) Both assertion and reason are false.

125. **Assertion:** The blastomeres in the blastocyst are arranged into trophoblast and inner cell mass.

> **Reason:** The trophoblast layer gets attached to the endometrium. [Pg-52,H]

- (A) Both assertion and reason are true and reason is the correct explanation of assertion.
- (B) Both assertion and reason are true but reason is not the correct explanation of assertion.
- (C) Assertion is true but reason is false.
- (D) Both assertion and reason are false.

Para-3.6

Embryonic Pregnancy and Development

- 126. The finger-like projections that appear on the trophoblast after implantation are called [Pg-53,E]
 - (A) trophoectoderm (B) chorionic villi
 - (C) placenta
- (D) none of these
- 127. The structural and functional unit formed between the developing embryo (foetus) and maternal body is called

[Pg-53,E]

- (A) placenta
- (B) trophoblast
- (C) chorionic villi
- (D) trophoectoderm
- 128. The embryo remains connected to the placenta through [Pg-53,E]
 - (A) chorionic villi
 - (B) trophoblast
 - (C) umbilical cord
 - (D) none of these
- 129. Choose the incorrect statement about placenta. [Pg-53,H]
 - (A) The placenta facilitates the supply of oxygen and nutrients to the embryo.
 - (B) It helps in the removal of CO2 and excretory/ waste materials produced by the embryo.
 - (C) The placenta is connected to the embryo through umbilical cord.
 - (D) Placenta acts like an endocrine tissue and produces several enzymes also.
- 130. Which of the following hormones is not secreted by human placenta? [NCERT Exemplar] [Pg-53,E]

(A) hCG

(B) Estrogen

(C) Progesterone

(D) LH

131. Several hormones estrogen, progesterone are produced by [NEET-2016]

like hCG, hPL, [Pg-53,E]

(A) Fallopian tube

(B) pituitary

(C) ovary

(D) placenta

- 132. A hormone that is secreted by ovary in the later phase of pregnancy is [Pg-53,E]
 - (A) estrogen

(B) FSH

(C) relaxin

(D) hCG

- 133. The hormone(s) that is/are produced during pregnancy only [Pg-53,E]
 - (A) hCG

(B) hPL

(C) relaxin

(D) all of these

- 134. The levels of estrogens, progestogens, cortisol, prolactin, etc., increase many fold in blood during pregnancy. It is necessary for [Pg-53,M]
 - (A) supporting the fetal growth
 - (B) metabolic changes in the mother
 - (C) the maintenance of pregnancy
 - (D) all of these
- 135. Match Column-I with Column-II and choose the correct option from the codes given below. [Pg-53,M]


	Column I		Column II		
(a)	Chorionic villi	(1)	Secretes relaxin		
			hormone		
(b)	Placenta	(2)	Finger-like		
			projections on the		
			trophoblast		
(c)	Umbilical cord	(3)	Structural and		
			functional unit		
			between foetus		
			and mother		
(d)	Ovary	(4)	Connects embryo		
			to placenta		

Codes-

	a	b	С	d
(A)	2	3	4	1
(B)	3	2	4	1
(C)	2	3	1	4
(D)	4	1	3	2

- 136. Immediately after implantation, which part of blastocyst differentiates into ectoderm and endoderm? [Pg-53,E]
 - (A) Trophoblast
 - (B) Chorionic villi

- (C) Inner cell mass
- (D) None of these
- 137. Refer to the given figure showing human foetus within the uterus. How will the removal of 'A' in the figure affect the growth of foetus? [Pg-53,M]



- (A) Secretion of hCG hormone will stop
- (B) Secretion of relaxin hormone will stop
- (C) Transportation of substances to and from the embryo will stop
- (D) All of these
- 138. The inner cell mass contains certain cells called stem cells which have the potency to give rise to [Pg-54,E]
 - (A) specific tissues and organs
 - (B) all tissues and organs
 - (C) only cardiac cells and heart
 - (D) none of these
- 139. Match Column-I with Column-II and select the correct option using the codes given below. [NEET-2016] [Pg-54,M]

	Column I		Column II
(a)	Mons pubis	(1)	Embryo
			formation
(b)	Antrum	(2)	Sperm
(c)	Trophectoderm	(3)	Female
			external
			genitalia
(d)	Nebenkern	(4)	Graafian
			follicle

	а	Ъ	С	d
(A)	3	1	4	2
(B)	1	4	3	2
(C)	3	4	2	1
(D)	3	4	1	2

- 140. The foetus develops limbs and digits by the end of [Pg-54,E]
 - (A) 1st month of pregnancy

- (B) 2nd month of pregnancy
- (C) 3rd month of pregnancy
- (D) 5th month of pregnancy
- 141. Match Column-I with Column-II and choose the correct option from the codes given below. **[Pg-54,E]**

	Column I		Column II
	(Organ)		(Month of
			development
			during
			pregnancy)
(a)	Heart	(1)	Second month
(b)	Limbs and	(2)	First month
	digits		
(c)	External	(3)	Fifth month
	genitalia		
(d)	Appearance	(4)	Third month
	of hair on		
	head		

Codes-

	a	b	С	d
(A)	1	2	4	3
(B)	2	1	3	4
(C)	2	1	4	3
(D)	3	2	4	1

142. Read the following statements about major features of embryonic development at various months of pregnancy. Choose the incorrect statement(s) about it.

[Pg-54,M]

- (I) The embryo's heart is the first formed organ.
- (II) Most of the major organ systems are formed by the end of 2nd month of pregnancy.
- (III) The first movement of foetus is observed during 7th month of pregnancy.
- (IV) The eyelashes are formed by the end of second trimester.
- (A) II and III

(B) I and II

(C) III and IV

- (D) Only IV
- 143. Select the correct sequences of events. [Odisha, NEET-2019] **[Pg-54,M]**
 - (A) Gametogenesis → Gamete transfer → Syngamy → Zygote cell differentiation → cell division (cleavage) → organogenesis

- (B) Gametogenesis → Gamete transfer → Syngamy → Zygote cell division (cleavage) → cell differentiation → organogenesis
- (C) Gametogenesis → Gamete transfer → Syngamy → Zygote cell division (cleavage) → organogenesis → cell differentiation
- (D) Gametogenesis → Syngamy → Gamete transfer → Zygote cell division (cleavage) → cell differentiation → organogenesis
- 144. **Assertion:** The placenta is connected to the embryo through an umbilical cord.

Reason: The umbilical cord helps in the transport of substances to and from the embryo. **[Pg-53,H]**

- (A) Both assertion and reason are true and reason is the correct explanation of assertion.
- (B) Both assertion and reason are true, but reason is not the correct explanation of assertion.
- (C) Assertion is true, but reason is false.
- (D) Both assertion and reason are false.
- 145. **Assertion:** Placenta also acts as an endocrine gland.

Reason: In the later phase of pregnancy, relaxin is secreted by placenta. **[Pg-53,H]**

- (A) Both assertion and reason are true and reason is the correct explanation of assertion.
- (B) Both assertion and reason are true, but reason is not the correct explanation of assertion.
- (C) Assertion is true, but reason is false.
- (D) Both assertion and reason are false.
- 146. **Assertion:** The first movements of foetus are observed during the third month of pregnancy.

Reason: By the end of first trimester, eyelids separate and eye-lashes are formed. [Pg-54,H]

- (A) Both assertion and reason are true and reason is the correct explanation of assertion.
- (B) Both assertion and reason are true, but reason is not the correct explanation of assertion.

- (C) Assertion is true, but reason is false.
- (D) Both assertion and reason are false.

Para-3.7

Parturition and Lactation

147. The duration of pregnancy is called

[Pg-54,E]

(A) parturition

(B) lactation

(C) gestation period (D) none of these

- 148. The process of delivery of the foetus is called [Pg-54,E]
 - (A) lactation
 - (B) parturition
 - (C) foetal ejection reflex
 - (D) none of these
- 149. The signals for parturition originate from [Pg-54,E]
 - (A) fully developed foetus
 - (B) placenta
 - (C) umbilical cord
 - (D) both (A) and (B)
- 150. Match Column-I with Column-II and choose the correct option from the codes given below. [Pg-54,M]

	Column I		Column II
(a)	Gestation	(1)	Mild uterine
	period		contractions
(b)	Parturition	(2)	Duration of
			pregnancy
(c)	Foetal	(3)	Process of
	ejection		delivery of the
	reflex		foetus
(d)	After birth	(4)	Placental
			expulsion

Codes-

	a	b	С	d
(A)	2	3	1	4
(B)	2	4	1	3
(C)	4	3	2	1
(D)	1	2	3	4

151. The process of milk production is called

[Pg-54,E]

- (A) lactation
- (B) parturition
- (C) after birth
- (D) colostrum
- 152. Choose the incorrect statement from the [Pg-54,M]following:
 - (A) Parturition is induced by a complex neuroendocrine mechanism.

- (B) The foetal ejection reflex triggers release of oxytocin from hypothalamus.
- (C) Oxytocin acts on the uterine muscles.
- (D) The placenta is also expelled out of the uterus after the delivery of infant.
- 153. Which of the following hormones is responsible for both the milk ejection reflex and the foetal ejection reflex? [Odisha, NEET-2019] [Pg-54,M]
 - (A) Relaxin
- (B) Estrogen
- (C) Prolactin
- (D) Oxytocin
- 154. The milk produced during the initial few days of lactation is called [Pg-54,E]
 - (A) colostrum
- (B) first milk
- (C) milky water
- (D) none of these
- 155. Choose the incorrect statement from the following. [NCERT Exemplar] [Pg-54,M]
 - (A) Internal fertilisation takes place, in birds and mammals.
 - (B) Colostrum contains antibodies and nutrients.
 - (C) Polyspermy is prevented by chemical changes on the egg surface.
 - (D) In the human female implantation davs occurs almost seven after fertilisation.
- 156. Colostrum contains

[Pg-54,E]

- (A) antibodies
- (B) nutrients
- (C) enzymes
- (D) both (A) and (B)
- 157. **Assertion:** Parturition is a complex neuroendocrine mechanism.

Reason: The signals of parturition originate from the fully developed fetus and placenta. [Pg-54,H]

- (A) Both assertion and reason are true and reason is the correct explanation of assertion.
- (B) Both assertion and reason are true, but reason is not the correct explanation of assertion.
- (C) Assertion is true, but reason is false.
- (D) Both assertion and reason are false.
- 158. **Assertion:** The mammary glands of the female undergo differentiation parturition.

Reason: Lactation always starts after childbirth. [Pg-54,H]

- (A) Both assertion and reason are true and reason is the correct explanation of assertion.
- (B) Both assertion and reason are true, but reason is not the correct explanation of assertion.
- (C) Assertion is true, but reason is false.
- (D) Both assertion and reason are false.
- 159. **Assertion:** Breast-feeding during the initial period of infant growth is recommended.

Reason: During initial few days after delivery, colostrum is produced.

[Pg-54,H]

- (A) Both assertion and reason are true and reason is the correct explanation of assertion.
- (B) Both assertion and reason are true, but reason is not the correct explanation of assertion.
- (C) Assertion is true, but reason is false.
- (D) Both assertion and reason are false

NEET MBBS DOCTORS

Answer key:

HUMAN REPRODUCTION

Q	01	02	03	04	05	06	07	08	09	10
Ans	В	С	В	D	A	В	D	В	A	D
Q	11	12	13	14	15	16	17	18	19	20
Ans	A	A	A	С	В	В	В	С	D	A
Q	21	22	23	24	25	26	27	28	29	30
Ans	В	С	В	D	A	В	A	С	В	С
Q	31	32	33	34	35	36	37	38	39	40
Ans	D	A	С	В	A	В	A	В	A	В
Q	41	42	43	44	45	46	47	48	49	50
Ans	С	В	A	С	В	С	D	A	A	В
Q	51	52	53	54	55	56	57	58	59	60
Ans	D	С	С	A	D	В	D	A	С	В
Q	61	62	63	64	65	66	67	68	69	70
Ans	D	A	С	A	A	С	С	A	С	A
Q	71	72	73	74	75	76	77	78	79	80
Ans	D	С	A	В	С	D	D	С	D	A
Q	81	82	83	84	85	86	87	88	89	90
Ans	D	D	В	D	A	С	В	С	С	A
Q	91	92	93	94	95	96	97	98	99	100
Ans	A	В	В	С	A	D	С	A	В	A
Q	101	102	103	104	105	106	107	108	109	110
Ans	D	В	С	В	С	D	В	A	A	В
Q	111	112	113	114	115	116	117	118	119	120
Ans	В	С	A	A	A	В	D	A	A	В
Q	121	122	123	124	125	126	127	128	129	130
Ans	В	A	A	С	В	В	A	С	D	D
Q	131	132	133	134	135	136	137	138	139	140
Ans	D	С	D	D	A	С	С	В	D	В
Q	141	142	143	144	145	146	147	148	149	150
Ans	С	A	В	В	С	D	С	В	D	A
Q	151	152	153	154	155	156	157	158	159	
Ans	A	В	D	A	С	D	В	A	A	

NEET MBBS DOCTORS