Human Health and Diseases



- 1. The 'good humor' hypothesis of health was disproved by the [Pg-145,E]
 - A) discovery of blood circulation
 - B) discovery of compound microscope
 - C) demonstration of normal temperature with in persons blackbile
 - D) both (a) and (c)
- 2. The term health can be defined as [NCERT Exemplar] [Pg-146,E]
 - A) the state of body and mind in a balanced condition
 - B) the reflection of a smiling face
 - C) a state of complete physical, mental and social well-being
 - D) the symbol of economic prosperity
- 3. After diagnosis by a psychiatrist, an apparently healthy person was said to be unhealthy because the patient was [NCERT Exemplar] [Pg-146.E]
 - A) inefficient at his work
 - B) not prosperous economically
 - C) not interested in sports
 - D) showing behavioural and social Maladiustment
- 4. Choose the incorrect statement about health. [Pg-146,E]
 - A) Health can simply be defined as absence of disease.
 - B) Healthy people are more efficient at work.
 - C) Health increases productivity.
 - D) Health reduces infant and maternal mortality.
- 5. Choose the correct statements about diseases. [Pg-146,M]
 - Disease adversely affects functioning of one or more organs.
 - A disease is characterized by the appearance of various signs and symptoms.
 - (III) AIDS is a fatal non-infectious disease.
 - (IV) Cancer is an infectious disease.
 - A) (I) and (II)
- B) (II) and (III)
- C) (III) and (IV)
- D) (I) and (IV)
- Diseases which are easily transmitted 6. from one person to another are called
 - [Pg-146,E]
 - A) non-infectious diseases
 - B) genetic diseases
 - C) infectious diseases

- D) none of these
- 7. Match Column-I with Column-II and choose the correct option from the codes given below. [Pg-145.146.M]

	0		[-8,]
	Column-I		Column-II
(A)	Health	(1)	AIDS
(B)	Genetic disorders	(2)	Physical, mental and social well-being
(C)	Infectious disease	(3)	Cancer
(D)	Non- infectious disease	(4)	Inherited from parents from birth

Select the correct option.

	Α	В	C	\mathbf{D}
A)	2	4	3	1
B)	2	4	1	3
C)	3	2	4	1
D)	1	3	2	4

8. Among the following, identify the infectious diseases. [NCERT Exemplar]

[Pg-146,E]

- Cancer (I)
- (II) Influenza
- (III) Allergy
- (IV) Smallpox
- A) (I) and (II)
 - B) (II) and (III)
- C) (III) and (IV) D) (II) and (IV) Assertion: Diseases are characterized by

9. the appearance of various signs and symptoms.

Reason: Disease always adversely affects only one organ or system. [Pg-146,E]

- A) Both assertion and reason are true and reason is the correct explanation of assertion.
- B) Both assertion and reason are true but reason is not the correct explanation of assertion
- C) Assertion is true but reason is false.
- D) Both assertion and reason are false.
- 10. Assertion: AIDS is an infectious disease. Reason: AIDS can be easily transmitted from one person to another. [Pg-146,E]
 - A) Both assertion and reason are true and reason is the correct explanation of assertion.
 - B) Both assertion and reason are true but reason is not the correct explanation of assertion.

- C) Assertion is true but reason is false.
- D) Both assertion and reason are false.

PARA-8.1 COMMON DISEASES IN HUMANS

- 11. Diseases can be caused by the infection of **[Pg-146,E]**
 - A) bacteria
- B) viruses
- C) helminths
- D) all of these
- 12. The disease-causing organisms in plants and animals are called [NCERT Exemplar] [Pg-146,E]
 - A) vectors
- B) pathogens
- C) insects
- D) worms
- 13. The pathogens can affect our body by **[Pg-146,E]**
 - A) interfering with normal vital activities
 - B) resulting in morphological damage
 - C) resulting in functional damage
 - D) all of these
- 14. Most of the parasites are considered as
 - [Pg-146,E]
 - A) vectors
- B) pathogens
- C) worms D) none of these
- 15. Production of digestive juices in the stomach in excessive amount results in **[Pg-146,E]**
 - A) ulcers B) o
 - B) cirrhosis
 - C) jaundice
- D) diarrhoea
- 16. The inflammation of pancreas is

[Pg-146,E]

- A) pancreatitis
- B) jaundice
- C) ulcer
- D) none of these
- 17. Match Column-I with Column-II and choose the correct option from the codes given below. [Pg-146.147.M]

	Column-I		Column-II		
(A)	Lactose intolerance	(1)	Excessive passage of loose & watery feces		
(B)	Celiac disease	(2)	Disability to synthesize lactase enzyme		
(C)	Diarrhoea	(3)	Inflammation of pancreas		
(D)	Pancreatitis	(4)	Inflammation of small intestine		

Codes-

A B C D

- A) 1 B) 2 4 1 3 2 C) 1 3 4 2 4 D) 3 1
- 18. The pathogens that enter the gut can [**Pg-146,E**]
 - A) survive in the stomach at low pH
 - B) resist the various digestive enzymes
 - C) survive only at high temperature
 - D) both (a) and (b)
- 19. In human beings, typhoid fever is caused by the infection of **[Pg-146,E]**
 - A) Salmonella typhi
 - B) E. coli
 - C) Plasmodium vivax `
 - D) Entamoeba histolytica
- 20. Salmonella typhi infects [Pg-146,E]
 - A) large intestine
 - B) stomach
 - C) small intestine
 - D) liver
- 21. The pathogen of typhoid fever enters in the body through **[Pg-146,E]**
 - A) contaminated food
 - B) contaminated water
 - C) inhaling of air droplets released by diseased person
 - D) both (a) and (b)
- 22. The symptoms of typhoid include

[Pg-146,E]

- A) high fever
- B) stomach pain
- C) loss of appetite
- D) all of these
- 23. The typhoid can be diagnosed by [NCERT Exemplar] [Pg-147,M]
 - A) ELISA
- B) PCR
- C) Widal test
- D) ESR
- 24. Identify the correct pair representing the causative agent of typhoid fever and the confirmatory test for typhoid. [NEET–2019] [Pg-147,E]
 - A) Plasmodium vivax/UTI test
 - B) Streptococcus pneumoniae/Widal test
 - C) Salmonella typhi/Anthrone test
 - D) Salmonella typhi/Widal test
- 25. The causative agents of pneumonia in humans is/are [Pg-147,E]
 - A) Streptococcus pneumoniae
 - B) Haemophilus influenzae
 - C) Bacillus anthracis
 - D) Both (a) and (b)
- 26. In pneumonia, which part of respiratory system is affected? [Pg-147,E]
 - A) Alveoli
 - B) Nose

- C) Respiratory passage
- D) All of these
- 27. The group of symptoms that is indicative of pneumonia [NCERT Exemplar]

[Pg-147,E]

- A) constipation, abdominal pain, cramps, blood clots.
- B) difficulty in respiration, fever, chills, cough, headache.
- C) nasal congestion and discharge, cough, constipation, headache.
- D) high fever, weakness, stomach pain, loss of appetite, constipation.
- 28. Among the following which one is not a bacterial disease? **[Pg-147,E]**
 - A) Dysentery
- B) Plague
- C) Diphtheria D)
 - D) Common cold
- 29. Which of the following sets of diseases is caused by bacteria? [NEET-2019]

[Pg-147,M]

- A) Tetanus and mumps
- B) Herpes and influenza
- C) Cholera and tetanus
- D) Typhoid and small pox
- 30. Choose the incorrect statement from the following. **[Pg-147,M]**
 - A) In severe cases of typhoid, intestinal perforation and death may occur.
 - B) Typhoid fever could be confirmed by Widal test.
 - C) Streptococcus pneumoniae infects respiratory passage.
 - D) Dysentery and plague are bacterial diseases.
- 31. Rhino viruses cause [Pg-147,E]
 - A) pneumonia
- B) plague
- C) common cold
- D) typhoid
- 32. Rhino viruses infect
- [Pg-147,E]
- A) nose
 - B) respiratory passage
 - C) lungs
 - D) both (a) and (b)
- 33. Which one is not a symptom of common cold in humans? [Pg-147,E]
 - A) Nasal congestion
 - B) Sore throat
 - C) Headache
 - D) Grey to bluish colour of lips
- 34. Match Column-I (diseases) with Column-II (causative agent) and choose the correct option from the codes given below. [Pg-147.M]

8020111			[-8 ,]
	Column-I		Column-II
		•	

(A)	Typhoid	(1)	Streptococcus pneumoniae
(B)	Pneumonia	(2)	Rhino viruses
(C)	Common cold	(3)	Salmonella typhi
		(4)	Haemophilus influenzae

Codes-

	Α	В	C
A)	3	1,4	2
B)	3	1,2	4
C)	2	3	1,4
D)	1	4	2,3

35. The malignant malaria is caused by

[Pg-147,E]

- A) Plasmodium vivax
- B) Plasmodium falciparum
- C) Plasmodium malaria
- D) None of these
- 36. Plasmodium enters the human body as

[Pg-147,E]


- A) Gametocyte B) Haemozoin
- C) Sporozoite
- D) None of these
- 37. Haemozoin is a toxin released from [NCERT Exemplar] [Pg-147,E]
 - A) Streptococcus infected cells
 - B) Plasmodium infected cells
 - C) Homophilus infected cells
 - D) None of these
- 38. The infectious stage of plasmodium, i.e., sporozoites are formed in [NCERT Exemplar] [Pg-147,E]
 - A) RBCs of mosquito
 - B) liver of the infected man
 - C) gut of mosquito
 - D) salivary glands of mosquito
- 39. How many hosts are required by the malarial parasite to complete its life cycle? [Pg-147,E]
 - A) One
 - B) Two
 - C) Three
 - D) One or two according to environmental conditions
- 40. The person suffering from sickle cell anaemia is [NCERT Exemplar]

[Pg-147,E]

- A) less prone to typhoid
- B) less prone to malaria
- C) more prone to typhoid
- D) more prone to malaria

- 41. Entamoeba histolytica is a protozoan parasite which infects [Pg-148,E]
 - A) stomach
 - B) small intestine
 - C) large intestine
 - D) liver
- 42. The active form of *Entamoeba histolytica* feeds upon [AIPMT–2015] **[Pg-148,E]**
 - A) mucosa and submucosa of colon only
 - B) food in intestine
 - C) blood only
 - D) erythrocytes, mucosa and submucosa of colon
- 43. Refer to the given figure showing stages in the life cycle of use plasmodium. In the figure, which type of reproduction is occurring at stages A and B respectively. Also, identify C and D in the figure.

[Pg-148,M]



_				
	A	В	C	D
A)	Asexual	Sexual	Gametocyt	Sporozoit
			es	es
B)	Sexual	Asexual	Gametocyt	Sporozoit
			es	es
C)	Asexual	Sexual	Sporozoite	Gametoc
			s	ytes
D)	Asexual	Sexual	Gametocyt	Ookinete
			es	S

44. Match Column-I (Diseases) with Column-II (causative agents) and choose the correct option from the codes given below. [Pg-146-149,M]

[-8			
	Column-I		Column-II
(A)	Typhoid	(1)	Entamoeba
			histolytica

(B)	Malaria	(2)	Salmonella
			typhi
(C)	Amoebiasis	(3)	Rhino viruses
(D)	Common cold	(4)	Plasmodium
			vivax

Codes-

	A	В	С	D
A)	2	4	1	3
B)	4	3	2	1
C)	1	2	4	3
D)	3	1	2	4

- 45. Choose the correct statements about amoebiasis. **[Pg-148,149,E]**
 - (I) It is caused by the infection of *Entamoeba histolytica*.
 - (II) Its symptoms include loose motion, abdominal pain and cramps, stools with excess mucous and blood clots.
 - (III) Houseflies act as mechanical carriers for the parasite.
 - (IV) The main sources of its infection are drinking water and food contaminated by the fecal matter.
 - A) (I) and (II)
- B) (II) and (III)
- C) (I), (III) and (IV) D) All of these
- 46. Ascaris, which causes ascariasis is an/a [Pg-149,E]
 - A) intestinal parasite
 - B) stomach parasite
 - C) liver parasite
 - D) none of these
- 47. The symptoms of ascariasis include

[Pg-149,E]

- A) internal bleeding
- B) anemia
- C) muscular pain
- D) all of these
- 48. In which disease does mosquito transmitted pathogen cause chronic inflammation of lymphatic vessels?
 [NEET-2018] [Pg-149,M]
 - A) Elephantiasis
 - B) Ascariasis
 - C) Ringworm disease
 - D) Amoebiasis
- 49. Refer to the given figure. **[Pg-149,E]**



Which disease is shown in the figure?

- A) Amoebiasis
- B) Filariasis
- C) Elephantiasis
- D) Both (B) and (C)
- 50. Among the following which does not cause ringworm disease in humans?
 [NCERT Exemplar] [Pg-149,E]
 - A) Microsporum
 - B) Macrosporum
 - C) Epidermophyton
 - D) Trichophyton
- 51. Appearance of dry, scaly lesions on various parts of the body is symptom of which infectious disease? [Pg-149,E]
 - A) Filaria
 - B) Ascarisis
 - C) Ringworm
 - D) None of these
- 52. Match the pathogens given in Column-I to the body organs to which they affect in Column-II. Choose the correct answer from the codes given below. **IPg-149.M**

	Column-I		Column-II
(A)	Ascaris	(1)	Lymphatic vessels of lower limbs
(B)	Wuchereria	(2)	Intestine
(C)	Trichopyton	(3)	Skin, scalp and nails
(D)	Streptococcus pneumoniae	(4)	Lungs

Codes-

	A	В	С	D
A)	2	1	3	4
B)	1	2	4	3
C)	3	2	1	4
D)	4	3	2	1

- 53. Ringworms are generally acquired from
 - [Pg-149,E]

- A) soil
- B) infected towels

- C) infected combs
- D) all of these
- 54. Match Column-I with Column-II and choose the correct option from the codes given below [Pg-149.M]

	given below: [1 g 1 1 3 jii 2]					
	Column-I		Column-II			
(A)	Entamoeba histolytica	(1)	Sporozoa			
(B)	Plasmodium vivax	(2)	Rhizopoda			
(C)	Ascaris lumbricoides	(3)	Deuteromycetes			
(D)	Trichophyton rubrum	(4)	Nematoda			

Codes-

	Α	В	С	D
A)	2	1	4	3
B)	1	2	3	4
C)	4	3	2	1
D)	3	4	1	2

- 55. Trichophyton feeds on **[Pg-149,E]**
 - A) goblins of blood
 - B) keratin of skin
 - C) cellulose of leaves
 - D) none of these
- 56. Choose the incorrect statement from the following. **[Pg-149,M]**
 - A) Wuchereria bancrofti causes chronic inflammation of the lymphatic vessels.
 - B) The pathogens of filaria are transmitted to a healthy person through houseflies.
 - C) Trichophyton is responsible for ringworm.
 - D) Common cold is a viral disease.
- 57. Read the following statements carefully and choose the option that correctly identifies the true statements.

[Pg-149,H]

- (I) Many infectious diseases can be prevented and controlled by maintaining personal and public hygiene
- (II) Proper disposal of waste and excreta is particularly essential for the airborne diseases.
- (III) Malaria can be prevented by eliminating its vector and their breeding places.
- (IV) Chikungunya is a vector-borne disease.
- A) (I), (II) and (III) B) (II), (III) and (IV)
- C) (IV), (II) and (I) D) (I), (III) and (IV)

58. The most important measure to control malaria and filariasis is to control or eliminate the [Pg-149,E]

A) vectors

B) breeding places of vectors

C) causal organism

D) both (a) and (b)

59. Match Column-I with Column-II and choose the correct option from the codes given below [Pg-147-149.M]

given below[16 117 115,M]					
	Column-I		Column-II		
(A)	Food-borne	(1)	Pneumonia		
	disease				
(B)	Air-borne	(2)	Amoebic		
	disease		dysentery		
(C)	Vector-borne	(3)	Malaria		
	disease				
		(4)	Typhoid		

Codes-

	A	В	С
A)	2,4	1	3
B)	1,4	2	3
C)	3	2,4	1
D)	2	3	4,1

60. Which fish is introduced in ponds that feed on mosquito larva? [Pg-150,E]

A) Rohu

B) Katla

C) Gambusia

D) None of these

61. The vector that transmits the disease chikungunya is [NCERT Exemplar]

[Pg-150,E]

- A) Housefly
- B) Cockroach
- C) Aedes mosquito
- D) Female Anopheles
- 62. Dengue is transmitted through

[Pg-150,E]

- A) female Anopheles
- B) housefly
- C) Gambusia
- D) Aedes mosquito
- 63. A deadly disease that has beer eradicated from India is [Pg-150,E]

A) typhoid

B) smallpox

C) dengue

- D) cancer
- 64. Among the following diseases, for which one is vaccine available? **[Pg-150,E]**
 - A) Polio
- B) Pneumonia
- C) Tetanus
- D) All of these
- 65. Match Column-I with Column-II and choose the correct option from the codes given below. [Pg-150,M]

 Column-I	Column-II
001411111	0014111111111

(A)	Amoebic	(1)	Female
	dysentery		Anopheles
(B)	Dengue	(2)	Housefly
(C)	Malaria	(3)	Aedes mosquito

Codes-

	A	В	С
A)	3	2	1
B)	2	3	1
C)	1	2	3
D)	2	1	3

66. **Assertion:** Most of the parasites are pathogens.

Reason: Disease causing organisms are called pathogens hosts as parasite.

[Pg-146,H]

- A) Both assertion and reason are true and reason is the correct explanation of assertion.
- B) Both assertion and reason are true but reason is not the correct explanation of assertion.
- C) Assertion is true but reason is false.
- D) Both assertion and reason are false.
- 67. **Assertion:** Pneumonia is caused by the infection of *Streptococcus pneumoniae*.

Reason: Streptococcus pneumoniae bacteria infect respiratory passage.

[Pg-147,H]

- A) Both assertion and reason are true and reason is the correct explanation of assertion.
- B) Both assertion and reason are true but reason is not the correct explanation of assertion.
- C) Assertion is true but reason is false.
- D) Both assertion and reason are false.
- 68. **Assertion:** The malarial parasite requires two hosts to complete its lifecycle.

Reason: These two hosts are human and mosquito. **[Pg-147,H]**

- A) Both assertion and reason are true and reason is the correct explanation of assertion.
- B) Both assertion and reason are true but reason is not the correct explanation of assertion.
- C) Assertion is true but reason is false.
- D) Both assertion and reason are false.
- 69. Assertion: Wuchereria bancrofti affects the blood vessels of the lower limbs.

Reason: This pathogen is transmitted to a healthy person through the bite of male mosquito vectors. [Pg-149,H]

- A) Both assertion and reason are true and reason is the correct explanation of assertion.
- B) Both assertion and reason are true but reason is not the correct explanation of assertion.
- C) Assertion is true but reason is false.
- D) Both assertion and reason are false.

Para-8.2

Immunity

70. The ability of the host to fight against disease causing organism is known as

[Pg-150,E]

- A) pathogenicity
- B) immunity
- C) immunisation
- D) none of these
- 71. Innate immunity [Pg-150,E]
 - A) is non-specific type of defence.
 - B) is present at the time of birth.
 - C) consists of four types of barriers.
 - D) all of these
- 72. Which type of immunity is present from the birth? **[Pg-150,E]**
 - A) Acquired
 - B) Innate
 - C) Specific
 - D) None of these
- 73. Identify the physical barrier of immunity from the following. **[Pg-150,E]**
 - A) Skin on our body
 - B) Acid in the stomach
 - C) PMNL-neutrophils
 - D) Both (a) and (b)
- 74. Saliva in the mouth is an example of

[Pg-150,E]

- A) physical barrier of immunity.
- B) physiological barrier of immunity.
- C) cellular barrier of immunity.
- D) cytokine barrier of immunity.
- 75. Humans have acquired immune system that produces antibodies to neutralize pathogens. Still innate immune system is present at the time of birth because it [Odisha, NEET 2019] [Pg-151,M]
 - A) provides passive immunity
 - B) is very specific and uses different macrophages

- C) produces memory cells for mounting fast secondary response
- D) has natural killer cells which can phagocytose and destroy microbes
- 76. A substance produced by a virus infected cell that can protect other cells from further infection is [NCERT Exemplar]

[Pg-151,E]

- A) colostrum
- B) serotonin
- C) interferon
- D) histamine
- 77. Interferons, produced by virus-infected cells are [Pg-151,E]
 - A) enzymes
- B) proteins
- C) lipids
- D) none of these
- 78. Match Column-I with Column-II and choose the correct answer from the codes

g	iven below.		[Pg-151,M]
	Column-I		Column-II
(A)	Physical	(1)	Acid in the
	barrier		stomach
(B)	Physiological	(2)	Monocytes
	barrier		
(C)	Cellular	(3)	Interferon
	barrier		
(D)	Cytokine	(4)	Mucus
	barrier		coating of the
			epithelium
			lining of
			urogenital
			tract

Codes-

	A	В	С	D
A)	4	1	2	3
B)	1	3	4	2
C)	2	4	3	1
D)	3	2	1	4

79. The pathogen specific immunity is


[Pg-151,E]

- A) innate immunity
- B) acquired immunity
- C) physical strength
- D) none of these
- 80. Subsequent encounter with the same pathogen elicits a/an [Pg-151,E]
 - A) secondary response
 - B) highly intensified response
 - C) anamnestic response
 - D) all of these
- 81. Antibodies are produced by **[Pg-151,E]**
 - A) T-lymphocytes
 - B) B-lymphocytes
 - C) monocytes
 - D) both (a) and (b)

82. An antibody is represented as

[Pg-151,E]

- A) H3L3
- B) H1L1
- C) H2L2
- D) None of these
- 83. Refer to the given figure showing structure of an antibody. In the figure some parts are labelled as P, Q, R and S. Identify the part which binds with antigen. [Pg-151,M]



- A) Q
- B) P
- C) R
- D) S
- 84. Which of the following immune responses is responsible for rejection of kidney graft? [NEET-2019] [Pg-151,H]
 - A) Auto-immune response
 - B) Humoral immune response
 - C) Inflammatory immune response
 - D) Cell-mediated immune response
- 85. Transplantation of tissues/organs fails often due to non-acceptance by the patient's body. Which type of immune response is responsible for such rejections? [NCERT Exemplar, NEET—2017 [Pg-151,E]
 - A) Cell-mediated immune response
 - B) Humoral immune response
 - C) Physiological immune response
 - D) Auto immune response
- 86. Match Column-I with Column-II and choose the correct option from the codes given below [Pg-151.M]

gı	iveli below.		[Fg-131,M]
	Column-I		Column-II
(A)	Innate	(1)	Antibodies
	immunity		
(B)	Acquired	(2)	Non-specific
	immunity		immune
			response
(C)	Humoral	(3)	T-lymphocytes
	immune		
	response		
(D)	Cell-	(4)	Pathogen
	mediated		specific
	immunity		immune
			response

Codes-

	A	В	С	D
A)	4	2	3	1

B)	2	4	1	3
C)	2	4	3	1
D)	1	3	4	2

- 87. Choose the incorrect statement from the following. **[Pg-151,M]**
 - A) Primary immune response is of low intensity.
 - B) The primary and secondary immune responses are carried out with the help of B-lymphocytes and T-lymphocytes.
 - C) B-cells themselves do not secrete antibodies but help T-cells to produce them.
 - D) Antibodies are found in blood, therefore it is called humoral immune response.
- 88. When a host is exposed to antigens, antibodies are produced in the host body. This type of immunity is called

[Pg-152,E]

- A) active immunity
- B) passive immunity
- C) innate immunity
- D) none of these
- 89. When readymade antibodies are directly given to protect the body against foreign agents, it is called **[Pg-152,E]**
 - A) cell-mediated immunity
 - B) passive immunity
 - C) active immunity
 - D) innate immunity
- 90. Colostrum, the yellowish fluid, secreted by mother during the initial days of lactation is very essential to impart immunity to the newborn infants because it contains [Pg-152,E]
 - A) natural killer cells
 - B) monocytes
 - C) macrophages
 - D) immunoglobulin A
- 91. Which type of antibodies are found in colostrum? [NCERT Exemplar]

[Pg-152,E]

- A) O = IgG type
- B) O = IgD type
- C) O = IgA type
- D) O = IgE type
- 92. Consider the following statements and choose the correct statements.

[Pg-152,H]

- (I) Active immunity is slow and takes time to give its full effective response.
- (II) In passive immunity, ready-made antibodies are directly given

- (III) Colostrum contains IgE antibodies.
- (IV) The foetus also receives some antibodies from its mother.
- A) (I), (II) and (III) B) (I), (II) and (IV)
- C) (I), (III) and (IV) D) All of these
- 93. The principle of immunisation is based on which property of immune system?

[Pg-152,M]

- A) Discriminate between self and non-self
- B) Memory
- C) Production of antibodies
- D) All of these
- 94. Match each disease with its correct type of vaccine. [AIPMT–2015] [Pg-152,M]

	Column-I		Column-II
(A)	Tuberculosis	(1)	Harmless virus
(B)	Whooping	(2)	Inactivated
	cough		toxin
(C)	Diphtheria	(3)	Killed bacteria
(D)	Polio	(4)	Harmless
			bacteria

Codes-

	A	В	С	D
A)	3	2	4	1
B)	4	3	2	1
C)	1	2	4	3
D)	2	1	3	4

- 95. In case of snakebites, the injection which is given to the patients, contains [NCERT Exemplar] [Pg-152,E]
 - A) antigens
 - B) antigen antibody complexes
 - C) antibodies
 - D) enzymes
- 96. In vaccination, what is introduced in the body? [Pg-152,E]
 - A) Antigenic proteins of pathogen
 - B) Inactivated pathogen
 - C) Weakened pathogen
 - D) All of these
- 97. Vaccine of hepatitis B is produced from

[Pg-152,E]

- A) Yeast
- B) Rhizobium
- C) Agrobacterium
- D) Azadirachta
- 98. Choose the incorrect statement about vaccination. [Pg-152,E]
 - A) In passive immunization, preformed antibodies are injected in the body.

- B) Vaccines can be produced using recombinant DNA technology.
- C) Vaccines generate memory B-cells and T-cells.
- D) Vaccines given in case of snakebite contains preformed antigens.
- 99. The exaggerated response of the immune system to certain antigens in the environment is called **[Pg-153,E]**
 - A) immunisation
 - B) allergy
 - C) vaccination
 - D) none of these
- 100. The substances which produce allergy are called **[Pg-153,E]**
 - A) antigens
- B) pathogens
- C) allergens
- D) antibodies
- 101. The antibodies allergens are of
- produced against [Pg-153,E]
- A) O = IgA type
- B) O = IgE type
- C) O = IgM type
- D) O = IgG type
- 102. Match Column-I with Column-II and choose the correct option from the codes given below. [Pg-153,M]

0			[0 /]
	Column-I		Column-II
(A)	Colostrum	(1)	IgE
(B)	Allergy	(2)	IgA
(C)	Graft	(3)	Passive
	rejection		immunisation
(D)	Preformed	(4)	Cell-medicated
	antibodies		immunity

Codes-

Cour	CO			
	A	В	С	D
A)	3	2	4	1
B)	4	3	2	1
C)	1	2	4	3
D)	2	1	4	3

- 103. Symptoms of allergic reactions include [Pg-153,E]
 - A) sneezing
- B) watery eyes
- C) running nose
- D) all of these
- 104. The chemical which is released during allergic reaction? **[Pg-153,E]**
 - A) Histamine
- B) Serotonin
- C) Steroid
- D) Both (A) and (B)
- 105. Which of the following is not an autoimmune disease? [NEET-2018]

[Pg-153,M]

- A) Psoriasis
- B) Rheumatoid arthritis
- C) Alzheimer's disease
- D) Vitiligo

106. Which of the following diseases is an autoimmune disorder? [Odisha, NEET-2019] [Pg-153,M]

A) Gout

B) Myasthenia gravis

C) Arthritis

D) Osteoporosis

107. Rheumatoid arthritis is a/an [Pg-153,E]

A) infectious disease

- B) genetic disorder
- C) autoimmune disease
- D) non-infectious disease
- 108. Choose the correct reason(s) for rheumatoid arthritis. [NCERT Exemplar]

[Pg-153,M]

- (I) Body attacks self-cells
- (II) The ability of immune system to differentiate between self and non-self increases.
- (III) The production of antibodies increases.
- (IV) Immune system fails to discriminate between self and non-self cells.
- A) (I) and (IV)

B) (II) and (III)

C) (II) and (IV)

- D) (I) and (III)
- 109. Our immune system is unique because it can **[Pg-153,E]**
 - A) recognise foreign antigens
 - B) respond to antigens
 - C) remember antigens
 - D) all of these
- 110. The immune system plays an important role in [Pg-153,E]
 - A) allergic reactions
 - B) autoimmune diseases
 - C) organ transplantation
 - D) all of these
- 111. Match Column-I with Column-II and choose the correct option from the codes given below. [Pg-152,153,M]

	Column-I		Column-II
(A)	Allergy	(1)	Inability to
			discriminate
			self cells
			from non-
			self-cells
(B)	Autoimmunity	(2)	Introduction
			of killed/
			Weakened
			pathogen
(C)	Active	(3)	Immune
	immunisation		response
			against
			allergens

(D)	Passive	(4)	Introduction
	immunisation		of
			antibodies

Codes-

	A	В	С	D
(a)	3	1	2	4
(b)	4	3	2	1
(c)	3	1	4	2
(d)	2	4	3	1


112. Identify the primary lymphoid organ(s).

[Pg-153,E]

- A) Bone marrow B) Thymus
- C) Spleen D) Both (a) and (b)
- 113. In primary lymphoid organs, [Pg-153,E]
 - A) lymphocytes become mature
 - B) lymphocyte interact with antigens
 - C) lymphocytes become effecter cells
 - D) both (a) and (b)
- 114. Among the following which one is not a lymphoid tissue? [NCERT Exemplar]

[Pg-153,E]

- A) Tonsils
- B) Spleen
- C) Thymus
- D) ancreas
- 115. The figure given below is a diagrammatic representation of lymph nodes. In the figure some parts are labeled as A, B, C and D. Identify the part that serves to trap the antigens. [Pg-154,E]



- A) B
- B) A
- C) C
- D) D
- 116. The lymphoid organ where all blood cells including lymphocytes are produced

[Pg-153,E]

- A) Spleen
- B) Thymus
- C) Bone narrow
- D) Payer's patches
- 117. The lymphoid organ that keeps reducing in size with age is **[Pg-154,E]**
 - A) tonsils
- B) bone marrow
- C) thymus
- D) spleen
- 118. Which one is known as the reservoir of erythrocytes? [Pg-154,E]
 - A) Spleen
- B) Thymus
- C) Lymph nodes
- D) None of these

119. The organ(s) that provide(s) microenvironments for the development and maturation of T-lymphocytes is/are

[Pg-154,E]

- A) Bone marrow
- B) Thymus
- C) Spleen
- D) Both (a) and (b)
- 120. The lymphoid tissue located within the lining of digestive tract is called

[Pg-154,E]

- A) lymphatic vessels
- B) lymph nodes
- C) MALT
- D) none of these
- 121. MALT constitutes about _____ percent of the lymphoid tissue in human body. [NEET-2017] [Pg-154,M]
 - A) 20%
- B) 70%
- C) 10%
- D) 50%
- 122. Match Column-I with Column-II and choose the correct option from the codes given below. [Pg-154,M]

	Column-I		Column-II
(A)	Bone	(1)	Maturation of
	marrow		T-Lymphocytes
(B)	Thymus	(2)	Production of
			blood cells
(C)	Spleen	(3)	Serve to trap
			antigens
(D)	Lymph Nodes	(4)	Reservoir of
	Nodes		erythrocytes

Codes-

	A	В	С	D
A)	1	2	3	4
B)	2	1	4	3
C)	4	3	2	1
D)	3	4	1	2

123. **Assertion:** The immune response in which antibodies are formed is called humoral immune response.

Reason: Antibodies are found in blood.

[Pg-151,H]

- A) Both assertion and reason are true and reason is the correct explanation of assertion.
- B) Both assertion and reason are true but reason is not the correct explanation of assertion.
- C) Assertion is true but reason is false.
- D) Both assertion and reason are false.
- 124. **Assertion:** In passive immunization, preformed antibodies are given to the patients.

- **Reason:** Polio vaccine also contains preformed antibodies. [Pg-152,H]
- A) Both assertion and reason are true and reason is the correct explanation of assertion.
- B) Both assertion and reason are true but reason is not the correct explanation of assertion.
- C) Assertion is true but reason is false.
- D) Both assertion and reason are false.
- 125. **Assertion:** Bone marrow is a secondary lymphoid organ.

Reason: In secondary lymphoid organs maturation of lymphocytes occur.

[Pg-153,H]


- A) Both assertion and reason are true and reason is the correct explanation of assertion.
- B) Both assertion and reason are true but reason is not the correct explanation of assertion.
- C) Assertion is true but reason is false.
- D) Both assertion and reason are false.

<u> Para-8.3</u>

AIDS

- 126. The word AIDS stands for 'Acquired Immuno Deficiency Syndrome', here syndrome means [Pg-154,E]
 - A) group of diseases
 - B) group of symptoms
 - C) group of antigens
 - D) none of these
- 127. HIV is a member of a group of viruses called **[Pg-154,E]**
 - A) rota virus
- B) rhino virus
- C) retro virus
- D) none of these
- 128. Which of the following is correct regarding AIDS causative agent HIV? [NEET-2016] [Pg-154,H]
 - A) HIV is an unenveloped retrovirus.
 - B) HIV does not escape but attacks the acquired immune response.
 - C) HIV is an enveloped virus containing one molecule of single-stranded RNA and one molecule of reverse transcriptase.
 - D) HIV is an enveloped virus that contains two identical molecules of single-stranded RNA and two molecules of reverse transcriptase.
- 129. HIV is not transmitted by [NCERT Exemplar] [Pg-154,E]
 - A) transfusion of contaminated blood

- B) sharing of infected needles
- C) sexual contact with infected persons
- D) shaking hands with infected person
- 130. HIV/AIDS spreads through **[Pg-154,E]**
 - A) droplets resulting from cough
 - B) body fluids
 - C) mere touch
 - D) All of these
- 131. HIV that causes AIDS, first starts destroying [AIPMT–2015] [Pg-156,M]
 - A) leucocytes
- B) helper T-cells
- C) thrombocytes
- D) B-lymphocytes
- 132. AIDS is diagnosed through which technique? [Pg-156,E]
 - A) ELISA
- B) PCR
- C) PAGE
- D) Electrophoresis
- 133. Refer to the given figure showing replication of retrovirus. How is it different from the replication of other viruses? [Pg-155,E]



- A) Viral DNA is produced from viral RNA by reverse transcriptase.
- B) Viral RNA produces dsRNA by RNA polymerase.
- C) Viral DNA is produced from viral RNA by DNA polymerase.
- D) Viral DNA is produced from host DNA by DNA polymerase.
- 134. Match Column-I with Column-II and choose the correct option from the codes given below [Pg-154-156.M]

51101	[16 10 1 100,111]		
	Column-I		Column-II
(A)	AIDS	(1)	Retrovirus
(B)	HIV	(2)	Enzyme
(C)	Reverse	(3)	Diagnostic
	transcriptase		technique
(D)	ELISA	(4)	Syndrome

Codes-

	A	В	С	D
A)	4	1	2	3
B)	1	2	4	3
C)	3	4	1	2
D)	2	3	4	1

- 135. Choose the incorrect statement about AIDS. [Pg-156,E]
 - A) AIDS is caused by HIV.
 - B) It can be diagnosed using ELISA technique.
 - C) HIV destroys B-lymphocytes.
 - D) HIV infected people need help and sympathy instead of being shunned by the society.
- 136. **Assertion:** AIDS is caused by Human Immuno Deficiency Virus (HIV).

Reason: It is a member of group 'retroviruses'. [Pg-154,H]

- A) Both assertion and reason are true and reason is the correct explanation of assertion.
- B) Both assertion and reason are true but reason is not the correct explanation of assertion.
- C) Assertion is true but reason is false.
- D) Both assertion and reason are false.
- 137. **Assertion:** Transmission of HIV infection generally occurs by sexual contact with infected person.

Reason: HIV is not transmitted by the transfusion of contaminated blood and blood products. **[Pg-154,H]**

- A) Both assertion and reason are true and reason is the correct explanation of assertion.
- B) Both assertion and reason are true but reason is not the correct explanation of assertion.
- C) Assertion is true but reason is false.
- D) Both assertion and reason are false.
- 138. **Assertion:** AIDS leads to a progressive decrease in number of helper T-lymphocytes in the infected person.

Reason: HIV virus replicates and produces progeny virus in helper T-lymphocytes which are released in blood.

[Pg-156,H]

- A) Both assertion and reason are true and reason is the correct explanation of assertion
- B) Both assertion and reason are true but reason is not the correct explanation of assertion.

- C) Assertion is true but reason is false.
- D) Both assertion and reason are false.

<u>Para-8.4</u> Cancer

139. Cancer cells do not show this property.

[Pg-157,E]

- A) Metastasis
- B) Growth
- C) Contact inhibition
- D) Both (A) and (C)
- 140. Cancer cells divide continuously and give rise to a mass of cells called **[Pg-157,E]**
 - A) fibroid
- B) tumor
- C) oncogene
- D) none of these
- 141. Tumours that remain confined to their original location and cause little damage are [Pg-157,E]
 - A) benign
- B) malignant
- C) carcinogen
- D) none of these

142. Mass of neoplastic cells is called

[Pg-157,E]

- A) benign tumour
- B) fibroid
- C) cyst
- D) malignant tumour
- 143. The cells of malignant tumour

[Pg-157,E]

- A) grow very rapidly
- B) invade and damage other normal tissues
- C) show metastasis
- D) all of these
- 144. Cells sloughed off from malignant tumour move to other parts of the body to form new tumours. This stage of disease is called [NCERT Exemplar]

[Pg-157,E]

- A) teratogenesis
- B) metastasis
- C) mitosis
- D) metagenesis
- 145. Match Column-I with Column-II and choose the correct option from the codes given below. [Pg-157,m]

	Column-I		Column-II
(A)	Contact inhibition	(1)	Consists of neoplastic cells
(B)	Benign tumour	(2)	Property of normal cells to inhibit uncontrolled growth of other cells

(C)	Malignant tumour	(3)	Property of cancerous cells to form new tumour at distant sites
(D)	Metastasis	(4)	Remains confined to original location

Codes-

	A	В	С	D
A)	1	3	4	2
B)	4	2	3	1
C)	2	4	1	3
D)	3	1	2	4

- 146. Choose the incorrect statement about Malignant tumours. **[Pg-157,E]**
 - A) These tumours consist of neoplastic cells.
 - B) They show the property of metastasis.
 - C) The cells of this tumour have the property of contact inhibition.
 - D) The cells of malignant tumour starve the normal cells by competing for vital nutrients.
- 147. Transformation of normal cells into cancerous neoplastic cells may be induced by [Pg-157,E]
 - A) physical agents B) chemical agents
 - C) biological agents D) all of these
- 148. The cancer-causing agents are called

[Pg-157,E]

- A) carcinogens
- B) teratogens
- C) mutagens
- D) none of these
- 149. X-rays lead to neoplastic transformation by causing damage to **[Pg-157,E]**
 - A) enzymes
- B) hormones
- C) DNA
- D) all of these
- 150. The genes that cause cancer are called [NCERT Exemplar] [Pg-157,E]
 - A) expressor genes
 - B) oncogenes
 - C) regulatory genes
 - D) structural genes
- 151. Match Column-I with Column-II and choose the correct option from the codes given below. [Pg-157,M]

	Column-I (Type of Carcinogen)		Column-II (Example)
(A)	Physical agent	(1)	Oncogenic virus
(B)	Chemical agent	(2)	UV rays
(C)	Biological agent	(3)	Tobacco
		(4)	Gamma rays

Codes-

	A	В	C
A)	4,2	3	1
B)	4,1	2	3
C)	2	4,3	1
D)	3	2	4,1

152. Cancer causing viruses are called

[Pg-157,E]

- A) retrovirus
- B) rhinovirus
- C) oncogenic virus D) none of these
- 153. Choose the correct statements about carcinogens. **[Pg-157,H]**
 - (I) Carcinogens transform normal cells into cancerous cells.
 - (II) These carcinogens could be physical, chemical or biological.
 - (III) Ionizing radiations like UV-rays damage DNA leading to neoplastic transformation.
 - (IV) Several proto-oncogenes have been identified in neoplastic cells that get activated under certain conditions.
 - A) (I) and (III)
- B) (I) and (II)
- C) (III) and (IV)
- D) all of these
- 154. Which technique can be used for the detection of cancer of internal organs?

[Pg-157,E]

- A) Radiography
- B) CT
- C) MRI
- D) All of these
- 155. Computed tomography uses 'A' to generate a three-dimensional image of the internals of an object. Here 'A' is

[Pg-157,E]

- A) X-rays
- B) γ-rays
- C) a-rays
- D) UV rays
- 156. Match Column-I with Column-II and choose the correct option from the codes given below. [Pg-157,M]

	Column-I		Column-II
(A)	Biopsy	(1)	Three-
			dimensional
			image using X-
			rays
(B)	Radiograp	(2)	Histopathologic
	hy		al study
(C)	Computed	(3)	Use of strong
	Tomograp		magnetic fields
	hy		and non-
			ionising
			radiations
(D)	MRI	(4)	Use of X-rays

Codes-

	A	В	С	D
A)	4	2	3	1
B)	2	4	1	3
C)	3	1	4	2
D)	1	3	2	4

- 157. The common approaches for the treatment of cancer is/are [Pg-157,E]
 - A) surgery
- B) radiation therapy
- C) immunotherapy D) all of these
- 158. Which substance is given to cancer patients to activate their immune system? [Pg-157,E]
 - A) Carcinogens
- B) Cytokinin
- C) a-interferon
- D) None of these
- 159. **Assertion:** X-rays and γ-rays are called carcinogens.

Reason: Carcinogens transform normal cells into cancerous neoplastic cells.

[Pg-157,H]

- A) Both assertion and reason are true and reason is the correct explanation of assertion.
- B) Both assertion and reason are true but reason is not the correct explanation of assertion.
- C) Assertion is true but reason is false.
- D) Both assertion and reason are false.
- 160. **Assertion:** Computed tomography can be used for the early detection of cancer of internal organs.

Reason: Computed tomography uses UV-rays to generate a three-dimensional image of the internals of an object.

[Pg-157,H]

- A) Both assertion and reason are true and reason is the correct explanation of assertion.
- B) Both assertion and reason are true but reason is not the correct explanation of assertion.
- C) Assertion is true but reason is false.
- D) Both assertion and reason are false.
- 161. **Assertion:** The patients of cancer are given α -interferon.


Reason: α-interferon is a biological response modifier. [Pg-158,H]

- A) Both assertion and reason are true and reason is the correct explanation of assertion.
- B) Both assertion and reason are true but reason is not the correct explanation of assertion.
- C) Assertion is true but reason is false.
- D) Both assertion and reason are false.

Para-8.5

Drug and Alcohol Abuse

- 162. Opioid receptors are found in [Pg-158,E]
 - A) central nervous system
 - B) reproductive system
 - C) gastrointestinal tract
 - D) both (a) and (c)
- 163. Heroin is commonly called [Pg-158,E]
 - A) smack
- B) cocaine
- C) crack
- D) none of these
- 164. Drug called 'Heroin' is synthesised by [NEET-2019] [Pg-158,E]
 - A) methylation of morphine
 - B) acetylation of morphine
 - C) glycosylation of morphine
 - D) nitration of morphine
- 165. 'Smack' is obtained from the [NCERT Exemplar] [Pg-158,E]
 - A) leaves of Cannabis sativa
 - B) latex of Papaver somniferum
 - C) fruits of Erythroxylum coca
 - D) flowers of Datura
- 166. Refer to the given chemical structure. It is [Pg-159,E]



- A) morphine
- B) cocaine
- C) cannabinoid
- D) none of these
- 167. Refer to the given figure. [Pg-159,E]



The drug obtained from this plant affects

- A) reproductive system
- B) respiratory system
- C) nervous system
- D) none of these
- 168. Natural cannabinoids are obtained from the **[Pg-159,M]**
 - A) inflorescence of Cannabis sativa
 - B) latex of Cannabis sativa
 - C) fruits of Cannabis sativa
 - D) leaves of Cannabis sativa
- 169. Cannabinoids are generally taken by

[Pg-159,E]

- A) inhalation
- B) oral ingestion
- C) snorting
- D) both (a) and (b)
- 170. Cannabinoids affect
- [Pg-159,E]
- A) cardiovascular system
- B) nervous system
- C) digestive system
- D) none of these
- 171. Choose the incorrect statement from the following. **[Pg-159,M]**
 - A) Heroin is chemically diacetylmorphine
 - B) Cannabinoids interact with cannabinoid receptors present principally in the gut.
 - C) Cannabinoids are taken by inhalation and oral ingestion.
 - D) Heroin is a depressant.
- 172. Cocaine is obtained from [Pg-159,E]
 - A) Papaver somniferum
 - B) Cannabis sativa

- C) Atropa belladona
- D) Erythroxylum coca
- 173. Coca alkaloid or cocaine is obtained from [Odisha, NEET 2019] [Pg-159,M]
 - A) Datura
 - B) Papaver somniferum
 - C) Atropa belladonna
 - D) Erythroxylum coca
- 174. Crack is usually

[Pg-159,E]

- A) ingested orally B) injected
- C) inhaled
- D) snorted
- 175. Refer to the given figure. This plant causes [Pg-159,E]



- A) hallucinations B) insomnia
- C) depression
- D) all of these
- 176. Among the following which plant does not process hallucinogenic properties?

[Pg-159,E]

- A) Atropa belladonna
- B) Datura
- C) Cannabis sativa
- D) Erythroxylum coca
- 177. Among the following which one is abused by some sportspersons? [Pg-159,E]
 - A) Heroin
 - B) Barbiturates
 - C) Cannabinoids
 - D) Amphetamines
- 178. Match Column-I with Column-II and choose the correct option from the codes gives below. [Pg-159,M]

_				
	Column-I		Column-II	
(A)	Smack	(1)	Hallucination	
(B)	Cocaine	(2)	Depressant	
(C)	Datura	(3) Pain killer		
(D)	Morphine	(4)	Stimulant	

Codes-

	A	В	С	D
A)	2	4	1	3
B)	3	2	4	1
C)	1	3	2	4
D)	4	1	3	2

179. Morphine is a very effective [Pg-159,E]

- A) sedative
- B) pain killer
- C) stimulant
- D) both (a) and (b)
- 180. Which chemical substance of tobacco stimulates adrenal grand to release adrenaline and noradrenaline? [NCERT Exemplar]

[Pg-159,E]

- A) Tannic acid C) Curamin
- B) Nicotine D) Catechin
- 181. Whose concentration is increased in blood by smoking? [Pg-160,E]
 - A) Carbon dioxide (CO2)
 - B) Oxygen (O2)
 - C) Carbon monoxide (CO)
 - D) Water (H2O)
- 182. Choose the correct statements.

[Pg-160,M]

- Tobacco is smoked, chewed or used as a snuff
- (II)Tobacco contains nicotine, alkaloid.
- (III) Smoking decreases heart rate.
- (IV) Tobacco chewing is associated with increased risk of cancer of the oral cavity.
- A) (I) and (II)
- B) (III) and (IV)
- C) (I), (II) and (IV) D) All of these
- 183. Among the following which motivates youngsters towards drug and alcohol abuse? [Pg-161,E]
 - A) Need for adventure
 - B) Need for excitement
 - C) Experimentation
 - D) All of these
- 184. Withdrawal syndrome is characterised by [Pg-161,E]
 - A) anxiety
- C) nausea
- B) shakiness D) all of these
- 185. When drugs are taken intravenously, there are increased chances of having

[Pg-161,E]

- A) AIDS
- B) Hepatitis B
- C) Polio
- D) Both (a) and (b)
- 186. Match Column-I with Column-II and choose the correct answer from the codes given below. [Pg-160,161,M]

	Column-I		Column-II	
(A)	Adolescence	(1)	Oral cancer	
(B)	Addiction	(2)	Abrupt	
			discontinuation	

			of regular close of drug
(C)	Smoking	(3)	Bridge linking childhood and adulthood
(D)	Withdrawal syndrome	(4)	Psychological euphoria associated with drugs

Codes-

	A	В	С	D
(a)	4	2	3	1
(b)	3	4	1	2
(c)	1	3	4	2
(d)	2	1	3	4

- 187. The side effects of the use of anabolic steroids in females include [Pg-162,E]
 - A) masculinisation
 - B) increased aggressiveness
 - C) depression
 - D) all of these
- 188. The measure(s) useful for the prevention and control of alcohol and drug abuse among adolescents is/are [Pg-162,E]
 - A) avoid undue peer pressure
 - B) education and counseling
 - C) looking for danger sign
 - D) all of these
- 189. **Assertion:** Cocaine is obtained from coca plant.

Reason: It has a potent stimulating action on central nervous system.

[Pg-159,H]

A) Both assertion and reason are true and reason is the correct explanation of assertion.

NEET MBBS DOCTORS

- B) Both assertion and reason are true but reason is not the correct explanation of assertion.
- C) Assertion is true but reason is false.
- D) Both assertion and reason are false.
- 190. **Assertion:** Withdrawal syndrome is characterised by anxiety, shakiness, nausea and sweating.

Reason: Withdrawal syndrome is not relieved even when use of drugs is resumed again. [Pg-161,H]

- A) Both assertion and reason are true and reason is the correct explanation of assertion.
- B) Both assertion and reason are true but reason is not the correct explanation of assertion.
- C) Assertion is true but reason is false.
- D) Both assertion and reason are false.
- 191. **Assertion:** Those who take drugs intravenously are much more likely to acquire AIDS and Hepatitis B.

Reason: The viruses of AIDS and Hepatitis B are transferred from one person to another by sharing of infected needles and syringes. **[Pg-162,E]**

- A) Both assertion and reason are true and reason is the correct explanation of assertion.
- B) Both assertion and reason are true but reason is not the correct explanation of assertion.
- C) Assertion is true but reason is false.
- D) Both assertion and reason are false.

Answer Key
HUMAN HEALTH AND DISEASES

Q	01	02	03	04	05	06	07	08	09	10
Ans	D	C	D	A	A	C	В	D	C	A
Q	11	12	13	14	15	16	17	18	19	20
Ans	D	В	D	В	A	A	В	D	A	C
Q	21	22	23	24	25	26	27	28	29	30
Ans	D	D	C	D	D	A	В	D	C	C
Q	31	32	33	34	35	36	37	38	39	40
Ans	C	D	D	A	В	C	В	C	В	В
Q	41	42	43	44	45	46	47	48	49	50
Ans	C	D	A	A	C	A	D	A	D	В
Q	51	52	53	54	55	56	57	58	59	60
Ans	C	A	D	A	В	В	D	D	A	C
Q	61	62	63	64	65	66	67	68	69	70
Ans	C	D	В	D	В	A	C	В	D	В
Q	71	72	73	74	75	76	77	78	79	80
Ans	D	В	A	В	D	C	В	В	В	D
Q	81	82	83	84	85	86	87	88	89	90
Ans	В	C	В	D	A	В	C	A	В	D
Q	91	92	93	94	95	96	97	98	99	100
Ans	C	В	В	В	C	D	A	D	В	С
Q	101	102	103	104	105	106	107	108	109	110
Ans	В	D	D	D	С	В	С	A	D	D
Q	111	112	113	114	115	116	117	118	119	120
Ans	A	D	A	D	В	С	С	A	D	С
Q	121	122	123	124	125	126	127	128	129	130
Ans	D	В	A	С	D	В	С	D	D	В
Q	131	132	133	134	135	136	137	138	139	140
Ans	В	A	A	A	С	В	С	A	С	В
Q	141	142	143	144	145	146	147	148	149	150
Ans	A	D	D	В	С	С	D	A	С	В
Q	151	152	153	154	155	156	157	158	159	160
Ans	A	С	В	D	A	В	D	С	A	С
Q	161	162	163	164	165	166	167	168	169	170
Ans	A	D	A	В	В	С	С	A	D	A
Q	171	172	173	174	175	176	177	178	179	180
Ans	В	D	D	D	A	С	С	A	D	В
Q	181	182	183	184	185	186	187	188	189	190
Ans	С	С	D	D	D	В	D	D	В	С
Q	191		_	_		_			_	
Āns	A									

NEET MBBS DOCTORS