

Quality Report



Generated with Pix4Dmapper Pro version 4.2.27



Important: Click on the different icons for:



Help to analyze the results in the Quality Report



Additional information about the sections



Click [here](#) for additional tips to analyze the Quality Report

Summary



| | |
|--|--|
| Project | eldo_4k_2_x3 |
| Processed | 2018-08-22 15:23:33 |
| Camera Model Name(s) | FC350_3.6_4000x3000 (RGB) |
| Average Ground Sampling Distance (GSD) | 5.47 cm / 2.15 in |
| Area Covered | 0.691 km ² / 69.0700 ha / 0.27 sq. mi. / 170.7641 acres |
| Time for Initial Processing (without report) | 02h:22m:13s |

Quality Check



| | | |
|---------------------|--|--|
| Images | median of 11966 keypoints per image | |
| Dataset | 1877 out of 1882 images calibrated (99%), all images enabled | |
| Camera Optimization | 0.76% relative difference between initial and optimized internal camera parameters | |
| Matching | median of 2196.51 matches per calibrated image | |
| Georeferencing | yes, no 3D GCP | |

Preview




Figure 1: Orthomosaic and the corresponding sparse Digital Surface Model (DSM) before densification.

Calibration Details



| | |
|-----------------------------|------------------|
| Number of Calibrated Images | 1877 out of 1882 |
| Number of Geolocated Images | 1882 out of 1882 |

Initial Image Positions






Figure 2: Top view of the initial image position. The green line follows the position of the images in time starting from the large blue dot.

Computed Image/GCPs/Manual Tie Points Positions





Uncertainty ellipses 50x magnified

Figure 3: Offset between initial (blue dots) and computed (green dots) image positions as well as the offset between the GCPs initial positions (blue crosses) and their computed positions (green crosses) in the top-view (XY plane), front-view (XZ plane), and side-view (YZ plane). Red dots indicate disabled or uncalibrated images. Dark green ellipses indicate the absolute position uncertainty of the bundle block adjustment result.

Absolute camera position and orientation uncertainties

| | X[m] | Y[m] | Z[m] | Omega [degree] | Phi [degree] | Kappa [degree] |
|-------|-------|-------|-------|----------------|--------------|----------------|
| Mean | 0.072 | 0.073 | 0.157 | 0.030 | 0.032 | 0.012 |
| Sigma | 0.011 | 0.011 | 0.032 | 0.001 | 0.001 | 0.000 |

Overlap




Figure 4: Number of overlapping images computed for each pixel of the orthomosaic. Red and yellow areas indicate low overlap for which poor results may be generated. Green areas indicate an overlap of over 5 images for every pixel. Good quality results will be generated as long as the number of keypoint matches is also sufficient for these areas (see Figure 5 for keypoint matches).

Bundle Block Adjustment Details



| | |
|--|---------|
| Number of 2D Keypoint Observations for Bundle Block Adjustment | 4608175 |
| Number of 3D Points for Bundle Block Adjustment | 1236628 |
| Mean Reprojection Error [pixels] | 0.149 |



Internal Camera Parameters

FC350_3.6_4000x3000 (RGB). Sensor Dimensions: 6.317 [mm] x 4.738 [mm]



EXIF ID: FC350_3.6_4000x3000

| | Focal Length | Principal Point x | Principal Point y | R1 | R2 | R3 | T1 | T2 |
|-----------------------|--------------------------------|--------------------------------|--------------------------------|--------|-------|--------|--------|-------|
| Initial Values | 2285.722 [pixel] 3.610 [mm] | 2000.006 [pixel] 3.159 [mm] | 1500.003 [pixel] 2.369 [mm] | -0.130 | 0.106 | -0.016 | -0.000 | 0.000 |
| Optimized Values | 2303.247 [pixel] 3.638 [mm] | 1985.761 [pixel] 3.136 [mm] | 1503.194 [pixel] 2.374 [mm] | -0.127 | 0.108 | -0.014 | 0.001 | 0.000 |
| Uncertainties (Sigma) | 0.525 [pixel] 0.001 [mm] | 0.031 [pixel] 0.000 [mm] | 0.034 [pixel] 0.000 [mm] | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |



2D Keypoints Table



| | Number of 2D Keypoints per Image | Number of Matched 2D Keypoints per Image |
|--------|----------------------------------|--|
| Median | 11966 | 2197 |
| Min | 10844 | 858 |
| Max | 13829 | 5573 |
| Mean | 11993 | 2455 |

3D Points from 2D Keypoint Matches



| | |
|--|------------------------------|
| | Number of 3D Points Observed |
|--|------------------------------|

| | |
|--------------|--------|
| In 2 Images | 661450 |
| In 3 Images | 224877 |
| In 4 Images | 112094 |
| In 5 Images | 65378 |
| In 6 Images | 42018 |
| In 7 Images | 28951 |
| In 8 Images | 20667 |
| In 9 Images | 15401 |
| In 10 Images | 11588 |
| In 11 Images | 9064 |
| In 12 Images | 7188 |
| In 13 Images | 5748 |
| In 14 Images | 4771 |
| In 15 Images | 3762 |
| In 16 Images | 3264 |
| In 17 Images | 2663 |
| In 18 Images | 2167 |
| In 19 Images | 1801 |
| In 20 Images | 1681 |
| In 21 Images | 1390 |
| In 22 Images | 1203 |
| In 23 Images | 1046 |
| In 24 Images | 907 |
| In 25 Images | 767 |
| In 26 Images | 691 |
| In 27 Images | 576 |
| In 28 Images | 528 |
| In 29 Images | 457 |
| In 30 Images | 394 |
| In 31 Images | 336 |
| In 32 Images | 296 |
| In 33 Images | 297 |
| In 34 Images | 290 |
| In 35 Images | 265 |
| In 36 Images | 215 |
| In 37 Images | 219 |
| In 38 Images | 183 |
| In 39 Images | 155 |
| In 40 Images | 131 |
| In 41 Images | 126 |
| In 42 Images | 115 |
| In 43 Images | 86 |
| In 44 Images | 94 |
| In 45 Images | 87 |
| In 46 Images | 71 |
| In 47 Images | 95 |
| In 48 Images | 77 |
| In 49 Images | 79 |
| In 50 Images | 65 |
| In 51 Images | 60 |
| In 52 Images | 54 |
| In 53 Images | 59 |
| In 54 Images | 49 |
| In 55 Images | 45 |
| In 56 Images | 48 |
| In 57 Images | 31 |
| In 58 Images | 39 |
| In 59 Images | 28 |
| In 60 Images | 30 |

| | |
|---------------|----|
| In 61 Images | 21 |
| In 62 Images | 22 |
| In 63 Images | 26 |
| In 64 Images | 23 |
| In 65 Images | 19 |
| In 66 Images | 24 |
| In 67 Images | 26 |
| In 68 Images | 19 |
| In 69 Images | 15 |
| In 70 Images | 16 |
| In 71 Images | 7 |
| In 72 Images | 13 |
| In 73 Images | 10 |
| In 74 Images | 6 |
| In 75 Images | 11 |
| In 76 Images | 9 |
| In 77 Images | 8 |
| In 78 Images | 7 |
| In 79 Images | 5 |
| In 80 Images | 9 |
| In 81 Images | 8 |
| In 82 Images | 11 |
| In 83 Images | 6 |
| In 84 Images | 9 |
| In 85 Images | 8 |
| In 86 Images | 4 |
| In 87 Images | 5 |
| In 88 Images | 6 |
| In 90 Images | 3 |
| In 91 Images | 5 |
| In 92 Images | 5 |
| In 93 Images | 4 |
| In 94 Images | 4 |
| In 95 Images | 5 |
| In 96 Images | 1 |
| In 97 Images | 4 |
| In 100 Images | 1 |
| In 101 Images | 1 |
| In 103 Images | 2 |
| In 104 Images | 1 |
| In 105 Images | 2 |
| In 109 Images | 1 |
| In 110 Images | 1 |
| In 112 Images | 3 |
| In 113 Images | 1 |
| In 116 Images | 2 |
| In 119 Images | 1 |
| In 120 Images | 1 |
| In 124 Images | 1 |
| In 125 Images | 1 |
| In 126 Images | 1 |
| In 128 Images | 1 |
| In 129 Images | 2 |
| In 134 Images | 1 |
| In 136 Images | 1 |
| In 138 Images | 1 |
| In 156 Images | 1 |




Figure 5: Computed image positions with links between matched images. The darkness of the links indicates the number of matched 2D keypoints between the images. Bright links indicate weak links and require manual tie points or more images.

Geolocation Details

? Absolute Geolocation Variance

| Min Error [m] | Max Error [m] | Geolocation Error X[%] | Geolocation Error Y[%] | Geolocation Error Z[%] |
|---------------|---------------|------------------------|------------------------|------------------------|
| - | -15.00 | 0.00 | 0.00 | 0.00 |
| -15.00 | -12.00 | 0.00 | 0.00 | 0.00 |
| -12.00 | -9.00 | 0.00 | 0.00 | 0.00 |
| -9.00 | -6.00 | 0.00 | 0.00 | 0.00 |
| -6.00 | -3.00 | 0.00 | 10.87 | 0.53 |

| | | | | |
|---------------|-------|----------|-----------|-----------|
| -3.00 | 0.00 | 49.12 | 41.56 | 51.41 |
| 0.00 | 3.00 | 50.13 | 34.31 | 47.20 |
| 3.00 | 6.00 | 0.75 | 13.21 | 0.85 |
| 6.00 | 9.00 | 0.00 | 0.05 | 0.00 |
| 9.00 | 12.00 | 0.00 | 0.00 | 0.00 |
| 12.00 | 15.00 | 0.00 | 0.00 | 0.00 |
| 15.00 | - | 0.00 | 0.00 | 0.00 |
| Mean [m] | | 0.000000 | -0.000000 | -0.000000 |
| Sigma [m] | | 0.791813 | 2.526178 | 1.121420 |
| RMS Error [m] | | 0.791813 | 2.526178 | 1.121420 |

Min Error and Max Error represent geolocation error intervals between -1.5 and 1.5 times the maximum accuracy of all the images. Columns X, Y, Z show the percentage of images with geolocation errors within the predefined error intervals. The geolocation error is the difference between the initial and computed image positions. Note that the image geolocation errors do not correspond to the accuracy of the observed 3D points.

Relative Geolocation Variance



| Relative Geolocation Error | Images X[%] | Images Y[%] | Images Z[%] |
|-----------------------------------|-------------|-------------|-------------|
| [-1.00, 1.00] | 99.95 | 96.16 | 100.00 |
| [-2.00, 2.00] | 100.00 | 100.00 | 100.00 |
| [-3.00, 3.00] | 100.00 | 100.00 | 100.00 |
| Mean of Geolocation Accuracy [m] | 5.000000 | 5.000000 | 10.000000 |
| Sigma of Geolocation Accuracy [m] | 0.000000 | 0.000000 | 0.000000 |

Images X, Y, Z represent the percentage of images with a relative geolocation error in X, Y, Z.

| Geolocation Orientational Variance | RMS [degree] |
|------------------------------------|--------------|
| Omega | 0.790 |
| Phi | 0.699 |
| Kappa | 4.894 |

Geolocation RMS error of the orientation angles given by the difference between the initial and computed image orientation angles.

Initial Processing Details



System Information



| | |
|------------------|--|
| Hardware | CPU: Intel(R) Core(TM) i7-8700K CPU @ 3.70GHz RAM: 64GB GPU: NVIDIA GeForce GTX 1080 Ti (Driver: 23.21.13.9125), Intel(R) UHD Graphics 630 (Driver: 22.20.16.4758) |
| Operating System | Windows 10 Education, 64-bit |

Coordinate Systems



| | |
|--------------------------|------------------------------|
| Image Coordinate System | WGS84 (egm96) |
| Output Coordinate System | WGS 84 / UTMzone 10N (egm96) |

Processing Options



| | |
|--------------------------------|---|
| Detected Template | No Template Available |
| Keypoints Image Scale | Custom, Image Scale: 0.5 |
| Advanced: Matching Image Pairs | Aerial Grid or Corridor |
| Advanced: Matching Strategy | Use Geometrically Verified Matching: no |
| Advanced: Keypoint Extraction | Targeted Number of Keypoints: Automatic |

| | |
|-----------------------|---|
| Advanced: Calibration | Calibration Method: Standard Internal Parameters Optimization: All External Parameters Optimization: All Rematch: Auto, no |
|-----------------------|---|

Point Cloud Densification details



Processing Options



| | |
|--------------------------------------|--|
| Image Scale | multiscale, 1/2 (Half image size, Default) |
| Point Density | Optimal |
| Minimum Number of Matches | 3 |
| 3D Textured Mesh Generation | yes |
| 3D Textured Mesh Settings: | Resolution: Medium Resolution (default) Color Balancing: no |
| LOD | Generated: no |
| Advanced: 3D Textured Mesh Settings | Sample Density Divider: 1 |
| Advanced: Image Groups | group1 |
| Advanced: Use Processing Area | yes |
| Advanced: Use Annotations | yes |
| Time for Point Cloud Densification | 05h:59m:46s |
| Time for Point Cloud Classification | NA |
| Time for 3D Textured Mesh Generation | 35m:01s |

Results



| | |
|---------------------------------------|----------|
| Number of Generated Tiles | 4 |
| Number of 3D Densified Points | 75479521 |
| Average Density (per m ³) | 34.73 |

DSM, Orthomosaic and Index Details



Processing Options



| | |
|-------------------------------------|---|
| DSM and Orthomosaic Resolution | 1 x GSD (5.47 [cm/pixel]) |
| DSM Filters | Noise Filtering: yes Surface Smoothing: yes, Type: Sharp |
| Raster DSM | Generated: yes Method: Triangulation Merge Tiles: yes |
| Orthomosaic | Generated: yes Merge Tiles: yes GeoTIFF Without Transparency: no Google Maps Tiles and KML: no |
| Time for DSM Generation | 07m:01s |
| Time for Orthomosaic Generation | 09h:00m:16s |
| Time for DTM Generation | 00s |
| Time for Contour Lines Generation | 00s |
| Time for Reflectance Map Generation | 00s |
| Time for Index Map Generation | 00s |