

# “This is for young ears”: A Response to Elsa Justel’s Marelle...

September 25, 2017

A black box room packed with a rather large audience surrounded by 16 Genelec speakers set as two rings of 8, with an elevation of about 1.5 meters. I arrived just in time for the concert and there were barely any seats left. I sat at the back with my head right behind speaker no. 5 –a quite ‘bad’ location to listen to spatialized music inside a dome. I had the old fear one might encounter in an electroacoustic concert if one is not sitting around the ‘sweet spot’.<sup>1</sup> Despite my fears –and this is why I am writing this–, Dr. Justel started playing *Marelle*<sup>2</sup> and I could listen to her music inside the entire space in front of me. How did she achieve a complete multidimensional image that can be grasped from a point other than the center of the listening space? To what extent is this composition inherent to a particular spatial distribution? How can I go about showing this? This text is my response to her use of space.

*“La rayuela se juega con una piedrita que hay que empujar con la punta del zapato. Ingredientes: una acera, una piedrita, un zapato, y un bello dibujo con tiza, preferentemente de colores.*

When Dr. Justel kindly sent me the stems, for the purposes of this response, she explained that the tracks should be assigned in pairs in the space. She emphasized this was of extreme importance since there would be moments in the piece where unwanted gaps in the aural image would emerge should the tracks be assigned in a circular manner. In order to visualize this, I made two puredata (Pd) patches to analyze and plot time-varying spectral images of each track and went ahead and placed them in pairs and in circles. I only show here the paired view.<sup>3</sup>

En lo alto está el Cielo, abajo está la Tierra, es muy difícil llegar con la piedrita al Cielo,

---

<sup>1</sup>“From the vantage point of the sweet spot, the listener is not only able to perceive spatial imagery at the loudspeaker locations, but also phantom images in between” (Kendall, 2010). Based on ‘precedence’ (“the auditory system’s mechanism for clarifying directional hearing in reverberant environments”), the size of the area between speakers “makes a huge difference for listeners outside the sweet spot”. However, he continues, “signal processing can reshape the situation” by “image dispersion” and “signal decorrelation”.

<sup>2</sup>*Marelle or the Moments of Life* was premiered on March 29, 2017, ÉlectroBelge, Espace Senghor, Brussels (Belgium) [[https://www.electrocd.com/en/oeuvre/42489/Elsa\\_Justel/Marelle\\_or\\_the\\_Moments\\_of\\_Life](https://www.electrocd.com/en/oeuvre/42489/Elsa_Justel/Marelle_or_the_Moments_of_Life)]. The performance mentioned here happened on June 2017, at NYCEMF

<sup>3</sup>The result of assigning a circular count to the track numbers instead of a paired one mostly affects the sides of the aural image. This means that while the front is left unchanged (1-2, 9-10), and the back is swapped (8-7, 16-15), the stereo image of the sides is reconfigured in this way: the right side of the remaining pairs are placed as a stereo image in itself, and the left side of the remaining pairs are placed as another stereo image. This is indeed a very different result in the stereo pairing.




Figure 1: Tracks 1-2 (below) and 9-10 (above). See Figure 2 for reference.

Before going to the visualization, a few things need to be mentioned. I chose puredata's vanilla external [sigmund~] as the workhorse for analysis. Because of this, I ran into several known problems. First of all, the disadvantages regarding the use of Fourier-based spectrum analysis. Particularly in the context of electroacoustic music analysis, "Fourier analysis is an inherently inefficient way to analyze noisy sounds, since it assumes that these sounds are combinations of harmonically related sinusoids."<sup>4</sup> Despite these limitations, given that I was given each individual track as rendered by the composer and, more precisely, that these tracks contained mostly synthesized sounds, I considered it to be a very accurate analysis method. Since *Marelle*'s textures are made of very sharp noises subject to highly crafted filtering, a Fourier-based spectral

*casi siempre se calcula mal y la piedra sale del dibujo.*

peak analysis would  
detect not the noise, but the filtering, giving a rather accurate depiction of the spectral content of the actual sound. Moreover, since these short grains of filtered noise are burst expressively to space and diffused in divergent ways, I would be able to extract motion from one plot to the next if the peaks match in position. I will elaborate on this problem later on.

Poco a poco, sin embargo, se va adquiriendo la habilidad necesaria para salvar las diferentes casillas (rayuela caracol, rayuela rectangular, rayuela de fantasía, poco usada) y un día se aprende a salir de la Tierra y remontar la piedrita hasta el Cielo,

---

<sup>4</sup>(Roads, 1996) p.592




Figure 2: Tracks 3-4 (below) and 11-12 (above). Frequency is in the X-axis, the leftmost being the highest frequencies (around 16 kHz); Amplitude is in the Y axis, scaled to show the loudest peaks as upward saliences; and Time is in the Z axis from back to front, showing a total duration of 12 minutes.

A second drawback of the Fourier based method is known as the “tradeoff between the number of frequency bins and the length of the analysis window”<sup>5</sup>. In general, what is recommended is to tailor the analysis method to the input source. I have found therefore that a window size of 2048 samples, given the sample rate of 48kHz worked very well to obtain as much frequency resolution as possible. The narrower the window size, the less bins it can resolve and therefore the more accurate frequency distinction it makes. For a sample rate of 48kHz and a total length of 12 minutes (about  $3.456e+07$  samples per track) the **Time|Frequency Tradeoffs** table shows results for each of the tracks.

Finally, the major drawback in using [sigmund~] comes from a rather ambitious need. Since there are 16 different tracks, and since [sigmund~] only outputs peaks if it detected them, then there are variable numbers of peaks in each track. This is what explains the averaging of peak count in the **Time|Frequency Tradeoffs** table. Because of this decorrelation of peak detection, an analysis of the peaks should be tracked in space. [sigmund~] already has a tracks mode, which performs sequential peak tracking. However, there is not such a tool for spatial tracking. Moreover, there is a dimensional limitation since Pd has only one-dimensional FFT built-in capability.<sup>6</sup>

*Taking a step further, this means that if one is tempted to compute a complete spectral image of the listening space using N tracks, how would a N-dimensional FFT affect multichannel electroacoustic analysis? This question clearly goes beyond the limit of this paper, but it would make an interesting follow-up research.*

---

<sup>5</sup>(Roads, 1996) p.559

<sup>6</sup>Although Pd can host both FFTW and Takuya OOURA’s FFT implementation, [simgund~] can only be used with the latter. Moreover, in both these FFT routines a one-dimentional implementation is made in Pd, which is, of course, reasonably enough computation for a large number of audio processing techniques.




Figure 3: Speaker Positions

Sample Length	3.46E+07	3.46E+07	3.46E+07	3.46E+07
Window Size	16384	8192	2048	1024
Peak Count	2130	4720	17118	34238
Peak Max	10	10	10	10
Target Peaks	21300	47200	171180	342380
Peaks/track no.1	21730	43482	173363	346730
Peaks/track no.2	21762	43555	173704	347395
Peaks/track no.3	21142	42281	169021	337857
Peaks/track no.4	21364	42714	170685	341172
Peaks/track no.5	21740	43400	173337	346835
Peaks/track no.6	21714	43421	173539	347095
Peaks/track no.7	21808	43533	173879	347725
Peaks/track no.8	21715	43402	173135	346120
Peaks/track no.9	22469	44919	179492	358835
hasta entrar en el Cielo (Et tous nos amours, sollozó Emmanuèle boca abajo),				
Peaks/track no.10	22452	44850	179007	357987
Peaks/track no.11	22187	44360	176908	353725
Peaks/track no.12	22030	43902	174795	349825
Peaks/track no.13	22204	44332	177080	354077
Peaks/track no.14	21887	43692	174538	349070
Peaks/track no.15	22052	44012	175790	351362
Peaks/track no.16	22343	44718	178685	357167
Average Peaks	21912.4375	43785.8125	174809.875	349561.0625
Peak Convergence	0.9720506904	1.077974744	0.9792352978	0.9794569153

Table 1: Time|Frequency Tradeoffs. This table shows the result of four analysis performed for all tracks in different window sizes. For all these analysis the peak maximum is the same (10) and the "Peak Convergence" (the difference between the targetted peaks and the actual peak average) is shown as a function of the window size. Surprisingly, the greatest margin falls into a window size of 8192, not 16384, and the least margin belonged to a size of 1024. The chosen window size was ultimately 2048, as a compromise between performance and peak convergence.

laws ~~are~~ everything and, ~~is~~ everything starts starts doors something something is comein it is is as if as if a illion tiny tiny is bugs are building electrical as if guided as if guided are building by a special force force force they ~~the~~ ~~weights~~ them into the ground and and accepts accepts and them d them d the accepts there are shapes there are shapes the plain air the air of this building in the air of this forest forest of inertness of inertness organing flimpes of souls organing flimpes off smartness organicity is building this this is granularity is granularity making its way to an ~~granularity~~ .. shapes aaare getting higher .. and we\, too and we\, too and we\ shapes there are statics statics a stone has been thrown. statics statics a stone has been thrown.

a section sounds get higher sounds get higher we start to see the birds sounds get higher a shape a shape has bee~~haguided~~ guid~~ed~~ been guided a shape towards a higher being we have picked up towards a higher being and behind it and behind it there was life there was life a bird a bird there was life that threw us back a bird .. . to where we started




Figure 4: Tracks 5-6 (below) and 13-14 (above).

Despite the disadvantages delineated above, I considered [sigmund~] to be a very accurate tool for the purposes of this paper. The output of [sigmund~] when in peaks mode, is as follows:

- frequency (Hz)
- amplitude (RMS)
- cosine component (real value)
- sine component (imaginary value).
- lo malo es que justamente a esa altura, cuando casi nadie ha aprendido a remontar la piedrita hasta el Cielo,
- se acaba de golpe la infancia
- y se cae en las novelas,
- en la angustia al divino cohete,
- en la especulación de otro Cielo al que también hay que aprender a llegar.

As in every visualization, there are several elements at stake in bringing information into display in a meaningful manner. There are also the limitations of the tool for visualizing in itself. I chose to stay within Pd and load a library called “Graphical Interface for Multimedia”, or Gem. Using Pd as a programming language –amongst other things–, Gem is in its core a C++ wrapper for OpenGL.<sup>7</sup> Several people have contributed over the years in making Gem what it is now.<sup>8</sup> From within this rather large library, I only

<sup>7</sup><https://puredata.info/downloads/gem/documentation/manual/pub/danks1997realtime.pdf>

<sup>8</sup>From Gem’s welcome message: Mark Danks (original version), Chris Clepper, Cyrille Henry, IOhannes m zmöelnig, Guenter Geiger, Daniel Heckenberg, James Tittle, Hans-Christoph Stein... et al.




Figure 5: Tracks 7-8 (below) and 15-16 (above). The color of the points displays Amplitude and Frequency in a different manner: Red and Blue act as a continuum of amplitude (Red being an amplitude of 1 and Blue an amplitude of 0) and Green shows Frequency (a higher frequency means more Green). The Alpha channel shows Phase information: the closer to  $\pi$  the more visible, and the closer to  $-\pi$ , the more transparent it is.

used one key object called [gemvertexbuffer]<sup>9</sup> for the actual plotting of the spectra. This object allows the rendering of a Vertex Buffer Object (VBO),<sup>10</sup> which is essentially an array of data stored in the Graphical Processing Unit (GPU). The object accepts several arrays for the different attributes such VBO can hold. In this case, I only provided a position array and a color array.

In order to plot the spectrum in time, the position array is built with  $x = \log(frequency)$ ,  $y = amplitude$ , and  $z = time$ . Once these attributes are set, the VBO can be further manipulated (scaled, rotated, translated, etc), so some manipulations were made for the image to be rendered in a functional way (for example, in the center of the screen). Since the Z-axis holds time information, time-variation within the plot needs to be read from what is farthest to what is closest. Furthermore, since the amplitude is shown as a function of the frequency, the frequency space is rendered in an inverse way on the X-axis, the highest frequencies going towards the left and the lower ones towards the right. Finally, since amplitude is on the Y-axis, and since the rendered peaks appear as individual points, it is difficult to grasp at first sight where each point belongs to in a static image.<sup>11</sup>

---

<sup>9</sup>Authors: Cyrille Henry, Antoine Villeret, jptrzk and IOhannes m zmoechnig

<sup>10</sup>[https://www.khronos.org/opengl/wiki/Vertex\\_Specification](https://www.khronos.org/opengl/wiki/Vertex_Specification)

<sup>11</sup>If one has control of the position of the VBO and the scale, then its three-dimensionality is grasped immediately.




Figure 6: Color synthesis chart: In general, from these visualizations, quiet sounds will have Blue tonality, loud sounds will be Red, and high-pitched sounds will have high frequency content, so if a sound is high and loud it will be Yellow, if it's low and quiet it will be around Magenta and if it is high and quiet, Cyan.

The color information is set as an Red, Green, Blue and Alpha (RGBA) normalized color array, and it is built as follows:  $R = rmstodb(amplitude)$ ;  $G = \log(frequency)$ ;  $B = 1 - R$ ;  $A = \arctan(\Re, \Im)$ .<sup>12</sup> This means several things. First of all, the transparency of the points (Alpha value) introduces the angle (or phase) of the peak.<sup>13</sup> The rest of the values depend on the position information. Like the X-axis, the Green value is the logarithm (for visual scaling purposes) of the frequency, so if the point is towards the left of the screen it will have more Green than towards the right. The same happens to the Red value: like the Y-axis, more amplitude means more Red value. Finally, since color synthesis in the screen is additive, whenever these three value (RGB) increase altogether, they tend towards white, and if they decrease, they tend towards black. This is why the Blue value is the inverse of the Red, which means that less amplitude (and less Red) will provide more Blue value. Drawing a perceptual analogy with the color spectrum of visible light (figure 1), Green or Yellow can constitute the high frequency bands (the most visible, towards the center), and Blue or Red the low frequency bands (the least visible, towards the edges).

**Cyan Line** There are a few elements to consider when describing the Cyan line that runs across the entire visualization, occupying a band from the highest frequency analyzed with [sigmund~] (here 16 kHz) to about 7 kHz. At first, I thought it to be simply high-frequency noise resulting from the windowing of the analysis. However, it has been noted the possibility of this being peak analysis of what is called ‘dither’, a small amount of noise added by multitrack audio softwares to compensate for quantization errors from bit resolution reduction.<sup>14</sup> Nevertheless, despite the fact that it emerges out of an analytical misfortune, what this line reveals is the void in each track and it is evidence of her treatment of silence and orchestration throughout the piece. Whenever the Cyan line is present it is when dithering is present, that is, when there is silence in the track. While within a stereo image, the Cyan lines draw almost parallel patterns (revealing once again the paired construction), when comparing between stereo images, they reveal very different patterns: visual evidence of the spatial distribution of energy. In my opinion, it is this abundance of *cyan* within each track what allows the overall pristine quality of the sound which is why I dedicated so much visual presence to this line.

---

<sup>12</sup>All of these values were normalized between 0-1.

<sup>13</sup>The impact of phase in timbre seems to be more prominent for frequencies below 200 Hz (Park, 2004). In these visualizations, however, transparency can only be seen by enlarging the time axis and the point sizes, and the linear mapping of phase to the alpha channel was done without consideration to the above mentioned research.

<sup>14</sup>After conducting several tests, it seems that there is indeed a band of pseudorandom numbers that constitute an inaudible noise in the range above 7 kHz in all of the tracks. I kindly thank Dr. Jaime Oliver for this suggestion. See [https://en.wikipedia.org/wiki/Dither#Digital\\_audio](https://en.wikipedia.org/wiki/Dither#Digital_audio)

we begin again we begin agaimow ~~weibegdowagain~~ now  
we are trying\, but sugo~~eas~~ deom~~s~~, likec  
there comes the stone again we are trying\, but success seems likec  
we try to grab it we leap we try to grab it  
we leap ~~wælfæpl~~ we fall

we thought we were flying we fall again  
flying someething comes flying erases  
and erases us us into and erases

into a space into a convoluted space into a convoluted space  
we close our eyes again\, and hope to b with empty matrices  
theere are these beings in the ground theere are these beings in the ground

oh... oh... they sound like noise they sound like noise  
likes likes oh. there is a section again likes  
there is a section again and again there is a section again

space space has turned into a large ~~camroagated~~ hall the granite is bouncing over the walls  
the granite is bouncing over the walls

we jump in from the walls we jump in from the walls  
all this rep suddenly ~~wætewandlowlifystfaelfdeining~~ suddenly we were always falling

we are upside down suddenly we were always falling  
backwards backwards suddenly we were always falling

inwards towards ourselves towar~~ed~~ourselves backwards

there it is again

our sound after more bounces there it is again  
and again and again and it goes we stay after more bounces

we are floating between two layers of we sttay  
two songs two songs two destiniges time  
stones were water stones were water stones were waterdestiniges  
suddenly we are the gournd suddenly we are the gamnd~~s~~ were we




Figure 7: print: Y porque se ha salido de la infancia

In trying to visualize *Marelle*, considering the fact that tracks needed to be assigned in pairs, my hypothesis was that it was in fact composed as spatial layers of stereo images, that is, from eight stereo images between speakers on both sides of the room arriving at an expanded stereo field. What is interesting about these plots, however, is that they show a different treatment of the spatial image when the four stereo pairs of the bottom are compared with the four elevated stereo pairs. What first comes to view is that there are elements present in one and absent in the other. But, this is not as simple as it reads. These uncorresponded elements not only appear distributed in different moments in time, they appear in different sections of the spectrum. What is more, they reveal a precise use of negative space, in the sense that what is around the sculpted shapes is just as important as the shapes itself. It is important to note that this is not just negative visual space in my visualization, it is an inherently sonic and thoroughly composed phenomenon.

(Je n'oublierai pas le temps des cérises, pataleo Emmanuèle en el suelo)

As an example of this distribution, I'd like to focus on the middle section of tracks 15 and 16. The greatest salience in figure 4 is in tracks 15-16 (above): around the center of the image (the middle of the piece) there appears a very expressive bridge-like shape covering a rather large time frame and a large section of the mid-low frequency band. When compared to the rest of the tracks, while there certainly are some similar shapes in that same moment in tracks 5,6,9 and 10, one can see that the closest shape resembling this salience is in track 12 (figure 2, above-right). What is more, while this shape is taking place, one sees in 1,2,3,4,11,13 and 14, similar shapes in the higher frequencies, but with less amplitude. Finally, the two remaining tracks (7-8) show a very different behavior altogether: set of higher frequency bands are displayed (in yellow). Ultimately, what this particularly complex distribution of energy shows is a multidimensional sculpting of an aural image.

I would also like at this point to perform some sort of criticism. In the last image of this response, I place one of my favorite sounds in this piece, what I call a 'bird' sound: a loud and very high frequency sound sweeping irregularly from 10 to 14 kHz.<sup>q</sup> This sound which appears on track 15 is replicated with some very minimal decorrelation (14 milliseconds) in track 16 (i.e., from left to right in this stereo image). Although this is a well known technique for stereo (Kendall, 1995; Vaggione, 2001), and it is evident that its effectiveness and beauty is out of the question, I wonder if this decorrelation had been not with in its adjacent pair, but within the speakers no.15 and 9, or between 15 and 9 and 3, or between 1 and  $N - 1$  speakers. What I mean to suggest here is not that there is a fault in the piece, merely that however efective it is, there is some degree of loss in translating one technique (stereo imaging) from one medium (stereo) into another (16 speaker array with elevation).<sup>15</sup>

*My greatest pleasure when listening to this piece came through the rhythmic treatment. She managed to build conglomerates of gestures on top of each other, flying from one side of the room to the other, from one band of the spectrum to the other; reflecting, rotating and intertwining bright shapes, all engaging in contrapunctal phrases, evoking simultaneously elaborate medieval poliphonies and the sound of sand.*

<sup>15</sup>This analogy with language is also one of the reasons why there is a text in spanish traversing this response.

This distribution of *spectromorphologies* –to borrow Denis Smalley’s famous concept– prove that *Marelle* “seeks to embrace the full spectral potential of the wide-open sound world” (Smalley, 1997). In other words, her exploration of spectral space, as displayed in these visualizations, can be understood as a gesture towards the limits of perception. When Dr. Justel populates with energy the extremes of the frequency space, she sets forth two different aesthetic agents. The agency of these bands, however, is given by the composer in the shapes she builds within these spectral areas: the hand-crafted use of amplitude. Each one has a singular treatment that can only be achieved by a very tight feedback with the resulting sound. It is this extremely detailed treatment of Form within the distinct spectral regions what gives expressiveness and an idea of unity between the two extremes, which in turn means cohesion and operational coherence. Going one step further, Dr. Justel’s craft resides not only in her elaborate technical skills, but also in her ability to project this union of the extremes as a metaphor of life. The player of Hopscotch = Marelle = Rayuela –as Julio Cortázar’s description reads– starts from *Earth* and plays through space with a stone, hopping unpredictably until she reaches a *Sky*.

*At points, one can hear some source material almost unfiltered but in most cases the source is a residual image leading to intimate evocations of water and close-mic techniques.*

se olvida que para llegar al Cielo se necesitan, como ingredientes, una piedrita y la punta de un zapato.”<sup>16</sup>

I first heard Elsa Justel’s *Marelle* at the New York City Electroacoustic Music Festival NYCEMF, in June 2017. It was performed at the Experimental Music Theatre of the Abrons Art Center. After the concert I approached her and congratulated her, and she said: “this is for young ears”.

**Coda**    *Dr. Hoffmann: “Finally : for young ears. Say more: what did Elsa mean? do you agree?”*<sup>17</sup>

During that very quick moment after her performance, I took her words to mean that given the amount of activity in the high register, and the abundance of spatial motion, *Marelle* would appeal, in her opinion, to the younger generation of today. At one point I considered Presbycusis<sup>18</sup> as an age delimiter (the bird, for example, might not be heard by “old” ears). However, I resist to think this way. I believe that in her mind she is addressing youth, not as a sector of society, but as an aesthetic agent. Youth becomes the driving force in her exploration of sound and space: with these ears, every sound is a new world; every movement, a new way of being; every moment, a constant *now*. Within the spectral playground she created, I would even suggest the following: The playfulness with which she approaches space throughout the piece is as intense as the seriousness with which a kid would attempt to reach the sky during recess.

---

<sup>16</sup>Chapter 36 (Cortázar,1963)

<sup>17</sup>Taken of an email from Dr. Elizabeth Hoffman

<sup>18</sup><https://en.wikipedia.org/wiki/Presbycusis>

we are the floor the floor when flying comes louder  
the floor came to us like we and we everything comes louder  
came to us and we were already there the floor came to us like we  
do you listen do you listen liek in a dream  
to the birds? to the birds? ~~tdot the friends~~ right>  
tdo they seem alright> tdo they seem alright>  
what do they say? what do they say?  
they wer there alreeady beeefore me what do they say?  
they wer there alreay ~~beef~~ alreay beeefore me  
we have nothing to say to them we have nothing to ~~say have~~ something to say to them  
they build they build we just listen  
they are walking they are jumping ~~they hand~~ jumping  
they are flying over us they are jumping  
they are talking to us they want us to ~~kn~~ are talking to us  
we can get there they want us to know  
we need to throw we need ~~to~~ drop the stone into space  
our stone into space and doit over our stone into space  
again again and doit over  
again they breathe again  
they are life they are life they are life  
our life they are more real  
they are more real than sound than life ~~they han~~ more real  
than the sea than the sea  
than the sun than the sun than the sea  
than air ..... than the waves  
..... . . . . .




Figure 8: Track 15:2'48" capture of 48000 samples (above). Bird sound.