采用隐式 Intent 调用相机拍照功能

1. 清单文件 AndroidManifest.xml 里面需要进行权限授权

```
<uses-permission android:name="BLAH" />
```

具体如下：


```
<?xml version="1.0" encoding="utf-8"?>
<manifest xmlns:android="http://schemas.android.com/apk/res/android"
    package="cn.edu.sicnu.takephoto">

    <uses-permission android:name="BLAH" />

    <application
        android:allowBackup="true"
        android:icon="@mipmap/ic_launcher"
        android:label="TakePhoto"
        android:roundIcon="@mipmap/ic_launcher_round"
        android:supportsRtl="true"
        android:theme="@style/AppTheme">
        <activity android:name=".MainActivity">
            <intent-filter>
                <action android:name="android.intent.action.MAIN" />
                <category android:name="android.intent.category.LAUNCHER" />
            </intent-filter>
        </activity>
    </application>

</manifest>
```

2. 布局界面，最少需要由 ImageView 和 Button，比如下图



3. 代码里面进行隐式 intent 调用并处理返回结果

示例代码如下：

```
class MainActivity : AppCompatActivity() {
    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)
        setContentView(R.layout.activity_main)
        button.setOnClickListener { it: View!
            dispatchTakePictureIntent()
        }
    }
    val REQUEST_IMAGE_CAPTURE = 1

    private fun dispatchTakePictureIntent() {
        val takePictureIntent = Intent(MediaStore.ACTION_IMAGE_CAPTURE)
        if (intent.resolveActivity(packageManager) != null) {
                startActivityForResult(takePictureIntent, REQUEST_IMAGE_CAPTURE)
        }
    }
    override fun onActivityResult(requestCode: Int, resultCode: Int, data: Intent?) {
        super.onActivityResult(requestCode, resultCode, data)
        if (requestCode == REQUEST_IMAGE_CAPTURE && resultCode == RESULT_OK) {
            val imageBitmap : Bitmap  = data?.extras?.get("data") as Bitmap
            imageView.setImageBitmap(imageBitmap)
        }
    }
}
```

参考网址：https://developer.android.google.cn/training/camera/photobasics