





PROPOSED ROADWAY
STA 22+39.6 TO STA 26+09.3
COUNTRY CLUB DRIVE



PROPOSED ROADWAY
STA 06+03.75 TO STA 11+03.44
I-40 WESTBOUND ON-RAMP





PAVEMENT STRUCTURAL SECTION NO. 1



PAVEMENT STRUCTURAL SECTION NO. 2


DATE	05/05/20	REV:	
REV:			
I-40/CC IMPROVEMENT PROJECT			LOCATION
DESIGN	MT	SHEET TITLE	TX01
DRAWN	MT		
CHECK	ZJ	NO.	14 of 27

**PROPOSED ROADWAY
STA 11+53.44
I-40 WESTBOUND ON-RAMP**




PAVEMENT STRUCTURAL SECTION NO. 1


**PROPOSED ROADWAY
STA 12+03.44
I-40 WESTBOUND ON-RAMP**




**PROPOSED ROADWAY
STA 12+53.44
I-40 WESTBOUND ON-RAMP**



DATE	05/05/20
REV 1:	
REV 2:	
I-40/CC IMPROVEMENT PROJECT	
LOCATION	FLAGSTAFF, AZ
DESIGN	MT
DRAWN	MT
CHECK	ZJ
SHEET TITLE	TX02
NO.	15 of 27






CONSTRUCTION			
NO.	DESCRIPTION	QTY.	UN.
(1)	AB (CLASS 2)	15	TON
(2)	PORTLAND CEMENT CONCRETE PAVEMENT (12.5')	90	SY
(3)	BITUMINOUS TACK COAT (0.5')	2	TON
(5)	ASPHALTIC CONCRETE FRICTION COARSE (1')	4	TON
(6)	CONCRETE HALF BARRIER PER ADOT STD DTL C-10-52, TYPE F, GUTTER = 2.5'	98	LF
(7)	RETAINING WALL (OTHERS)	98	LF

REMOVAL			
NO.	DESCRIPTION	QTY.	UN.
1	SAW CUT	59	LF
2	PCCP	13	SY
3	AGGREGATE BASE	13	SY
4	ASPHALTIC PAVEMENT	13	SY
5	CONC HALF BARRIER	57	LF
9	RETAINING WALL	57	LF

DATE	05/05/20		
REV 1:			
REV 2:			
L-40/CC IMPROVEMENT PROJECT			
LOCATION	FLAGSTAFF, AZ		
DESIGN	MT	SHEET TITLE	PV01
DRAWN	MT		
SCALE	1" = 20'		
CHECK	ZJ	NO.	17 of 27



CONSTRUCTION			
NO.	DESCRIPTION	QTY.	UN.
(1)	AB (CLASS 2)	52	TON
(2)	PORT LAND CEMENT CONCRETE PAVEMENT (12.5')	311	SY
(4)	BITUMINOUS TACK COAT (0.5")	7	TON
(5)	ASPHALTIC CONCRETE FRICTION COARSE (1")	13	TON
(6)	CONCRETE HALF BARRIER PER ADOT STD DT LC-10.52, TYPE F, GUTTER = 2.5'	200	LF
(7)	RETAINING WALL (OTHERS)	200	LF

REMOVAL			
NO.	DESCRIPTION	QTY.	UN.
1	SAW CUT	200	LF
2	PCCP	45	SY
3	AGGREGATE BASE	45	SY
4	ASPHALTIC PAVEMENT	45	SY
5	CONC HALF BARRIER	200	LF
8	LIGHT POST	1	EA
9	RETAINING WALL	200	LF

6845


6842.5

6840



HORIZONTAL: 1" = 20'
VERTICAL: 1" = 2'

DATE	05/05/20	SHEET TITLE
REV 1:		
REV 2:		
DESIGN	MT	
DRAWN	MT	
SCALE	1" = 20'	
CHECK	ZJ	NO. 18 OF 27
LOCATION	L-40/CC IMPROVEMENT PROJECT FLAGSTAFF, AZ	





CONSTRUCTION			
NO.	DESCRIPTION	QTY.	UN.
(1)	AB (CLASS 2)	58	TON
(2)	PORTLAND CEMENT CONCRETE PAVEMENT (12.5")	346	SY
(4)	BITUMINOUS STACK COAT (0.5")	8	TON
(5)	ASPHALTIC CONCRETE FRICTION COARSE (1")	15	TON
(6)	CONCRETE HALF BARRIER PER ADOT STD DTL C-10.52, TYPE F, GUTTER = 2.5"	122	LF
(7)	RETAINING WALL (OTHERS)	122	LF
(9)	CATCH BASIN PER MODIFIED ADOT STD DTL C-15.2, INLET LENGTH = 38.5"	1	EA

REMOVAL			
NO.	DESCRIPTION	QTY.	UN.
(1)	SAW CUT	206	LF
(2)	PCCP	34	SY
(3)	AGGREGATE BASE	46	SY
(4)	ASPHALTIC PAVEMENT	46	SY
(5)	CONC HALF BARRIER	204	LF
(6)	CATCH BASIN	1	EA
(9)	RETAINING WALL	122	LF

DATE	05/05/20		
REV 1:			
REV 2:			
I-40/CC IMPROVEMENT PROJECT			
LOCATION	FLAGSTAFF, AZ		
DESIGN	MT	SHEET TITLE	PV03
DRAWN	MT		
SCALE	1" = 20'		
CHECK	ZJ	NO.	19 of 27

HORIZONTAL: 1" = 20'
VERTICAL: 1" = 2'

0 5 10 20




CONSTRUCTION			
NO.	DESCRIPTION	QTY.	UN.
(1)	AB (CLASS 2)	91	TON
(3)	ASPHALTIC CONCRETE PAVEMENT (3/4")	55	TON
(4)	BITUMINOUS TACK COAT (0.5")	14	TON
(5)	ASPHALTIC CONCRETE FRICTION COARSE (1")	9	TON
(6)	CONCRETE HALF BARRIER PER ADOT STD DTL-C10.52, TYPE F, GUTTER = 2.5'	9	LF
(8)	GUARD RAIL PER ADOT STD DTL C-10.01	90	LF

REMOVAL			
NO.	DESCRIPTION	QTY.	UN.
[1]	SAW CUT	144	LF
[3]	AGGREGATE BASE	32	SY
[4]	ASPHALTIC PAVEMENT	32	SY
[5]	CONC HALF BARRIER	29	LF
[10]	GUARD RAIL	79	LF

DATE	05/05/20		
REV 1:			
REV 2:			
I-40/CC IMPROVEMENT PROJECT			
LOCATION	FLAGSTAFF, AZ		
DESIGN	MT	SHEET TITLE	PV04
DRAWN	MT		
SCALE	1" = 20'		
CHECK	ZJ	NO.	20 of 27

HORIZONTAL: 1" = 20'
VERTICAL: 1" = 2'

0 5 10 20



MATCH LINE
I-40 EL STA. 9+00

MATCH LINE
I-40 EL STA. 7+00

6832.5
6830
6827.5
6825
6822.5
7+00 8+00 9+00

CONSTRUCTION			
NO.	DESCRIPTION	QTY.	UN.
(1)	AB (CLASS 2)	131	TON
(3)	ASPHALTIC CONCRETE PAVEMENT (3/4")	79	TON
(4)	BITUMINOUS STACK COAT (0.5")	20	TON
(5)	ASPHALTIC CONCRETE FRICTION COARSE (1")	14	TON
(8)	GUARD RAIL PER ADOT STD DTL C-10.01	202	LF

REMOVAL			
NO.	DESCRIPTION	QTY.	UN.
(1)	SAW CUT	202	LF
(3)	AGGREGATE BASE	45	SY
(4)	ASPHALTIC PAVEMENT	45	SY
(10)	GUARD RAIL	202	LF

6832.5

6830

6827.5

6825


6822.5



HORIZONTAL: 1" = 20'
VERTICAL: 1" = 2'

DATE	05/05/20	
REV 1:		
REV 2:		
L-40/CC IMPROVEMENT PROJECT		
LOCATION	FLAGSTAFF, AZ	
DESIGN	MT	SHEET TITLE
DRAWN	MT	
CHECK	ZJ	NO. 21 of 27
SCALE	1" = 20'	

MATCH LINE I-40 EL STA. 9+00



MATCH LINE I-40 EL STA. 11+00

6820

6817.5

6815

6812.5

11+00

10+00

9+00


CONSTRUCTION			
NO.	DESCRIPTION	QTY.	UN.
(1)	AB (CLASS 2)	132	TON
(3)	ASPHALTIC CONCRETE PAVEMENT (3/4")	79	TON
(4)	BITUMINOUS TACK COAT (0.5")	20	TON
(5)	ASPHALTIC CONCRETE FRICTION COARSE (1")	14	TON
(8)	GUARD RAIL PER ADOT STD DTL C-10.01	195	LF


REMOVAL			
NO.	DESCRIPTION	QTY.	UN.
(1)	SAW CUT	205	LF
(3)	AGGREGATE BASE	46	SY
(4)	ASPHALTIC PAVEMENT	46	SY
(10)	GUARD RAIL	205	LF

DATE	05/05/20		
REV 1:			
REV 2:			
I-40/CC IMPROVEMENT PROJECT			
LOCATION	FLAGSTAFF, AZ		
DESIGN	MT	SHEET TITLE	PV06
DRAWN	MT		
CHECK	MT	NO.	22 of 27

HORIZONTAL: 1" = 20'
VERTICAL: 1" = 2'


SCALE 1" = 20'





CONSTRUCTION			
NO.	DESCRIPTION	QTY.	UN.
①	AB (CLASS 2)	29	TON
③	ASPHALTIC CONCRETE PAVEMENT (3/4")	17	TON
④	BITUMINOUS TACK COAT (0.5")	5	TON
⑤	ASPHALTIC CONCRETE FRICTION COARSE (1")	3	TON
⑧	GUARD RAIL PER ADOT STD DTL C-10.01	113	LF


REMOVAL			
NO.	DESCRIPTION	QTY.	UN.
1	SAW CUT	115	LF
3	AGGREGATE BASE	26	SY
4	ASPHALTIC PAVEMENT	26	SY
10	GUARD RAIL	113	LF



DATE	05/05/20		
REV 1:			
REV 2:			
I-40/CC IMPROVEMENT PROJECT			
LOCATION	FLAGSTAFF, AZ		
DESIGN	MT	SHEET TITLE	PV08
DRAWN	MT		
SCALE	1" = 20'		
CHECK	ZJ	NO.	24 of 27

HORIZONTAL: 1" = 20'
VERTICAL: 1" = 2'

0 5 10 20



DRAINAGE			
NO.	DESCRIPTION	QTY.	UN.
①	24" CMP PER ADOT STD DTL C-13.15	209	LF
②	CORRUGATED METAL END SECTION PER ADOT STD DTL C-13.25	1	EA
③	RIP-RAP (6" THICKNESS)	3	CY

REMOVAL			
NO.	DESCRIPTION	QTY.	UN.
7	18" CMP	209	LF

EXISTING GROUND

INV ELEV
= 6832.009'

6842

6832

6822

6812

6802

6792

PROP 24" CMP

INV ELEV
= 6802.70'

HORIZONTAL: 1" = 20'
VERTICAL: 1" = 10'

SCALE 1" = 20'

DATE	05/05/20		
REV 1:			
REV 2:			
L-40/CC IMPROVEMENT PROJECT			
LOCATION	FLAGSTAFF, AZ		
DESIGN	MT	SHEET TITLE	DR01
DRAWN	MT		
CHECK	ZJ	NO.	25 of 27

11+00 12+00 13+00