

Feby Wahyu Pristitasari


12030123140306

F – Pengkodean dan Pemrograman


PERTEMUAN 2

Latihan JaCaScript dengan memodifikasi tampilan lampu

→ Tampilan awal di W3School



→ Mencoba membuat dua lampu



JavaScript Introduction x W3Schools Tryit Editor x Two Lights JavaScript Control | x +

w3schools.com/js/tryit.asp?filename=tryjs_intro_lightbulb

Run >

Get your own website

```

<!DOCTYPE html>
<html>
<body>

<h2>What Can JavaScript Do?</h2>

<p>JavaScript can change HTML attribute values.</p>

<p>In this case, JavaScript changes the value of the src (source) attribute of two images.</p>

<!-- Tombol untuk menyalakan kedua lampu -->
<button onclick="document.getElementById('myImage1').src='pic_bulbon.gif';
document.getElementById('myImage2').src='pic_bulbon.gif'">Turn on the lights</button>

<!-- Gambar pertama -->


<!-- Gambar kedua -->


<!-- Tombol untuk mematikan kedua lampu -->
<button onclick="document.getElementById('myImage1').src='pic_bulboff.gif';
document.getElementById('myImage2').src='pic_bulboff.gif'">Turn off the lights</button>

</body>
</html>

```

What Can JavaScript Do?

JavaScript can change HTML attribute values.

In this case, JavaScript changes the value of the src (source) attribute of two images.

Content Script

→ Trial error membuat dua saklar lampu saling terhubung

JavaScript Introduction x W3Schools Tryit Editor x Two Lights JavaScript Control | x +

w3schools.com/js/tryit.asp?filename=tryjs_intro_lightbulb

Run >

Get your own website

```

<!DOCTYPE html>
<html>
<head>
<style>
/* Gaya untuk kabel */
.wire {
width: 200px;
height: 10px;
background-color: black;
margin: 10px auto;
position: relative;
}

/* Gaya untuk saklar */
.switch {
width: 50px;
height: 30px;
background-color: gray;
border-radius: 5px;
position: absolute;
top: -10px;
left: 50%;
transform: translateX(-50%);
display: flex;
justify-content: center;
align-items: center;
}

/* Tombol di dalam saklar */
.switch button {
background-color: white;
border: none;
padding: 5px 10px;
cursor: pointer;
font-size: 12px;
}
</style>
</head>
<body>


<h2>What Can JavaScript Do?</h2>

```


What Can JavaScript Do?

JavaScript can control two lamps independently with their own switches and wires.


Content Script




→ Membuat aplikasi sederhana persediaan dan penjualan menggunakan kode html, css, js lengkap dengan struktur code



→ Menambah item persediaan



→ Membuat aplikasi sederhana persediaan dan penjualan menggunakan kode html, css, js lengkap dengan struktur code menggunakan struktur folder eksternal






→ Tampilan final dan telah dicoba menambah item persediaan

Inventory & Sales App

Add New Product

[+ Add to Inventory](#)

Current Inventory

 Name	 Stock	 Action
buku	10	Sell