



PeriTrace support

Need help using PeriTrace? We're here to help.

Frequently Asked Questions

Which devices are supported?

PeriTrace requires an iPhone that supports ARKit.

However we recommend using iPhone models with LiDAR for better experience and capture precision.


Another crucial point to consider is that PeriTrace supports iOS 18.6+

How do I manage patterns?

PeriTrace provides a pattern-oriented management system. Adding a new pattern means adding a pattern set that may later contain up to 40 pattern pieces. The limited pattern piece quantity preserves smooth user experience. If your physical pattern contains more than 40 pieces, consider split them into multiple patterns in PeriTrace.

On Home Screen:

- **To add a new pattern:** Tap the Add New  button at the bottom of the screen.
- **To Rename or Delete:** Swipe a pattern (to either left or right), you may see the Rename  and Delete  buttons
- **To rearrange the pattern list:** Long-press a pattern and drag it to the desired position.
- **To enter pattern canvas:** Tap a pattern to enter its canvas, which contains its pattern pieces.



How do I trace patterns?

Tapping a pattern on Home screen to enter its canvas screen. The Trace  button is located at the bottom right of the screen. Tap it to open the AR tracing camera. You may be asked grant camera permissions.

PeriTrace currently allows you to trace one pattern piece each time you open the AR tracing camera.

In the AR camera view, follow the on-screen instruction to move your phone back and forth over a flat, horizontal surface. Keep moving your phone as instructed until a reticle appears flat on the surface. You now can start tracing your pattern piece.

The current version of the app supports 2 tracing modes:

- **Vertex tracing:** Aim the reticle at the outline or seam line of the pattern piece and tap the Trace Vertices  button, at the bottom right of the screen, to capture vertices one by one. The vertices will connect automatically. The first and last vertices are connected by a dashed line. This acts as a closing line, so you do not need to close the traced path manually.
- **Marking:** Aim the reticle at a mark point on your physical pattern piece and tap the Mark  button, at the bottom left of the screen, to mark that point. Marks stand alone and do not connect to other marks or vertices.

PeriTrace also features automatic pattern contour detection. This useful sub-feature of the Vertex Tracing mode automatically detects the outline of a pattern piece and quickly plots simplified vertices.

- **To activate contour detection:** point the camera at a pattern piece and long-press the screen (for at least 0.5 seconds) to capture the outline's vertices. It may take a moment to capture the outline; moving your finger or releasing the press early will cancel the detection.
 - **One at a time:** the app can only detect one outline at a time.
 - **High contrast:** The pattern piece must contrast significantly with the background (e.g., a light pattern piece on a dark background, or vice versa). This ensures accuracy and prevents the camera from freezing due to vertex overloading.

NOTES:

*** Optimizing camera position and angle:**

PeriTrace uses AR to make pattern tracing effortless. You do not need to point the camera perfectly perpendicular to the surface.

However, iPhone models without LiDAR can sometimes struggle with surface calibration, which may cause captured contours and points to drift.

To maximize precision, follow these best practices

- **Maintain distance:** Keep your iPhone between 0.5 and 2 meters directly above the pattern.
- **Verify calibration:** Ensure the reticle perfectly aligns with your physical surface before tracing.

Finishing or Cancelling a Trace:

- **To finish tracing:** Tap the Done  button at the top right of the screen. You will return to pattern canvas, and the new pattern piece will appear at the center of the screen. If it overlaps with existing pieces, it will automatically move the right of them.
 - **Minimum vertices:** A new piece can only be saved when it has at least three vertices. The Done button will remain disabled until this requirement is met
- **To cancel tracing:** Tap the Dismiss  button at the top left of the screen. You will return to pattern canvas without saving a new piece

How do I arrange pattern piece in canvas?

PeriTrace offers an intuitive vector canvas featuring gesture support. Your layout arrangements are automatically preserved when exporting files.

Canvas Navigation:

- **Zoom & Pan:** Use pinch and drag gesture to move around the workspace.

Managing pattern pieces

- **Move & Rotate:** Drag a pattern piece to reposition it, or use two fingers to rotate it.
- **Delete:** Long-press a pattern piece, then tap the Delete button in the tooltip  popup

Pro tip for high precision:

When doubting a traced pattern piece's accuracy, try capturing it a few times. Stack all the captured pieces on top of each other on the canvas to find the average outline.

NOTES:

A single pattern canvas can hold up to 40 pattern pieces. If your physical pattern has more than 40 pieces, split the project across multiple separate patterns on PeriTrace.

How do I export a pattern?

PeriTrace exports your final pattern layout at an exact 1:1 scale, completely preserving your canvas arrangement.

- How to export:

- **Export button:** In pattern canvas screen, the Export  button is located at the bottom left the screen. This button will remain disabled until there's at least one piece in the canvas
- Select your format: Tap the Export button to bring up the export sheet. Select your desired format to generate the file.
- Choose a destination: A standard iOS Share Sheet will appears, Choose where to send, save, or share your file.
- Instant local backup: No matter what you choose in the Share Sheet, PeriTrace automatically saves or overwrites the file locally to:
On My iPhone ▸ PeriTrace ▸ Exports.
- Preview your file: tap Quick Look  Quick Look button after exporting to instantly preview your exported file.

- Supported export formats:

- PDF: Universal layout format. Ideal for standard printing, vector graphics software, or apparel CAD systems.
- DXF: industrial-standard CAD format. Dedicated specifically for pattern drafting and garment CAD software.
- SVG: Scalable vector graphics format. Best for web use or editing in mainstream vector design programs.

I found a bug.

Please email us with a description of the issue and, if possible, screenshots or screen recordings.