



Persistence in the cryptocurrency market

Guglielmo Maria Caporale^{a,b,*}, Luis Gil-Alana^c, Alex Plastun^d

^a Brunel University London, UK

^b CESifo and DIW, Berlin, Germany

^c University of Navarra, Spain

^d Sumy State University, Ukraine

ARTICLE INFO

Keywords:

Crypto currency
BitCoin
Persistence
Long memory
R/S analysis
Fractional integration

JEL classification:

C22
G12

ABSTRACT

This paper examines persistence in the cryptocurrency market. Two different long-memory methods (R/S analysis and fractional integration) are used to analyse it in the case of the four main cryptocurrencies (BitCoin, LiteCoin, Ripple, Dash) over the sample period 2013–2017. The findings indicate that this market exhibits persistence (there is a positive correlation between its past and future values), and that its degree changes over time. Such predictability represents evidence of market inefficiency: trend trading strategies can be used to generate abnormal profits in the cryptocurrency market.

1. Introduction

The exponential growth of BitCoin and other cryptocurrencies is a phenomenon that has attracted considerable attention in recent years. The cryptocurrency market is rather young (BitCoin was created in 2009, but active trade only started in 2013) and therefore still mostly unexplored (see Caporale and Plastun, 2017 for one of the very few existing studies, with a focus on calendar anomalies). One of the key issues yet to be analysed is whether the dynamic behaviour of cryptocurrencies is predictable, which would be inconsistent with the Efficient Market Hypothesis (EMH), according to which prices should follow a random walk (see Fama, 1970). Long-memory techniques can be applied for this purpose. Several studies have provided evidence of persistence in asset price dynamics (see Greene and Fielitz, 1977; Caporale et al., 2016), and also found that this changes over time (see Lo, 1991), but virtually none has focused on the cryptocurrency market. One of the few exceptions is due to Bouri et al. (2016), who find long-memory properties in the volatility of Bitcoin.

The present study carries out a more comprehensive analysis by considering four main cryptocurrencies (the most liquid ones: BitCoin, LiteCoin, Ripple, Dash) and applying two different long-memory methods (R/S analysis and fractional integration) over the period 2013–2017 to investigate their stochastic properties. Moreover, it also examines the evolution of persistence over time (by looking at changes in the Hurst exponent). Any predictable patterns could of course be used as a basis for trading strategies aimed at making abnormal profits in the cryptocurrency market.

The layout of the paper is the following. Section 2 provides a brief review of the relevant literature. Section 3 describes the data and outlines the empirical methodology. Section 4 presents the empirical results. Section 5 provides some concluding remarks.

* Corresponding author at: Department of Economics and Finance, Brunel University, London, UB8 3PH, UK.

E-mail address: Guglielmo-Maria.Caporale@brunel.ac.uk (G.M. Caporale).

Table 1

Capitalisation of the cryptocurrency market (27.10.2017).

Source: <https://coinmarketcap.com/coins/>.

#	Name	Market Cap	Price	Circulating Supply	Data starts from
1	Bitcoin	\$98 035 067 124	\$5888.16	16 649 525 BTC	28 Apr 2013
2	Ethereum	\$28 411 539 142	\$297.97	95 350 974 ETH	07 Aug 2015
3	Ripple	\$7 825 254 645	\$0.203087	38 531 538 922 XRP	04 Aug 2013
4	Bitcoin Cash	\$5 928 832 364	\$354.52	16 723 313 BCEH	23 Jul 2017
5	Litecoin	\$2 974 020 034	\$55.53	53 556 032 LTC	28 Apr 2013
6	Dash	\$2 179 887 702	\$285.10	7 646 019 DASH	14 Feb 2014
7	NEM	\$1 786 032 000	\$0.198448	8 999 999 XEM	01 Apr 2015
8	BitConnect	\$1 582 408 231	\$216.50	7 308 910 BCEC	20 Jan 2017
9	NEO	\$1 429 555 000	\$28.59	50 000 NEO *	09 Sept 2016
10	Monero	\$1 331 970 304	\$87.21	15 273 032 XMR	21 May 2014

Cryptocurrency Market Capitalisation. Data.

2. Literature review

As already mentioned above, the cryptocurrency market has only been in existence for a few years, and therefore only a handful of studies have been carried out. ElBahrawy et al. (2017) provide a comprehensive analysis of 1469 cryptocurrencies considering various issues such as market shares and turnover. Cheung et al. (2015), Dwyer (2014), Bouoiyour and Selmi (2015) and Carrick (2016) show that this market is much more volatile than others. Halaburda and Gandal (2014) analyse its degree of competitiveness. Urquhart (2016) and Bartos (2015) focus on efficiency finding evidence for and against respectively. Anomalies in the cryptocurrency market are examined by Kurihara and Fukushima (2017) and Caporale and Plastun (2017).

Bariviera et al. (2017) test the presence of long memory in the Bitcoin series from 2011 to 2017. They find that the Hurst exponent changes significantly during the first years of existence of Bitcoin before becoming more stable in recent times. Bariviera (2017) also use the Hurst exponent and detect long memory in the daily dynamics of BitCoin as well as its volatility; in addition, they find more evidence of informational efficiency since 2014. Bouri et al. (2016) examine persistence in the level and volatility of Bitcoin using both parametric and semiparametric techniques; they detect long memory in both measures of volatility considered (absolute and squared returns). Catania and Grassi (2017) provide further evidence of long memory in the cryptocurrency market, whilst Urquhart (2016) using the R/S Hurst exponent obtains strong evidence of anti-persistence, which indicates non-randomness of Bitcoin returns.

3. Data and methodology

We focus on the four cryptocurrencies with the highest market capitalisation and longest span of data (see Table 1 below): BitCoin, LiteCoin, Ripple and Dash. The frequency is daily, and the data source is CoinMarketCap (<https://coinmarketcap.com/coins/>).

The two approaches followed are R/S analysis and fractional integration respectively. The following algorithm is used for the R/S analysis (see Mynhardt et al., 2014 for additional details):

1. A time series of length M is transformed into one of length $N = M - 1$ using logs and converting prices into returns:

$$N_t = \log\left(\frac{Y_{t+1}}{Y_t}\right), \quad t = 1, 2, 3, \dots, (M - 1) \quad (1)$$

2. This period is divided into contiguous A sub-periods with length n , such that $A_n = N$, then each sub-period is identified as I_a , given the fact that $a = 1, 2, 3, \dots, A$. Each element I_a is represented as N_k with $k = 1, 2, 3, \dots, N$. For each I_a with length n the average e_a is defined as:

$$e_a = \frac{1}{n} \sum_{k=1}^n N_{k,a}, \quad k = 1, 2, 3, \dots, N, \quad a = 1, 2, 3, \dots, A \quad (2)$$

Table 2

Results of the R/S analysis for the different crypto currencies, 2014–2017.

Period	Daily frequency
Bitcoin	0.59
LiteCoin	0.63
Ripple	0.64
Dash	0.60



Fig. 1. Results of the dynamic R/S analysis, (step = 50, data window = 300).

Table 3

Estimates of d and confidence bands for the case of no autocorrelation.

Log series	No terms	An intercept	A linear time trend
BITCOIN	0.992 (0.961, 1.040)	1.009 (0.983, 1.039)	1.009 (0.983, 1.039)
LITECOIN	1.005 (0.977, 1.038)	1.021 (0.994, 1.053)	1.021 (0.994, 1.053)
RIPPLE	1.028 (0.997, 1.064)	1.053 (1.023, 1.086)	1.053 (1.023, 1.087)
DASH	0.966 (0.933, 1.005)	0.985 (0.954, 1.022)	0.986 (0.954, 1.022)

Table 4
Estimated coefficients in the selected models from Table 3.

Log series	d (95% band)	Intercept	Time trend
BITCOIN	1.009 (0.983, 1.039)	4.897 (114.15)	0.002 (1.79)
LITECOIN	1.021 (0.994, 1.053)	1.470 (21.60)	–
RIPPLE	1.053 (1.023, 1.086)	–5.313 (–66.89)	–
DASH	0.986 (0.954, 1.022)	–0.984 (–11.37)	0.005 (2.34)

Table 5
Estimates of d and confidence bands for the case of autocorrelation.

Log series	No terms	An intercept	A linear time trend
BITCOIN	0.962 (0.920, 1.013)	1.031 (0.988, 1.074)	1.032 (0.988, 1.074)
LITECOIN	0.983 (0.944, 1.030)	1.016 (0.972, 1.064)	1.016 (0.972, 1.064)
RIPPLE	1.048 (0.991, 1.113)	1.052 (1.012, 1.110)	1.052 (1.012, 1.110)
DASH	0.911 (0.8733, 0.953)	0.963 (0.920, 1.013)	0.963 (0.920, 1.013)

Table 6
Estimated coefficients in the selected models from Table 5.

Log series	d (95% band)	Intercept	Time trend
BITCOIN	1.032 (0.988, 1.074)	4.897 (114.23)	0.002 (1.73)
LITECOIN	1.016 (0.972, 1.064)	1.470 (21.56)	–
RIPPLE	1.052 (1.012, 1.110)	–5.131 (–66.84)	–
DASH	0.963 (0.920, 1.013)	–0.977 (–11.30)	0.004 (2.68)

Table 7
Estimates of d based on a semiparametric Whittle method.

Log series	30	32	34	36	38	40	42	44	46	38	50
BITCOIN	1.072	1.099	1.078	1.081	1.108	1.142	1.152	1.109	1.186	1.107	1.100
LITECOIN	1.123	1.173	1.096	1.125	1.141	1.174	1.122	1.101	1.101	1.103	1.076
RIPPLE	1.153	1.091	1.125	1.137	1.096	1.088	1.064	1.042	1.047	1.011	1.022
DASH	1.170	1.081	1.150	1.200	1.235	1.228	1.216	1.202	1.154	1.145	1.162
Lower I(1)	1.150	1.145	1.141	1.137	1.133	1.130	1.126	1.124	1.121	1.118	1.114
Upper I(1)	0.849	0.854	0.858	0.862	0.866	0.869	0.873	0.876	0.878	0.881	0.883

In bold those cases where the estimates of d are significantly higher than 1 at the 5% level.

3. Accumulated deviations $X_{k,a}$ from the average e_a for each sub-period I_a are defined as:

$$(R/S)_n = (1/A) \sum_{i=1}^A (R_{Ia}/S_{Ia}) \quad (3)$$

The range is defined as the maximum index $X_{k,a}$ minus the minimum $X_{k,a}$, within each sub-period (I_a):

$$R_{Ia} = \max(X_{k,a}) - \min(X_{k,a}), \quad 1 \leq k \leq n. \quad (4)$$

4. The standard deviation S_{Ia} is calculated for each sub-period I_a :


$$S_{Ia} = \left(\left(\frac{1}{n} \sum_{k=1}^n (X_{k,a} - e_a)^2 \right) \right)^{0.5} \quad (5)$$

5. Each range R_{Ia} is normalised by dividing by the corresponding S_{Ia} . Therefore, the re-normalised scale during each sub-period I_a is R_{Ia}/S_{Ia} . In step 2 above, adjacent sub-periods of length n are obtained. Thus, the average R/S for length n is defined as:


6. The length n is increased to the next higher level, $(M - 1)/n$, and must be an integer number. In this case, n-indexes that include the start and end points of the time series are used, and Steps 1 – 6 are repeated until $n = (M - 1)/2$.

7. The least square method is used to estimate the equation $\log(R/S) = \log(c) + H^* \log(n)$. The slope of the regression line is an estimate of the Hurst exponent H. (Hurst, 1951).


Bitcoin




Litecoin



Ripple



Dash



(caption on next page)

Fig. 2. Estimates of d based on semiparametric methods.

$$X_{k,a} = \sum_{i=1}^k (N_{i,a} - e_a)$$

The Hurst exponent lies in the interval $[0,1]$. On the basis of the H values three categories can be identified: the series are anti-persistent, returns are negatively correlated ($0 \leq H < 0.5$); the series are random, returns are uncorrelated, there is no memory in the series ($H = 0.5$); the series are persistent, returns are highly correlated, there is memory in price dynamics ($0.5 < H \leq 1$).

To analyse the dynamics of market persistence we use a sliding-window approach. The procedure is the following: having obtained the first value of the Hurst exponent (for example, for the date 01.04.2004 using data for the period from 01.01.2004 to 31.03.2004), each of the following ones is calculated by shifting forward the “data window”, where the size of the shift depends on the number of observations and a sufficient number of estimates is required to analyse the time-varying behaviour of the Hurst exponent. For example, if the shift equals 10, the second value is calculated for 10.04.2004 and characterises the market over the period 10.01.2004 till 09.04.2004, and so on.

In addition we also employ $I(d)$ techniques for the log prices series, both parametric and semiparametric. Note that the differencing parameter d is related to the Hurst exponential described above through the relationship $H = d + 0.5$. Also, R/S analysis is used for the return series (the first differences of the log prices), while $I(d)$ models are estimated for the log prices themselves, in which case the relationship becomes $H = (d - 1) + 0.5 = d - 0.5$. We consider processes of the form:

$$(1 - B)^d x_t = u_t, \quad t = 1, 2, \dots, \quad (7)$$

where B is the backshift operator ($Bx_t = x_{t-1}$); u_t is an $I(0)$ process (which may incorporate weak autocorrelation of the $AR(MA)$ form) and, x_t are the errors of a regression model of the form:

$$y_t = \beta_0 + \beta_1 t + x_t; \quad t = 1, 2, \dots, \quad (8)$$

where y_t stands for the log price of each of the cryptocurrencies. Note that under the Efficient Market Hypothesis the value of d in (7) should be equal to 1 and u_t a white noise process. As mentioned before, we use both parametric and semiparametric methods, in each case assuming uncorrelated (white noise) and autocorrelated errors in turn. More specifically, we use first the Whittle estimator of d in the frequency domain (Dahlhaus, 1989; Robinson, 1994), and then the “local” Whittle estimator initially proposed by Robinson (1995) and then further developed by Velasco (1999), Phillips and Shimotsu (2005), Abadir et al. (2007) and others.

4. Empirical results

The results of the R/S analysis for the return series of the four cryptocurrencies are presented in Table 2.

As can be seen, the series do not follow a random walk, and are persistent, which is inconsistent with market efficiency. The most efficient cryptocurrency is Bitcoin, which is the oldest and most commonly used, as well as the most liquid.

The dynamic R/S analysis shows the evolution over time of persistence in the cryptocurrency market (see Fig. 1).

As can be seen the degree of persistence varies over the time, and fluctuates around its average. Time variation is particularly evident in the case of Litecoin, with the exponent dropping significantly from 0.7 in 2015–0.50 in 2017. This represents evidence in favour of the Adaptive Market Hypothesis (see Lo, 1991 for details) and also of efficiency increasing over time. In the case of Litecoin the market was initially rather inefficient, but after 2–3 years it became more liquid, and the number of participants, trade volumes and efficiency all increased.

Next we estimate an $I(d)$ model specified as:

$$y_t = \alpha + \beta t + x_t, \quad (1 - B)^d x_t = u_t, \quad t = 1, 2, \dots, \quad (9)$$

and test the null hypothesis:


$$H_0: d = d_0, \quad (10)$$

in (9) for d_0 -values equal to $-1, -0.99, \dots, -0.01, 0, 0.01, \dots, 0.99$ and 1 under different modelling assumptions for the $I(0)$ error term u_t .

In Table 3 we assume that u_t in (1) is a white noise process, and consider the three cases of: i) no deterministic terms, ii) an intercept, and iii) an intercept with a linear time trend. This table shows that the estimates are around 1 in all cases, which implies non-stationary behaviour. A time trend is required in the cases of Bitcoin and Dash, but not for the other two series, Litecoin and Ripple.

Finally Table 4 (which focuses on the selected model for each series on the basis of the deterministic terms) shows that the $I(1)$ hypothesis cannot be rejected for three series, namely Bitcoin, Litecoin and Dash. However, for Ripple it is rejected in favour of $d > 1$. The implied values of the H exponent are slightly smaller than those reported before: since $H = d - 0.5$, they are 0.51, 0.52, 0.53 and 0.48 respectively for Bitcoin, Litecoin, Ripple and Dash, and the confidence intervals provide evidence of market inefficiency only in the case of Ripple.

Next we allow for autocorrelated disturbances, and for this purpose we use the exponential spectral model of Bloomfield (see Bloomfield, 1973 for details). Table 5 displays the estimates of d for the three cases of no regressors, an intercept and a linear time

Fig. 3. Estimates of d based on semiparametric methods (with $m = 25, \dots, 200$).

trend while Table 6 focuses on the selected models. As in the case of uncorrelated errors, a time trend is required for Bitcoin and Dash but not for the other two series. As before, the estimates of d are within the $I(1)$ interval for all series except Ripple, for which the estimate of d is significantly higher than 1, which implies a high degree of persistence.

Given the differences between the results from the (non-parametric) R/S analysis and the parametric $I(d)$ estimation, we also employ a semiparametric $I(d)$ method, namely a “local” Whittle estimator in the frequency domain (see Robinson, 1995, etc.). The estimates for selected bandwidth parameters are shown in Table 7.¹

The unit root hypothesis (i.e., $d = 1$) is rejected in many cases, especially for Dash, but also for the other three series.

Fig. 2 displays the estimates of d for all bandwidth parameters and Fig. 3 focuses on values of m from 25 to 200.

Depending on the bandwidth parameters the estimates of d are within the $I(1)$ interval or above 1. Therefore there is strong evidence that mean reversion does not occur, which suggests market inefficiency.

5. Conclusions

This paper uses R/S analysis and fractional integration long-memory techniques to examine the degree of persistence of the four main cryptocurrencies (Bitcoin, Litecoin, Ripple and Dash) and its evolution over time. In brief, the evidence suggests that the cryptocurrency market is still inefficient, but is becoming less so. This is especially true of the Litecoin market, where the Hurst exponent dropped considerably over time.

The results obtained using $I(d)$ methods are less conclusive, since the estimated values of d are higher than but not significantly different from 1 in a number of cases, the main exception being Ripple for which the parametric estimate of d is significantly higher than 1. The semiparametric $I(d)$ results are very sensitive to the choice of the bandwidth parameter, and market inefficiency is found in a number of cases.

Persistence implies predictability, and therefore represents evidence of market inefficiency, suggesting that trend trading strategies can be used to generate abnormal profits in the cryptocurrency market.

Acknowledgements

Luis A. Gil-Alana gratefully acknowledges financial support from the Ministerio de Ciencia y Tecnología (ECO2014-55236). Alex Plastun gratefully acknowledges financial support from the Ministry of Education and Science of Ukraine (0117U003936). Comments from the Editor and an anonymous reviewer are gratefully acknowledged.

References

- Abadir, K.M., Distaso, W., Giraitis, L., 2007. Nonstationarity-extended local whittle estimation. *J. Econom.* 141, 1353–1384.
- Bariviera, Aurelio F., María José, Basgall, Waldo, Hasperu, Marcelo, Naiouf, 2017. Some stylized facts of the Bitcoin market. *Phys. A* 484, 82–90.
- Bariviera, Aurelio F., 2017. The inefficiency of bitcoin revisited: a dynamic approach. *Econo. Lett.* 161, 1–4.
- Bartos, J., 2015. Does Bitcoin follow the hypothesis of efficient market? *Int. J. Econ. Sci.* 4 (2), 10–23.
- Bloomfield, P., 1973. An exponential model in the spectrum of a scalar time series. *Biometrika* 60, 217–226.
- Bouoiyour, Jamal, Selmi, Refk, 2015. Bitcoin Price: Is It Really That New Round of Volatility can Be on Way? MPRA Paper 65580. University Library of Munich, Germany. <https://ideas.repec.org/p/pramprapa/65580.html>.
- Bouri, Elie, Georges, Anne Haubo, Dyhrberg, 2016. On the Return-volatility Relationship in the Bitcoin Market Around the Price Crash of 2013. *Economics Discussion Papers*, No 2016-41. Kiel Institute for the World Economy. <http://www.economics-ejournal.org/economics/discussionpapers/2016-41>.
- Caporale, Guglielmo Maria, Plastun, Oleksiy, 2017. The Day of the Week Effect in the Crypto Currency Market (October 20, 2017). Brunel University London, Department of Economics and Finance (Working Paper No. 17–19. Available at SSRN). <https://ssrn.com/abstract=3056229>.
- Caporale, G.M., Gil-Alana, L.A., Plastun, A., Makarenko, I., 2016. Long memory in the Ukrainian stock market and financial crises. *J. Econ. Finance* 40 (2), 235–257.
- Carrick, J., 2016. Bitcoin as a complement to emerging market currencies. *Emerg. Markets Finance Trade* 52, 2321–2334.
- Catania, LeopoldoGrassi, Stefano Modelling Crypto-Currencies Financial Time-Series (August 16, 2017) (Available at SSRN:). <https://ssrn.com/abstract=3028486>.
- Cheung, A., Roca, E., Su, J.-J., 2015. Crypto-currency bubbles: an application of the Phillips-Shi-Yu (2013) methodology on Mt. gox bitcoin prices. *Appl. Econ.* 47, 2348–2358.
- Dahlhaus, R., 1989. Efficient parameter estimation for self-similar process. *Ann. Stat.* 17, 1749–1766.
- Dwyer, G.P., 2014. The economics of bitcoin and similar private digital currencies. *J. Financ. Stab.* 17, 81–91.
- ElBahrawy, Abeer, Alessandretti, Laura, Kandler, Anne, Pastor-Satorras, Romualdo, Baronchelli, Andrea, 2017. Evolutionary dynamics of the cryptocurrency market. *R. Soc. Open Sci.* 4 170623. <https://arxiv.org/abs/1705.05334>.
- Fama, E., 1970. Efficient capital markets: a review of theory and empirical evidence. *J. Finance* 25, 383–417.
- Greene, M.T., Fielitz, B.D., 1977. Long-term dependence in common stock returns. *J. Financ. Econ.* 4, 339–349.
- Halaburda, M.T., Gandal, Neil, 2014. Competition in the Cryptocurrency Market. NET Institute Working Paper No. 14–17. (Available at SSRN). <https://ssrn.com/abstract=2506463> or <https://doi.org/10.2139/ssrn.2506463>.
- Hurst, H., 1951. Long-term storage of reservoirs. *Trans. Am. Soc. Civil Eng.* 116 (1), 770–799.
- Kurihara, Yutaka, Fukushima, Akio, 2017. The market efficiency of bitcoin: a weekly anomaly perspective. *J. Appl. Finance Bank.* 7 (3), 57–64.
- Lo, A.W., 1991. Long-term memory in stock market prices. *Econometrica* 59, 1279–1313.
- Mynhardt, R.H., Plastun, A., Makarenko, I., 2014. Behavior of financial markets efficiency during the financial market crisis: 2007–2009. *Corp. Ownersh. Control* 11 (2), 473–488.
- Phillips, P.C., Shimotsu, K., 2005. Exact local Whittle estimation of fractional integration. *Ann. Stat.* 33, 1890–1933.
- Robinson, P.M., 1994. Efficient tests of nonstationary hypotheses. *J. Am. Stat. Assoc.* 89, 1420–1437.
- Robinson, P.M., 1995. Gaussian semi-parametric estimation of long range dependence. *Ann. Stat.* 23, 1630–1661.
- Urquhart, A., 2016. The inefficiency of bitcoin. *Econ. Lett.* 148, 80–82.
- Velasco, C., 1999. Gaussian semiparametric estimation of nonstationary time series. *J. Time Series Anal.* 20, 87–127.

¹ The choice of m is important since there is a trade-off between bias and variance that affects the estimates of d .