

**FIT TO FLY  
CERTIFICATE OF CONFIRMATION: SARS-COVID-2  
TESTING**



**PERFORMED BY RT-PCR METHOD**

MyHealthcare Clinic  
Kings Cross Testing Clinic  
DoubleTree Hilton  
60 Pentonville Road, The Angel  
London  
N1 9LA

**Date: 16/03/2021**

**Patient Name: Federico Carbo**

**Patient DOB: 01/08/1989**

**Passport No.: 114230184**

**Laboratory URN: R501126030**

**TO WHOM IT MAY CONCERN**

The above patient had a COVID-19 Nasopharyngeal (throat and nasal) swab test performed by a healthcare professional to check for active infection to coronavirus on 15/03/2021 at 15:00

The result is **negative** indicating the patient does not have the coronavirus infection at the time of testing and is fit to fly.

Technical Notes: The RT-PCR test was performed using a Nasopharyngeal (throat and nasal) swab. A sample is prepared by extracting the chosen section of the genome, and then PCR (Polymerase Chain Reaction) techniques amplify the genome section ready for detection. This type of test detects the RNA (Ribonucleic acid) contained within the SARS-CoV-2 virus.

The RT-PCR swab was tested at 'Randox Clinical Laboratory Services' which is a UKAS accredited (see QR code below) and Public Health England endorsed laboratory.

Yours sincerely

A handwritten signature in black ink, appearing to read 'Akash Patel'.

Dr Akash Patel MBBS BSc (Hons) MRCGP  
Medical Director - GMC: 7088309



Scan QR Code to  
verify