

Results

Correlation Matrix

Correlation Matrix

		AGE	P1_top_nh	P1_top_h	P1_RankShift	P1_DifficultyHazard	P1_DifficultyNoHazard	P2_top_nh	P2_top_h	P2_RankShift	P2_Difficult
AGE	Spearman's rho	—									
	df	—									
	p-value	—									
P1_top_nh	Spearman's rho	-0.122	—								
	df	54	—								
	p-value	.371	—								
P1_top_h	Spearman's rho	-0.059	-0.226	—							
	df	54	54	—							
	p-value	.663	.095	—							
P1_RankShift	Spearman's rho	-0.269*	-0.184	-0.431***	—						
	df	54	54	54	—						
	p-value	.045	.176	<.001	—						
P1_DifficultyHazard	Spearman's rho	0.003	-0.150	0.186	-0.068	—					
	df	54	54	54	54	—					
	p-value	.984	.270	.169	.620	—					
P1_DifficultyNoHazard	Spearman's rho	0.085	0.068	-0.067	-0.009	0.346**	—				
	df	54	54	54	54	54	—				
	p-value	.535	.618	.624	.945	.009	—				
P2_top_nh	Spearman's rho	-0.038	0.113	-0.016	0.164	-0.033	0.252	—			
	df	54	54	54	54	54	54	—			
	p-value	.782	.405	.907	.228	.810	.061	—			
P2_top_h	Spearman's rho	-0.079	-0.284*	0.472***	-0.100	0.140	-0.065	-0.045	—		
	df	54	54	54	54	54	54	54	—		
	p-value	.564	.034	<.001	.462	.305	.633	.742	—		
P2_RankShift	Spearman's rho	0.082	0.161	-0.404**	0.199	-0.172	-0.052	-0.258	-0.666***	—	
	df	54	54	54	54	54	54	54	54	—	
	p-value	.546	.237	.002	.141	.204	.701	.055	<.001	—	
P2_DifficultyHazard	Spearman's rho	-0.010	-0.192	0.187	0.006	0.709***	0.335*	0.074	0.178	-0.211	
	df	54	54	54	54	54	54	54	54	54	
	p-value	.944	.157	.168	.965	<.001	.012	.590	.189	.118	
P2_DifficultyNoHazard	Spearman's rho	0.064	0.082	-0.131	0.079	0.251	0.793***	0.333*	-0.115	-0.124	
	df	54	54	54	54	54	54	54	54	54	
	p-value	.638	.548	.336	.562	.062	<.001	.012	.397	.364	
P3_top_nh	Spearman's rho	-0.242	0.277*	-0.004	-0.018	-0.065	-0.004	0.256	-0.048	-0.098	
	df	54	54	54	54	54	54	54	54	54	
	p-value	.072	.039	.976	.897	.634	.974	.057	.723	.472	
P3_top_h	Spearman's rho	0.177	0.009	0.313*	-0.421**	0.053	-0.149	-0.161	0.245	-0.168	
	df	54	54	54	54	54	54	54	54	54	
	p-value	.192	.950	.019	.001	.699	.272	.237	.068	.216	
P3_RankShift	Spearman's rho	-0.069	-0.153	-0.313*	0.287*	0.159	0.150	-0.034	-0.282*	0.233	
	df	54	54	54	54	54	54	54	54	54	
	p-value	.612	.260	.019	.032	.242	.271	.806	.035	.084	
P3_DifficultyHazard	Spearman's rho	0.054	0.056	0.066	-0.080	0.567***	0.453***	-0.128	0.025	-0.000	0.1
	df	54	54	54	54	54	54	54	54	54	
	p-value	.693	.680	.627	.560	<.001	<.001	.348	.856	.999	
P3_DifficultyNoHazard	Spearman's rho	-0.061	-0.013	-0.096	0.100	0.383**	0.714***	0.019	-0.096	0.023	
	df	54	54	54	54	54	54	54	54	54	
	p-value	.657	.923	.480	.462	.004	<.001	.887	.483	.868	

Note. * p < .05, ** p < .01, *** p < .001

Correlation Matrix

P4_top_nh	Spearman's rho	0.138	0.272*	-0.077	-0.076	0.032	0.129	0.340*	-0.053	0.011	
	df	54	54	54	54	54	54	54	54	54	
	p-value	.311	.043	.570	.578	.818	.342	.010	.699	.935	
P4_top_h	Spearman's rho	0.059	-0.346**	0.491***	-0.193	0.004	-0.259	-0.204	0.507***	-0.345**	
	df	54	54	54	54	54	54	54	54	54	
	p-value	.666	.009	<.001	.154	.975	.054	.131	<.001	.009	
P4_RankShift	Spearman's rho	-0.174	-0.003	-0.386**	0.328*	-0.028	0.087	-0.125	-0.455***	0.300*	
	df	54	54	54	54	54	54	54	54	54	
	p-value	.200	.980	.003	.013	.837	.526	.359	<.001	.025	
P4_DifficultyHazard	Spearman's rho	-0.079	0.053	-0.006	-0.005	0.648***	0.477***	0.039	0.097	-0.084	0.1
	df	54	54	54	54	54	54	54	54	54	
	p-value	.564	.699	.966	.970	<.001	<.001	.774	.478	.536	
P4_DifficultyNoHazard	Spearman's rho	-0.033	0.153	-0.079	-0.014	0.337*	0.856***	0.274*	-0.129	-0.030	(
	df	54	54	54	54	54	54	54	54	54	
	p-value	.807	.260	.563	.919	.011	<.001	.041	.342	.828	
P1_TopChanged	Spearman's rho	-0.073	-0.369**	-0.569***	0.710***	-0.153	-0.074	-0.011	-0.205	0.279*	
	df	54	54	54	54	54	54	54	54	54	
	p-value	.592	.005	<.001	<.001	.262	.588	.936	.130	.038	
P2_TopChanged	Spearman's rho	0.032	0.116	-0.258	0.209	-0.086	-0.128	-0.311*	-0.582***	0.787***	
	df	54	54	54	54	54	54	54	54	54	
	p-value	.815	.393	.055	.121	.527	.346	.020	<.001	<.001	
P3_TopChanged	Spearman's rho	-0.027	-0.162	-0.175	0.273*	0.048	0.185	-0.063	-0.065	0.109	
	df	54	54	54	54	54	54	54	54	54	
	p-value	.846	.234	.197	.041	.723	.173	.646	.632	.425	
P4_TopChanged	Spearman's rho	-0.141	-0.147	-0.376**	0.264*	-0.018	-0.041	-0.036	-0.344**	0.288*	
	df	54	54	54	54	54	54	54	54	54	
	p-value	.300	.279	.004	.050	.898	.762	.792	.009	.031	

Note. * p < .05, ** p < .01, *** p < .001

Correlation Matrix

Correlation Matrix

		EXP_MO	P1_top_nh	P1_top_h	P1_RankShift	P1_DifficultyHazard	P1_DifficultyNoHazard	P2_top_nh	P2_top_h	P2_RankShift	P2_DifficultyHazard	P2_DifficultyNoHazard	P3_top_nh	P3_top_h	P3_RankShift	P3_DifficultyHazard	P3_DifficultyNoHazard
EXP_MO	Pearson's r	—															
	df	—															
	p-value	—															
P1_top_nh	Pearson's r	-0.068	—														
	df	54	—														
	p-value	.619	—														
P1_top_h	Pearson's r	0.190	-0.215	—													
	df	54	54	—													
	p-value	.160	.111	—													
P1_RankShift	Pearson's r	-0.201	-0.136	-0.537	—												
	df	54	54	54	—												
	p-value	.138	.317	<.001	—												
P1_DifficultyHazard	Pearson's r	0.177	-0.141	0.213	-0.045	—											
	df	54	54	54	54	—											
	p-value	.192	.299	.115	.743	—											
P1_DifficultyNoHazard	Pearson's r	-0.122	0.077	-0.026	-0.069	0.410	—										
	df	54	54	54	54	54	—										
	p-value	.370	.574	.850	.613	.002	—										
P2_top_nh	Pearson's r	-0.150	0.086	-0.003	0.140	-0.025	0.168	—									
	df	54	54	54	54	54	54	—									
	p-value	.269	.527	.985	.302	.853	.216	—									
P2_top_h	Pearson's r	0.315	-0.276	0.471	-0.148	0.200	-0.056	-0.036	—								
	df	54	54	54	54	54	54	54	—								
	p-value	.018	.039	<.001	.275	.140	.681	.793	—								
P2_RankShift	Pearson's r	-0.193	0.151	-0.414	0.276	-0.134	-0.047	-0.191	-0.673	—							
	df	54	54	54	54	54	54	54	54	—							
	p-value	.154	.266	.002	.039	.325	.728	.158	<.001	—							
P2_DifficultyHazard	Pearson's r	0.127	-0.179	0.217	-0.002	0.773	0.392	0.100	0.232	-0.157	—						
	df	54	54	54	54	54	54	54	54	54	—						
	p-value	.352	.186	.109	.986	<.001	.003	.462	.086	.248	—						
P2_DifficultyNoHazard	Pearson's r	-0.168	0.103	-0.085	0.019	0.350	0.835	0.235	-0.076	-0.123	0.365	—					
	df	54	54	54	54	54	54	54	54	54	54	—					
	p-value	.214	.449	.535	.891	.008	<.001	.082	.580	.365	.006	—					
P3_top_nh	Pearson's r	0.066	0.277	-0.002	-0.038	-0.077	-0.015	0.201	-0.055	-0.088	-0.061	0.365	—				
	df	54	54	54	54	54	54	54	54	54	54	54	—				
	p-value	.627	.039	.991	.782	.575	.913	.137	.689	.519	.627	.006	—				
P3_top_h	Pearson's r	0.242	0.008	0.326	-0.386	0.049	-0.151	-0.135	0.248	-0.193	0.011	0.580	0.365	—			
	df	54	54	54	54	54	54	54	54	54	54	54	54	—			
	p-value	.072	.955	.014	.003	.718	.266	.321	.065	.155	.907	.006	.006	—			
P3_RankShift	Pearson's r	-0.177	-0.109	-0.325	0.322	0.150	0.198	0.040	-0.269	0.247	0.215	0.006	0.365	0.011	—		
	df	54	54	54	54	54	54	54	54	54	54	54	54	54	—		
	p-value	.193	.425	.015	.016	.269	.143	.770	.045	.066	.112	.006	.006	.112	—		
P3_DifficultyHazard	Pearson's r	0.110	0.045	0.085	-0.049	0.589	0.471	-0.123	0.044	0.037	0.703	0.006	0.365	0.011	0.215	—	
	df	54	54	54	54	54	54	54	54	54	54	54	54	54	54	—	
	p-value	.421	.743	.533	.721	<.001	<.001	.365	.749	.787	<.001	.006	.006	.011	.011	—	
P3_DifficultyNoHazard	Pearson's r	-0.082	-0.040	-0.088	0.033	0.431	0.654	-0.016	-0.075	0.050	0.305	0.006	0.365	0.011	0.050	0.305	—
	df	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	—
	p-value	.546	.769	.519	.808	<.001	<.001	.905	.582	.714	.020	.006	.006	.011	.011	.011	—

Correlation Matrix

P4_top_nh	Pearson's r	0.105	0.442	-0.106	-0.095	0.057	0.183	0.283	-0.102	0.070	0.006
	df	54	54	54	54	54	54	54	54	54	54
	p-value	.442	<.001	.436	.488	.675	.176	.034	.456	.607	.963
P4_top_h	Pearson's r	0.225	-0.343	0.488	-0.215	0.040	-0.194	-0.171	0.506	-0.328	0.041
	df	54	54	54	54	54	54	54	54	54	54
	p-value	.095	.010	<.001	.111	.772	.152	.207	<.001	.014	.733
P4_RankShift	Pearson's r	-0.335	0.018	-0.439	0.363	-0.116	0.015	-0.111	-0.481	0.321	-0.043
	df	54	54	54	54	54	54	54	54	54	54
	p-value	.012	.894	<.001	.006	.394	.912	.414	<.001	.016	.743
P4_DifficultyHazard	Pearson's r	0.136	0.034	0.037	0.008	0.660	0.537	0.006	0.127	-0.056	0.674
	df	54	54	54	54	54	54	54	54	54	54
	p-value	.317	.805	.784	.952	<.001	<.001	.965	.350	.683	<.001
P4_DifficultyNoHazard	Pearson's r	-0.085	0.089	-0.034	-0.028	0.413	0.845	0.196	-0.065	-0.040	0.393
	df	54	54	54	54	54	54	54	54	54	54
	p-value	.532	.516	.801	.837	.002	<.001	.147	.635	.769	.003
P1_TopChanged	Pearson's r	-0.102	-0.369	-0.628	0.753	-0.170	-0.111	0.018	-0.211	0.286	-0.181
	df	54	54	54	54	54	54	54	54	54	54
	p-value	.452	.005	<.001	<.001	.209	.415	.895	.119	.033	.181
P2_TopChanged	Pearson's r	-0.242	0.116	-0.278	0.251	-0.089	-0.151	-0.232	-0.593	0.814	-0.033
	df	54	54	54	54	54	54	54	54	54	54
	p-value	.072	.393	.038	.063	.515	.266	.085	<.001	<.001	.800
P3_TopChanged	Pearson's r	-0.231	-0.162	-0.193	0.262	0.068	0.179	-0.029	-0.066	0.131	0.100
	df	54	54	54	54	54	54	54	54	54	54
	p-value	.087	.234	.155	.051	.616	.188	.832	.631	.336	.461
P4_TopChanged	Pearson's r	-0.164	-0.147	-0.386	0.284	-0.099	-0.097	-0.005	-0.353	0.271	-0.022
	df	54	54	54	54	54	54	54	54	54	54
	p-value	.227	.279	.003	.034	.468	.478	.973	.008	.044	.871

References

[1] The jamovi project (2025). *jamovi*. (Version 2.7) [Computer Software]. Retrieved from <https://www.jamovi.org>.

[2] R Core Team (2025). *R: A Language and environment for statistical computing*. (Version 4.5) [Computer software]. Retrieved from <https://cran.r-project.org>. (R packages retrieved from CRAN snapshot 2025-05-25).