

POLITECNICO DI MILANO
Scuola di Ingegneria Industriale e dell'Informazione
Corso di Laurea Magistrale in Computer Science and Engineering
Ingegneria Informatica



GEA
Gioco Educazione Alimentare

Relatore: Prof.ssa Franca GARZOTTO
Correlatore: Dott. Mirko GELSOMINI

Tesi di laurea di:
Federica BLANCO Matr. 875487
Giulia PENNATI Matr. 882962

Anno Accademico 2017–2018

Sommario

In italiano, descrizione NDD, scopo tesi, descrizione tecnologia usata(in breve), nome sistema sviluppato e collaborazione. (circa 1 pagina)

Abstract

Traduzione del sommario.

Ringraziamenti

GENERICO FAMIGLIE PROFESSORESSA CORRELATORE PERSONE IN
PARTICOLARE (VITO E NICO) ASSOCIAZIONI AMICI E COLLEGHI

Federica e Giulia

Contents

Introduction	1
0.1 Food problems and their impact on childhood	1
0.2 Virtual Reality	3
0.3 Touchscreen	5
0.4 Neurodevelopmental Disorder	6
0.5 GEA	8
0.5.1 Thesi Structure	8
0.5.2 Origin of the name	8
1 State of the art	9
1.1 Modern technologies for NDD people	9
1.2 Virtual Reality	10
1.3 Touchscreen	12
1.4 Google Chromecast	13
1.5 Projects about food education	13
2 Target groups, Needs and Requirements	15
2.1 Requirements elicitation	15
2.2 Onlus varie	15
2.3 Main target groups	15
2.4 Context and need addressed	16
2.5 Constraints	16
2.6 Goals	16
2.7 Requirements	16
3 Design	17
3.1 General approach	17
3.2 Descrizione singole parti	17
3.3 Scenarios	17
3.4 UX	17
3.4.1 Site maps	17
3.4.2 Pages	17

3.4.3 Use cases	17
4 Implementation	19
4.1 Tools	19
4.2 Hardware Architecture	19
4.3 Software Architecture	19
5 Content issues	21
6 Evaluation	23
7 Value proposition	25
8 Future work	27
Bibliography	31
A First appendix - User manual	33
B Second appendix - Questionar	35

List of Figures

1	Childhood obesity diagram	2
2	Allergy hospital discharges barplot	3
3	Telepresence infuencing variables	4
4	Virtual Reality taxonomy	4
5	Stereoscopic image and the correspondent 3D image	5
6	Virtual Reality investments sectors	5
7	Evolution of touchscreen	6
8	Autism diffusion by World Atlas	7
1.1	Dolphin Sam and Magic K Room	10
1.2	HTC Vive Pro	11
1.3	Google Cardboard	11
1.4	Samsung Gear VR	12
1.5	Time spent by children at playing games	13

List of Tables

Introduction

0.1 Food problems and their impact on childhood

One of the main problems of modern society is the one related to nutrition. Nutrition has changed a lot in history thanks to the industrial development that allowed the massive production of foods that in the past were produced only by hand (and with high costs) and thanks also to scientific progresses that allowed the discovery of food conservation and their elaboration to obtain new kinds of food that are more suitable to our need. Montignac [23] also identifies other causes that brings the concept of "nutrition" to assume the current meaning, for example the habits evolution and the female emancipation that has changed the ancient vision of women as "landladies" and that has promoted the progression of the "ready meals" industry and therefore of pre-cooked and packaged meals that today are consumed increasingly. However, the main phenomenon that has taken place in our era is the one related to the globalization and standardization of destabilized north american eating habits that has promoted the global growth of fast-food, indicated by WHO (World Health Organization) as a "pandemic" since 1997 given its extraordinary expansion that carried also a lot of other problems.

Childhood obesity is surely one of the clearest examples of these diet's changes of the new millennium. According to a seminar held by CB Ebbeling, DB Pawlak and DS Ludwig [11] childhood obesity is a phenomenon that has had a great increase in all the world in the last twenty years, as we can see from this diagram.




Figure 1: Childhood obesity diagram

Historically, a fat child was seen as healthy because he was likely to survive better to illnesses and infections; however, excessive fatness has become one of the most diffused health problem in children. The three experts have underlined how the problem is most common in developed and industrialized nations in which diet has changed radically favouring foods containing saturated and trans fat and with high glycaemic index, typical of fast-food in which also bigger portions are served. Moreover, these foods are also poor of fibre, micronutrients and antioxidants that the body needs for a correct functioning of metabolism. The excessive consuming of these foods brings the child to have health problems such as heart diseases, vascular disorders, hypertension, chronic inflammations and diabete of type 2, illness that in the past was not present in teenagers, but that now has had a rapid spread.

Another important problem that affects the food safety of children is represented by allergies. According to the data collected by AM Branum and SL Lukacs [5] it is possible to observe an increasing in cases of all kinds of food allergies including milk, eggs, peanuts, tree nuts, fish, shellfish, soy and wheat of around the 18 per cent on individuals under the age of 18 from the 1997 onwards in US (but we have reasons to believe that this can also be found in all the industrialized world). Reactions to these foods may vary from small diseases to anaphylactic shock that, in severe cases, could lead to death. The researches have also underlined how, in the same period

analyzed previously, there was also an increasing of hospital discharges (clearly after an hospitalisation) due to allergic reactions as we can see from this barplot.




Figure 2: Allergy hospital discharges barplot

All these problems that have been reinforced in recent years, lead us to think that it is necessary to support nutrition education and to make it a fundamental thing during childhood and adolescence, in order to empower everyone to a correct care of their health.

0.2 Virtual Reality

"Virtual Reality is electronic simulations of environments experienced via head mounted eye goggles and wired clothing enabling the end user to interact in realistic three-dimensional situations." (Coates, 1992)

We can define it using two variables: vividness, richness of an environments representation, and interactivity, extend to which a user can modify form and content of a mediated environment. The vividness is composed by sensory breadth, which refers to the number of sensory dimensions simultaneously presented, and sensory depth, which refers to the resolution within each of these perceptual channels; the interactivity instead is formed by speed, which refers to the rate at which input can be assimilated into the mediated environment, range, which refers to the number of possibilities for action at any given time and mapping, which refers to the ability of a system to map its controls to changes in the mediated environment in a natural and predictable manner. [27] All of them, combined together, influence the telepresence that refers to a set of technologies which allow a user to feel as if he was present at a place different from his true location. So a "virtual reality" is defined as a real or simulated environment in which a perceiver experiences telepresence. [30]




Figure 3: Telepresence influencing variables

We focus our project on Wearable Immersive Virtual Reality (WIVR). Immersive is the term that refers to the degree to which a virtual environment submerges the perceptual system of the user in computer-generated stimuli. The more the system captivates the sense and blocks out stimuli from the physical world the more the system is considered immersive. [16] Wearable indicates that the virtual environment is displayed in specialized small screen: we use a binocular head mounted displays (HMD) which allows to reach a fully immersive experience as we can see from this taxonomy by Muhanna [6].




Figure 4: Virtual Reality taxonomy

The HMD "trick" our brain using the principle of stereoscopic vision to simulate the perception of depth and to create 3D images and spaces, the VR has to generate two different images one for each eyes. The lenses of the visor augments the eyes in such a way we can converge the two scenes to obtain only one but that seems to be

in the 3 dimensions space. Finally it can track the head movement so when we move it the space updates.



Figure 5: Stereoscopic image and the correspondent 3D image

Nowadays HMD are very popular and the costs are in a very big range from a cheap one, like Google Cardboard [10], to a more expensive one, like Samsung Gear VR [33], so the VR is for everyone. The VR is also used in a lot of different sectors as we can see in the following graph representing the investments in the 2015 taken from Digi-Capital [13].




Figure 6: Virtual Reality investments sectors

0.3 Touchscreen

Touchscreen technology is something we have had for a longer time one can think. The first touchscreen device in fact was a radar built in capacitive way and dates back to around 1966. Its invention is due to E. A. Johnson and it works using a sheet of conductive, transparent material with a small current flowing on it. The central computer computes the current at each of the four corners, and when an objects touches the screen, a capacitor is formed between it and the platform and measuring

again, the current on the corners the computer is able to approximately compute the point in which there was the touch.

At first this technology was abandoned, then in the first 2000s it was used on BlackBerry devices, but the major explosion of touchscreen devices is in the 2007, when Apple releases the first iPhone. [18] From that point on, touchscreen devices become increasingly used (as we can see from the graph below related to phones) and have had an explosive growth due to their main characteristic: the human computer interaction.




Figure 7: Evolution of touchscreen

This interaction could be exploited by the fact that the user could touch directly what he wants without recurring to a third element (like a mouse) and this is particularly appealing because it makes the interaction more intuitive and allows a better usability of the system that is one of the main reasons of the success of this kind of devices. Moreover this improved usability will result in a easier training of people that learns faster and better with reduced costs due to the fact that this technology has grown a lot in recent years and it is no longer excessively expensive and resource-hungry [12].

0.4 Neurodevelopmental Disorder

The term neurodevelopmental disorder, NDD, contains within it all the conditions that are caused by a dysfunction of a part of the brain or nervous system that show some symptoms in the physical and psychological development of the child [14].

Among the most common diseases we find Autism, ASD, attention deficit and hyperactivity, ADHD, and Down syndrome [8]. Children who suffer from these syndromes need help in developing cognitive abilities such as attention and language, social skills such as the ability to relate to others and personal and domestic autonomy skills. Dr. Dorothy Strickland, Department of Computer Science of North Carolina State University, in her treatise on the study of a VR application for autistic children [31], states that among the great benefits that can be found are: control on input stimuli, small changes to reach a generalization, safe learning situations, personalized treatment and learning with minimal human interference. In recent years there has been an increase in interest in the use of VR especially in the field of NDDs, [34] and [17], as, as stated in [20], both the strength and limitations of Virtual Reality seem to adapt good for the needs that the learning tools for this type of disability require.

As for the spread of these diseases take for example the autism on which there are no certain data, but there is agreement on the fact that the phenomenon is growing. According to the World Health Organization (WHO), ASD affects one child in 160 and recent estimates by the Cdc (Center for Disease Control) indicate that 3 million people are affected by this disorder in the US and about 60 million in world. According to estimates gathered by World Atlas, it would be Japan and Great Britain where autistic disorders occur more often.




Figure 8: Autism diffusion by World Atlas

0.5 GEA

Descrizione ed evoluzione di GEA

0.5.1 Thesi Structure

The thesis is organized as follows:

Chapter 2 (State of the art) In this section we show all the technologies for Virtual Reality, explaining how they work and their relation with NDD people. We present also an instrument very useful for therapist that allow to replicate the smartphone's screen, Google Chromecast, and the touchscreen evolution. Finally we describe the projects already developed about food education.

Chapter 3 (Target groups, needs and requirements) Here we present the on-lus we collaborate with to better understand the NDD problematic and to evaluate our application. Next we talk about our context, need and goals, all the requirements we have and all the constraints are imposed to us.

Chapter 4 (Design) In this chapter we put an high-level description of our project and every application's part is described in details. After that we put possible scenarios and the user experience.

Chapter 5 (Implementation) We present all the tools used to build up our application and the hardware and software architecture description.

Chapter 6 (Content issues) POSSIBILI PROBLEMATICHE SE PRESENTI

Chapter 7 (Evaluation) We show the evaluation sessions describing all the results, feedbacks and opinions we collect to improve our project.

Chapter 8 (Value proposition) We discuss about the effects that our application has on the target group but also on therapists and families. PAPER SE CE LA FAMO.

Chapter 9 (Future work) Possible future projects that comes from this one.

0.5.2 Origin of the name

We decide to give the name GEA to our application because of two reasons. The first one is that Gea, in the greek mythology, was the personification of the Earth, the mother of all life so she is also the symbol of the nature that recalls the nutrition's topic. The second motivation is that in Italian Gea is the acronym of "Gioco Educazione Alimentare", which translated is "Food Education Game", in this way in the title there is the objective's explanation.

LOGOOOOO

Chapter 1

State of the art

In our era technology has a fundamental role in almost every field. From the simple communications activities to those related to medical researches, technology is something we cannot do without. It is also a great opportunity in educational field, where it is demonstrated that the so called "stealth learning" (i.e. the help of technologies in educational scope) [29] is a solution to create a greater emotional involvement and that has as a consequence the ability to increase learner's learning opportunities. In our specific case, stealth learning is suitable for the treatment of patients affected by NDD to develop their cognitive, emotional and intellectual skills.

1.1 Modern technologies for NDD people

All the new existing technologies are now helping therapists and families to deal with neurological disabilities. In fact, in addition to virtual reality, smart objects, multisensor environments or smart spaces and conversational agents are used.

Smart objects are devices that can interact not only with the user but also with other similar devices and with the surrounding environment. Physical world can be described in terms of three properties [19]: awareness (is a smart object to be able to understand events and human activities occurring in the physical world), representation (refers to a smart object's application and programming model) and interaction (denotes the object's ability to converse with the user in terms of input, output, control, and feedback).

Examples are Dolphin Sam [1] and Huggable [2].

Smart spaces or multisensor environments are rooms in which children can play or interact in a controlled way because they are equipped with technological items like cameras, smart objects, leds and projectors.

Examples are Magic K room e M4All [3].

Conversational agents are devices that can communicate with the user in a manner consistent with what is required: an interaction of the user is answered by the agent

who must be with sense.



Figure 1.1: Dolphin Sam and Magic K Room

1.2 Virtual Reality

The great benefits of using Virtual Reality in an educational and rehabilitation context are now recognized worldwide and tested through various comparative tests between rehabilitation with the use of new technologies and rehabilitation with the use of classical methods [32], [22], [4]. In [25] a review is carried out on recent literature to support and demonstrate the effectiveness of the use of VR with autistic children and in [24] the effects of a virtual reality game are analyzed to demonstrate the increase in social and emotional activities on a sample of 30 children between 7 and 16 years who suffer from ASD.

As previously mentioned, for the development of GEA, an approach that uses Wearable Immersive Virtual Reality (WIVR) has been preferred since the possibility of a complete immersion in the environment and the removal of many distractions are the basis of an effective therapy. The user is in a world similar to the real one but safer as there is nothing that can hinder his learning and is reduced to the maximum the "fear" of making mistakes: it is as if the person could "train" the daily life so you can be ready and not catapulted into a world difficult for him. The use of the viewer also allows you to maintain a greater level of concentration because the player can not distract looking elsewhere or perceive the looks and reactions of those around, the only source of disturbance will then be sound. Once this type of games was not accessible to everyone because of the costs of technology and the problems that have been encountered in using it, such as a sense of nausea as stated by the United States Army in [15], but nowadays many steps have been taken and viewers, as well as virtual reality itself, are within everyone's reach.

Regarding the technology of Virtual Reality viewers, HMDs, now on the market there is a clear division between two currents: embedded viewers, such as HTC Vive Pro, [26], and modular viewers, such as Google Cardboard, [10], and Samsung Gear VR, [33].

HTC Vive Pro



Figure 1.2: HTC Vive Pro

HTC Vive Pro is an advanced virtual reality headset developed by HTC and Valve Corporation. The Vive Pro uses two screens, one per eye, each having a display resolution of 1440x1660. The displays are made of AMOLED technology, having a refresh rate of 90 Hz (90 frames per second). The device uses these sensors: SteamVr Tracking, G-Sensor, gyroscope, proximity and IPD sensor. It uses optimized ergonomics and lenses with 110 degrees. But it has a very high cost: 879 euro only the visor and 1399 euro the complete pack (from the official store).

Google Cardboard



Figure 1.3: Google Cardboard

Google Cardboard is composed of two biconvex lenses mounted on a plastic or cardboard frame available in different colors and shapes. The smartphone placed inside this structure shows the visual contents, subdividing them into two-dimensional images with two identical dimensions, and the interaction is obtained through the

focused gaze. The user can navigate the virtual world by rotating his head which will consequently rotate the virtual scene projected on the display.

Samsung Gear VR



Figure 1.4: Samsung Gear VR

Samsung Gear VR is still a modular HMD, produced by Samsung and Oculus VR. It is lightweight and with a good quality of materials, it has accelerometer, gyroscope and proximity Sensor but we can use it only with Samsung smartphones with some specifics. It costs more than Cardboard but it is not so expensive.

During the implementation and testing phases of GEA we decided to use the modular visor as it turns out to be the most economical choice on the market and the financial factor is of great importance since the game is designed to be integrated into existing and widely adopted in therapeutic programs.

1.3 Touchscreen

The massive evolution that touchscreen devices have had in recent years, has strongly influenced our way of life. The amount of time a person spends on internet or on electronic devices in general is something that continues to grow every year. From a general point of view this is surely not a good thing because it has a large number of consequences that we have to take care of.

This new trend of life surely influences also children, that spend a lot of their time playing games on touchscreen devices, that are more accessible than traditional computers and video games because the motor skills needed to use them are not necessary.




Figure 1.5: Time spent by children at playing games

Despite this kind of behaviour is largely criticized and not recommended by doctors and psychologists, the experiment conducted by B. Huber, J. Tarasuik, M.N. Antoniou, C. Garrett, S.J. Bowe and J. Kaufman [9] demonstrated that children could learn from touchscreen educational games and apply this knowledge on physical problems. In fact there're a lot of applications thought for this purpose that help children to develop memory, problem-solving and executive functioning skills that could then be applied to real-world problems. The experiment shows substantially that there's no difference in learning for children that use real objects from those who learn only on touchscreen application. In particular, as observed by M.J. Mayo [21], games could involve children more easily due to the presence of images, animations and sounds. Moreover, they're particularly adept at dosing information delivery. On a touchscreen application it is easy to complicate things and to add visual elements as the difficulty increases, while maintaining the focus on a small area that avoid extraneous distractions, so these educational games seems to be effective in enhancing motivation and increasing children interest in subject matter that leads to more effective learning [7].

1.4 Google Chromecast

1.5 Projects about food education

In the specific field of food education, we could find different kinds of game developed for touchscreen devices. In particular one example is the Food pyramid game developed by the Colorado State University [28] as a game to teach children what are the five main food groups and how to apply this knowledge to plan meal

and snacks in order to increase their self-efficacy. This game is composed by various challenges regarding the food pyramid, and the researches has concluded that a game composed with a challenge is more effective that one based on a storyline.

Chapter 2

Target groups, Needs and Requirements

2.1 Requirements elicitation

2.2 Onlus varie

2.3 Main target groups

There are three main categories of stakeholders involved in our application:

- The first group is composed by children with NDD because they can have great benefits in using it. It can also be used by children not affected by this syndrome but it can result "simple".
- In the second group there are therapists, in hospitals or organizations, educators and all the other people that have to teach food education to NDD children. They can integrate their lessons with a game session using GEA to improve understanding and have a feedback on children's knowledge so it can be used in specialized centers or schools but also at home because you need only few technological instruments and not very high capabilities in computer science.
- The third group encloses developers, managers, researchers, designers, VR companies and all the people that can be affected by GEA diffusion and results.

2.4 Context and need addressed

2.5 Constraints

2.6 Goals

2.7 Requirements

elencati

Chapter 3

Design

3.1 General approach

3.2 Descrizione singole parti

3.3 Scenarios

3.4 UX

3.4.1 Site maps

3.4.2 Pages

3.4.3 Use cases

activity diagram

Chapter 4

Implementation

4.1 Tools

4.2 Hardware Architecture

4.3 Software Architecture

Chapter 5

Content issues

Problems and solutions con tabella pro e contro.

Chapter 6

Evaluation

Fasi varie strutturate con: objectives, participants, test setup, introduction to the test, test procedure, feedback, test results and conclusions.

Chapter 7

Value proposition

Chapter 8

Future work

Bibliography

- [1] Dolphin sam. <http://dolphinsam.com/index.html>.
- [2] Huggable. <http://robotic.media.mit.edu/portfolio/huggable/>.
- [3] M4all. <http://i3lab.me/projects/m4all>.
- [4] *Research in Developmental Disabilities*, volume 32, chapter Effectiveness of virtual reality using Wii gaming technology in children with Down syndrome, pages 312–321. January-February 2011.
- [5] SL Lukacs AM Branum. Food allergy among us children: trends in prevalence and hospitalizations. *NCHS Data Brief*, (10), 2008.
- [6] Muhanna A.Muhanna. *Virtual reality and the CAVE: Taxonomy, interaction challenges and research directions.*, volume 27, pages 344–361. Journal of King Saud University - Computer and Information Sciences, July 2015.
- [7] L. Annetta. *Videogames in education: why they should be used and how they are being used*.
- [8] American Psychiatric Association. *Diagnostic and statistical manual of mental disorders (DSM-5 R)*. 2013.
- [9] M.N. Antoniou B. Huber, J. Tarasuik et al. *Young children’s transfer of learning from a touchscreen device*.
- [10] Google Cardboard. <https://www.google.com/intl/en/get/cardboard/>.
- [11] DS Ludwig CB Ebbeling, DB Pawlak. *Childhood obesity: public-health crisis, common sense cure.*, volume 360, pages 473–482. The Lancet, August 2002.
- [12] Chris Creed. *Advanced Interaction Group*.
- [13] Digi-Capital. <https://www.digi-capital.com/news/2016/01/arvr-investment-in-2015-breaks-out-near-700-million/#.VznX0RWLRE4>.
- [14] EPA. https://www.epa.gov/sites/production/files/2015-10/documents/ace3_neurodevelopmental.pdf, 2015.

- [15] Kolasinski Eugenia. *Simulator Sickness in Virtual Environments*. United States Army Research Institute for the Behavioral and Social Sciences, May 1995.
- [16] B. Delaney F. Biocca. *Communication in the age of virtual reality*. 1995.
- [17] Daniele Occhiuto Franca Garzotto, Mirko Gelsomini. Wildcard: Awearable virtual reality storytelling tool for children with intellectual developmental disability. In *Annual International Conference of the IEEE Engineering in Medicine and Biology Society*, 2016.
- [18] Andre Infante. *The evolution of touchscreen technology*.
- [19] Daniel Fitton Kortuem Gerd, Fahim Kawsar et al. Smart objects as building blocks for the internet of things. In *IEEE Internet Computing*, volume 14, pages 44–51, 2010.
- [20] Strickland D. Marcus L. et al. Using virtual reality as a learning aid for autistic children. In *Proceedings of the Autisme France 3rd International Conference on Computers and Autism.*, 1995.
- [21] M.J. Mayo. *Videogames: a route to large-scale STEM education?*
- [22] Denise Reid Michelle Wang. Virtual reality in pediatric neurorehabilitation: Attention deficit hyperactivity disorder, autism and cerebral palsy. <https://www.karger.com/Article/Pdf/320847>.
- [23] Michel Montignac. *La storia dell'alimentazione dell'uomo*.
- [24] Tandra Allen Nyaz Didehbani et al. Virtual reality social cognition training for children with high functioning autism. In *Computers in human behavior*, pages 703–711, 2016.
- [25] Karen Goldschmidt Pelagia Papathomas. Utilizing virtual reality and immersion video technology as a focused learning tool for children with autism spectrum disorder. *Journal of pediatric nursing*, pages 8–9, 2017.
- [26] HTC Vive Pro. <https://www.vive.com/eu/product/vive-pro-full-kit/>.
- [27] Stefan Seipel. An introduction into virtual reality environments. https://www.it.uu.se/edu/course/homepage/igs/ht06/lect/F1_igs_intro_vr.pdf, 1997.
- [28] E.L. Serrano. *The evaluation of food pyramid games, a bilingual computer nutrition education program for latino youth*.
- [29] Laura A. Sharp. *Stealth learning: unexpected learning opportunities through games*.

- [30] Jonathan Steuer. *Defining Virtual Reality: Dimensions Determining Telepresence*. 1993.
- [31] Dorothy Strickland. *A Virtual Reality Application with Autistic Children*.
- [32] Sarah Parsons Thomas D. Parsons, Giuseppe Riva et al. Virtual reality in pediatric psychology. http://pediatrics.aappublications.org/content/pediatrics/140/Supplement_2/S86.full.pdf.
- [33] Samsung Gear VR. <https://www.samsung.com/global/galaxy/gear-vr/>.
- [34] Chung-Sung Yang Yufang Cheng, Cheng-Li Huang. Using a 3d immersive virtual environment system to enhance social understanding and social skills for children with autism spectrum disorders. focus on autism and other developmental disabilities. <https://doi.org/10.1177/1088357615583473>, 2015.

Appendix A

First appendix - User manual

Appendix B

Second appendix - Questionar

