

Contents

1	Intr	roduction				
	1.1	Purpose				
		1.1.1 Goals				
	1.2	Scope				
	1.3	Definitions, Acronyms, Abbreviations				
1.4 1.5		Revision history				
2	Ove	Overall Description				
	2.1	Product perspective				
		2.1.1 Scenarios				
		2.1.2 UML diagram				
	2.2	Product functions				
		2.2.1 e-Mobility Service Providers (eMSP)				
		2.2.2 Charge Point Management System (CPMS)				
2.3		.3 User characteristics				
	2.4	Assumptions dependencies and constraints				
		2.4.1 Assumptions				
		2.4.2 Constraint				
3	Spe	pecific Requirements 10				
	3.1	External interfaces requirements				
		3.1.1 User interfaces				
		3.1.2 Hardware interfaces				
		3.1.3 Software interfaces				
		3.1.4 Communication interfaces				
	3.2	Punctional requirements				
	3.3	Performance requirements				
	3.4	Design constraints				
		3.4.1 Standards compliance				
		3.4.2 Hardware limitations				
		3.4.3 Other constraints (TODO MAYBE)				
	3.5	Software system attributes				
		3.5.1 Reliability				
		3.5.2 Availability				
		3.5.3 Security				
		3.5.4 Maintainability				



	3.6	3.5.5	Portability	11
		Requirements		
		3.6.1	External Interface Requirements	11
4	Formal Analysis Using Alloy			12
5	Effo	ort Sper	nt	13



1 Introduction

- Aggiungere nei world phenomena il ChargingType
- Inserire "vehicle type" all'interno dell'attore auto (Ho messo consumption per Km perchè altrimenti avremmo dovuto definire una sorta di lista di tipi di macchine)
- Controlla che gli Scenarios siano coerenti con l'UML
- Aggiorna Requirements con spiegazione di EnergySourceStrategy
- Update Scenarios with "Giochini di Emilio" Better explain in Requirements(not sure) how the system suggest a charge

1.1 Purpose

Due to the recently increase of effort in the battle against the climate change, electric vehicles are slowly becoming the new technology for private transport that the people use everyday. To sustain this type of strategy, we need to develop a clever and capillary charging system.

e-Mobility for All (eMall) is an eMSP that aims to help the final user dealing with the charging need. To do so it will inform the user about the nearby charging stations, their cost and any special offer that they have. Also, it will allow the user to book/cancel/pay a charge and will notify the user when the charging process is terminated. With the integration of the user's calendar, the system will also suggest the user the best moment in the schedule to charge the vehicle. To have a fully integrated system, all the Charging Point Operatorss (CPOs) will have a technological support called CPMS to interface the service with the physical charging stations and to manage all the energy sources like batteries and Distribution System Operatorss (DSOs). Such CPMSs will be in charge of deciding the energy source and, in case of batteries in a charging station it will also manage their charging. These decisions will affect the energy prices, so it is important that a system like this allows also the CPO maintainers to decide it.

1.1.1 Goals

- **G1** The eMSP shall help the user to select the station;
- **G2** The eMSP shall allow the user to book/cancel a charge;
- **G3** The eMSP shall allow the user to perform a charge;
- **G4** CPMSs shall handle the vehicle charging cycles;
- **G5** CPMSs shall manage the vehicle charging stations;

1.2 Scope

- W1 People charge electric vehicles; [G1, G2, G3, G4]
- W2 People use web calendar; [G1, G2, G3]



W3 People pay for the charging service; [G3]

W4 DSOs supply energy to CPOs; [G5]

W5 Some CPOs own batteries; [G4, G5]

W6 CPOs decide whether to use batteries or DSO supplied energy; [G4, G5]

S1 The eMSP suggests the user to charge the vehicle; [G1]

S2 The eMSP notifies the user when the charging process is finished; [G3]

S3 CPMSs acquire information about energy prizes from DSOs; [G5]

S4 The user books a charge using the eMSP; [G2]

S5 The user asks the eMSP for suggestions about charging station; [G1]

S6 The user pays for the service using the eMSP; [G3]

S7 CPOs gather the energy source through the CPMS; [G4, G5]

1.3 Definitions, Acronyms, Abbreviations

eMSP e-Mobility Service Providers **DSO** Distribution System Operators

CPO Charging Point Operators **eMall** e-Mobility for All

CPMS Charge Point Management System API Application Programming Interface

1.4 Revision history

1.5 Reference Documents

1.6 Document Structure



2 Overall Description

2.1 Product perspective

2.1.1 Scenarios

It is assumed that in S4,S5,S6,S7 the user is already logged in the system (S2)

S1 User Signs up:

Lucy, wanting to use the system, opens the app, she is prompted to login or register, she chooses to register herself and inserts her personal info (email, password, birthday, payment information,); an email is sent with a link to confirm the activation of the account, if the link is clicked within the first 15 minutes the account is activated and the sign up is successful, otherwise it is considered failed and the process must be repeated.

S2 User Logs in:

Jay, after signing up, opens the app and he is prompted to insert his email and password, if the given information are correct the login is successful and he obtain access to his account and the service of the apps, otherwise the login is unsuccessful and it must be repeated.

S3 User searches for stations:

Robert, once logged in, inserts the location and the time frame to search for charging stations. Once submitted a list of available charging station is displayed, the list is ordered by the distance of the station from the desired location. Via a menu Robert can choose to order the station either via distance, price or charging type(superfast,fast,normal); or to display unavailable station and set the maximum distance from the chosen location. Robert chooses a station obtaining more detailed information.

S4 User books a charge:

Jessica, after choosing a station, decides to book it, the station location and booked time frame are displayed and she is asked to confirm the booking via a popup. Jessica then receives a confirmation email with the details of the charge (Location, time frame, socket id) and a confirmation pin to insert at the station.

S5 User cancels a charge:

Luke, after booking a charge wants to cancel it, he opens the app, select the booking he wants to cancel, and press the Cancel button, a popup appear asking confirmation, if it is pressed the booking is removed, the station returns available and a confirmation email is sent to the user; otherwise the booking is still valid.

S6 User charges the vehicle:

Mary, after booking a charge, arrives at the station, she parks her vehicle at the designed socket and plugs her vehicle in, Mary then inserts the confirmation pin in the socket to start the charge. The socket displays on a monitor the status and the finishing time of the charge. Once the charge is finished Mary receives a notification of finished charge, she gets her vehicle and complete the charge.



S7 User gets charging suggestion based on his calendar:

Josh is a very busy man, is also an avid google calendar user, setting up every event with correct time and location. The service accessing his calendar finds the closest available charging station to each vehicle movement, it connects to the vehicle while driving and stores the last charge level and once the battery is below fifty percent Josh gets notified about the possibility to charge his vehicle in an available time-slot and near his movement. Josh liking the idea open the app and confirms the booking.

S8 Cpo subscribes to the system:

Judy, the CEO of a famous CPO, wants to subscribe it to EMAll to improve sales and to access the CPMS feature. She opens a Website and select to sign up, she inserts the name, partita iva, a master password and the stations of the CPO. For each station she has to insert the number of charging port, the presence of batteries and, if there are any, wether to use the CPMS automatic source selector or to choose the preferred energy source.

S9 Cpo updates info about its system:

The sysadmin of a CPO, Andy, after logging in with the master password has access to his CPO. Here he can change the number of stations, for each station he can update the number of socket and the energy source. He can also create and update maintainer account inserting the ID and password. For each maintainer he can choose which station the maintainer can maintain.

S10 Cpo employee logs in the service:

Brett a CPO employee wants to access the service, he connects to the site and inserts the ID and password, if correct he logs in; otherwise the procedure fails and must be repeated.

S11 Maintainer maintains his assigned stations

Lisa, a maintainer at a cpo logs in the service, here she can see the info of each station assigned to her. For each station she can: check the status(functioning or not), choose the energy source, update the number of available sockets. She can monitor the consumes, profitability and the usage of a specified station.



2.1.2 UML diagram




Figure 1: UML

2.2 Product functions

In the following subsections the functions of each subsystem are described.

2.2.1 **eMSP**

Accessing the eMSP In order to have a personalized experience the system needs accounts. So a registration and login process is present. When registering it's required to give the system Name, Surname, e-Mail, Password and a Payment Method. For the login, an authentication with e-Mail and password is required.

Performing a charge The principal feature of the system is the ability to help the people to plan a charge for their vehicles efficiently. For this, people can see the availability of charging stations and choose where and in which time slot to charge the vehicle. Also, if a user changes his mind, there is the possibility to delete a previously booked charge with no charge. When the user arrives in the booked socket of the charging station, he has to insert the pin that the application displays in order to let the charging process begin. Always through the application, the user is able to pay for the service thanks to the previously inserted payment method. The system also notifies the user when the charging process is completed.

Retrieving informations about charging stations Whenever a user selects a charging station, various informations are shown in order to help the user to make a decision on which station to choose. Informations reguard location, price, a parameter on how green the energy provided is, special offers and availability of sockets in the station.



Get suggestions about the recharge of the vehicle An additional feature the system offers reguards a proactive suggestion about the recharge of the vehicle. Thanks to the connection of the application with the vehicle and with the electronic calendar, the system is able to suggest to the user where and when to charge the vehicle in order to satisfy certain parameters chosen by the user. These may involve minimizing the cost of the recharge, minimizing the environment impact of our recharge, minimizing the distance from the scheduled appointments.

2.2.2 **CPMS**

Accessing the **CPMS** as **CPO**

Manage the energy source for a charging station

Providing charging station informations for utilizators

Providing charging station informations for maintainers

Acquire informations about DSOs price

2.3 User characteristics

We consider the following actors in the eMall system:

- **A1 Unregistered user:** A user that needs to register before accessing all the eMall or CPMS services;
- **A2 Registered default user:** A user that has access to all the eMall features. This actor is associated to an electric vehicle and can visualize the nearest stations, book/cancel/pay a charge, visualize the status of a charge and activate the automatic suggestion service based on the agenda;
- **A3 Registered CPO maintainer user:** A user that has access to all the CPMS features. These features allow the maintainer to configure the CPMS depending on the energy source strategy and visualize all charging stations statuses;

2.4 Assumptions dependencies and constraints

2.4.1 Assumptions

- **DA1** Users insert genuine data in the forms;
- DA2 Users(Including CPOs) do not use the system with malicious intent;
- DA3 All the electric vehicles can be charged by all the stations (no incompatibility);
- **DA4** All the user have an active internet and GPS connection always available while using the service;



2.4.2 Constraint

C1 If a User wants to change the time slot of a charge he is required to cancel and re-book the charge;



3 Specific Requirements

3.1 External interfaces requirements

3.1.1 User interfaces

- **R1** The eMSP must allow the users to register (providing email, password, payment method and his infos);
- **R2** The CPMS must allow the CPOs to register (providing email, password, id-station, partita iva, number of possible charging slots);
- **R3** The system must allow the CPOs to modify the possible charging slots in their stations;
- R4 The system must verify the correctness of the identification data for the CPOs;
- **R5** The system must allow the user to login;
- **R6** The system must allow the user to choose a specific station, a timeslot;
- **R7** The system must notify the user when the charging process is finished via a notification;
- **R8** The CPMS must allow the CPOs to choose the mode (manual or automatic) of operation

3.1.2 Hardware interfaces

3.1.3 Software interfaces

3.1.4 Communication interfaces

3.2 Functional requirements

- **R1** The system must provide information () about the stations nearby;
- **R2** The system must reserve a position for a user who registered for a charge through the application;
- **R3** The system mustn't have collisions in the booking of charges; (non si possono registrare più di X user per timeslot sovrapposti)
- **R4** The system must take the service money from the user payment method after the charging is finished;



3.3 Performance requirements

- 3.4 Design constraints
- 3.4.1 Standards compliance
- 3.4.2 Hardware limitations
- 3.4.3 Other constraints (TODO MAYBE)
- 3.5 Software system attributes
- 3.5.1 Reliability
- 3.5.2 Availability
- 3.5.3 Security
- 3.5.4 Maintainability
- 3.5.5 Portability
- 3.6 Requirements
- 3.6.1 External Interface Requirements



4 Formal Analysis Using Alloy



5 Effort Spent

- 15/11/2022: 15:00 18:00 Federico, Emilio and Matteo
- 16/11/2022: 08:30 10:00 Emilio
- 17/11/2022: 21:00 23:00 Federico, Emilio and Matteo
- 18/11/2022: 10:00 12:00 Emilio and Federico
- 21/11/2022: 19:00 20:00 Matteo
- 22/11/2022: 14:30 16:00 Matteo
- 23/11/2022: 10:30 11:30 Matteo
- 24/11/2022: 21:30 22:30 Matteo and Federico
- 25/11/2022: 09:00 09:30 Federico
- 25/11/2022: 19:00 19:30 Matteo
- 26/11/2022: 08:30 09:00 Federico
- 26/11/2022: 16:00 17:00 Federico, Emilio and Matteo
- 28/11/2022: 08:30 09:00 Federico
- 28/11/2022: 10:00 12:00 Emilio
- 30/11/2022: 22:00 23:00 Emilio
- 28/11/2022: 08:00 08:30 Federico
- 01/12/2022: 16:00 17:30 Matteo
- 01/12/2022: 20:30 21:30 Emilio
- 01/12/2022: 21:30 23:00 Federico, Emilio and Matteo
- 04/12/2022: 19:00 20:00 Emilio
- 05/12/2022: 09:00 09:30 Federico
- 05/12/2022: 11:00 11:45 Emilio
- 05/12/2022: 15:00 16:30 Matteo