
Microsoft

NORTHWIND AIRPORT · CUSTOMS TRIAL

One quick scan, no queue

One scan answers 20 questions; fixed rules decide the rest.

YN Your Name Customs trial Trial Nov 2026



Sources: Sample data, made up for this example

THE JOB

Before a bag goes through, someone decides

FORM

Clothes and
some gifts

1 2 3 4 5 6 7

You declare what is in the bag.

Sources: Sample data, made up for this example

THE JOB

Before a bag goes through, someone decides

FORM

Clothes and
some gifts



THE SCAN




1 2 3 4 5 6 7

The scanner sees what is inside.

Sources: Sample data, made up for this example

THE JOB

Before a bag goes through, someone decides




1 2 3 4 5 6 7

Someone checks the form and the picture.

Sources: Sample data, made up for this example

THE JOB

Before a bag goes through, someone decides




1 2 3 4 5 6 7

Harmless and as declared: it goes through.

Sources: Sample data, made up for this example

THE JOB

Before a bag goes through, someone decides




1 2 3 4 5 6 7

Otherwise it is opened with you, and why.

Sources: Sample data, made up for this example

THE JOB

Before a bag goes through, someone decides




1 2 3 4 5 6 7

Mistake 1 is dangerous.

Sources: Sample data, made up for this example

THE JOB

Before a bag goes through, someone decides



1 2 3 4 5 6 7

Mistake 2 is annoying.

Sources: Sample data, made up for this example

IN USE TODAY

Today, an officer reads every bag

THE SCANNER SEES



Near the limit

1 2 3 4 5 A bag reaches the hall.

Sources: Sample data, made up for this example

IN USE TODAY

Today, an officer reads every bag

THE SCANNER SEES

cash, 9,800 EUR in a book

Near the limit



1 2 3 4 5

An officer reads the X-ray and the form.

Sources: Sample data, made up for this example


IN USE TODAY

Today, an officer reads every bag

THE SCANNER SEES

`cash, 9,800 EUR in a book`

Near the limit



1 2 **3** 4 5 They write CLEAR or OPEN, and why.

Sources: Sample data, made up for this example


IN USE TODAY

Today, an officer reads every bag

THE SCANNER SEES

`cash, 9,800 EUR in a book`

Near the limit



1 2 3 4 5 OPEN: the bag goes to the desk, with the reason.

Sources: Sample data, made up for this example

IN USE TODAY

Today, an officer reads every bag

THE SCANNER SEES

cash, 9,800 EUR in a book

Near the limit



1 officer per bag



OPEN

Cash hidden in a book.

Customs · Hall B

Open this bag?

Cash hidden in a book.

Open Release

1 2 3 4 5 About 7.5 seconds, every bag.

Sources: Sample data, made up for this example

TWO KINDS OF CHECK

One writes a note, one fills a checklist

Officer

Writes a note

VS

OPEN

A flare counts as an explosive, even on a boat.

WHAT IT GIVES BACK

7.5 s — HOW LONG IT TAKES

Can change — ASK IT TWICE

1 2 3 4 5 The officer writes a sentence.

Sources: Sample data, made up for this example

TWO KINDS OF CHECK

One writes a note, one fills a checklist

Officer

Writes a note

VS

Quick check

A checklist

OPEN

A flare counts as an explosive, even on a boat.

20 numbers: how sure is “yes”?

Explosive?

On the declaration?

Plants or soil?

WHAT IT GIVES BACK

7.5 s — HOW LONG IT TAKES

Can change — ASK IT TWICE

1 2 3 4 5 The quick check fills a checklist.

Sources: Sample data, made up for this example

TWO KINDS OF CHECK

One writes a note, one fills a checklist

Officer

Writes a note

VS

Quick check

A checklist

	Officer		Quick check
WHAT IT GIVES BACK	OPEN A flare counts as an explosive, even on a boat.		**20 numbers: how sure is “yes”?** Explosive? 100% On the declaration? 12% Plants or soil? 0%
HOW LONG IT TAKES	7.5 s		
ASK IT TWICE	Can change		

1 2 3 4 5 Each answer says how sure it is.

Sources: Sample data, made up for this example

TWO KINDS OF CHECK

One writes a note, one fills a checklist

Officer

Writes a note

VS

Quick check

A checklist

OPEN

A flare counts as an explosive, even on a boat.

WHAT IT GIVES BACK

20 numbers: how sure is “yes”?

Explosive?	100%
On the declaration?	12%
Plants or soil?	0%

7.5 s	HOW LONG IT TAKES	1.5 s
Can change	ASK IT TWICE	Same every time

1 2 3 4 5

In seconds, the same every time.

Sources: Sample data, made up for this example

TWO KINDS OF CHECK

One writes a note, one fills a checklist

Officer

Writes a note

VS

Quick check

A checklist

OPEN

A flare counts as an explosive, even on a boat.

20 numbers: how sure is “yes”?

Explosive?	100%
On the declaration?	12%
Plants or soil?	0%

Officer		Quick check
7.5 s	HOW LONG IT TAKES	1.5 s
Can change	ASK IT TWICE	Same every time
Writes one	A REASON YOU CAN READ	Can’t write one

1 2 3 4 5 Its reasons are printed in advance.

Sources: Sample data, made up for this example

HOW IT DECIDES

One quick scan, then fixed rules decide

CHECK

EVERY BAG ENDS ONE OF TWO WAYS

Through

Opened with you

1 2 3 4 Every bag ends one of two ways.

Sources: Sample data, made up for this example

HOW IT DECIDES

One quick scan, then fixed rules decide

CHECK

Quick check

20

questions · 1.5 s · **no queue**

EVERY BAG ENDS ONE OF TWO WAYS

Through

Opened with you

1 2 3 4 One quick scan: 20 questions.

Sources: Sample data, made up for this example

HOW IT DECIDES

One quick scan, then fixed rules decide

CHECK

Quick check → **Fixed rules**

20

questions · 1.5 s · **no queue**

{ }

printed, plain

EVERY BAG ENDS ONE OF TWO WAYS

Through

Opened with you

1 2 3 4 Then fixed rules decide.

Sources: Sample data, made up for this example

HOW IT DECIDES

One quick scan, then fixed rules decide

CHECK

Quick check → **Fixed rules**

20

questions · 1.5 s · **no queue**

{ }

printed, plain

EVERY BAG ENDS ONE OF TWO WAYS

Through

Opened with you


It goes through only when **nothing looks dangerous** and it **matches your form.**

1 2 3 4 **Both must hold.**

Sources: Sample data, made up for this example

20 QUESTIONS

It checks two things




What you declared

10 checks



Could it be dangerous?

10 checks



Does it match your form?




1 2 3 4 20 questions, under two plain ones.

Sources: Sample data, made up for this example


20 QUESTIONS

It checks two things



What you declared

Form: “Sailing gear from our boat trip: ropes, a life jacket, a torch.”




1 2 3 4 Could it be dangerous? Then it is opened.

Sources: Sample data, made up for this example

20 QUESTIONS


It checks two things



What you declared

Form: “Sailing gear from our boat trip: ropes, a life jacket, a torch.”

Form: “Only clothes, and **no food** this time.”




1 2 3 4 Not what you declared? It is opened.

Sources: Sample data, made up for this example

20 QUESTIONS

It checks two things




What you declared

Form: “Sailing gear from our boat trip: ropes, a life jacket, a torch.”

Form: “Only clothes, and **no food** this time.”

Form: “Clothes, two books and my laptop.”




1 2 3 **4** Harmless and as declared: it goes through.

Sources: Sample data, made up for this example

UP CLOSE

It holds an explosive, so it is opened

Form: “Sailing gear from our boat trip: ropes, a life jacket, a torch.”




1 2 3 4 You declared sailing gear.

Sources: Sample data, made up for this example

UP CLOSE

It holds an explosive, so it is opened

Form: “Sailing gear from our boat trip: ropes, a life jacket, a torch.”



Could it be dangerous?	
A weapon?	10%
Explosive?	100%
Ammunition?	100%
Sharp blade?	0%
Live animal?	0%
Plants or soil?	0%
Fresh meat?	0%
Large cash?	0%
Always open?	100%
Hidden space?	0%

Does it match your form?	
Signs it matches	
On the declaration?	12%
Under the allowance?	80%
Matches the trip?	64%
Personal use?	90%
Seen before?	5%
Doubts	
Hard to see inside?	8%
Not declared?	88%
Odd weight?	0%
Many of one thing?	0%
New packaging?	20%


1 2 3 4 One quick scan answers all 20 questions.

Sources: Sample data, made up for this example

UP CLOSE

It holds an explosive, so it is opened

Form: “Sailing gear from our boat trip: ropes, a life jacket, a torch.”



Could it be dangerous?	
A weapon?	10%
Explosive?	**100%**
Ammunition?	**100%**
Sharp blade?	0%
Live animal?	0%
Plants or soil?	0%
Fresh meat?	0%
Large cash?	0%
Always open?	**100%**
Hidden space?	0%

Does it match your form?	
Signs it matches	
On the declaration?	12%
Under the allowance?	80%
Matches the trip?	64%
Personal use?	90%
Seen before?	5%
Doubts	
Hard to see inside?	8%
Not declared?	88%
Odd weight?	0%
Many of one thing?	0%
New packaging?	20%


1 2 3 4 It holds an explosive: 100%.

Sources: Sample data, made up for this example

UP CLOSE

It holds an explosive, so it is opened

Form: “Sailing gear from our boat trip: ropes, a life jacket, a torch.”



Opened in 1.5 s · no queue

Could it be dangerous?	
A weapon?	10%
Explosive?	**100%**
Ammunition?	**100%**
Sharp blade?	0%
Live animal?	0%
Plants or soil?	0%
Fresh meat?	0%
Large cash?	0%
Always open?	**100%**
Hidden space?	0%

Does it match your form?	
Signs it matches	
On the declaration?	12%
Under the allowance?	80%
Matches the trip?	64%
Personal use?	90%
Seen before?	5%
Doubts	
Hard to see inside?	8%
Not declared?	88%
Odd weight?	0%
Many of one thing?	0%
New packaging?	20%


1 2 3 4 So it is opened with you at once.

Sources: Sample data, made up for this example

UP CLOSE

Hard to see inside, but declared: it goes through

Form: “Two bottles of wine for my sister, under the allowance.”




1 2 3 4 5 You declared two bottles of wine.

Sources: Sample data, made up for this example

UP CLOSE

Hard to see inside, but declared: it goes through

Form: “Two bottles of wine for my sister, under the allowance.”



Could it be dangerous?	
A weapon?	0%
Explosive?	0%
Ammunition?	0%
Sharp blade?	0%
Live animal?	0%
Plants or soil?	0%
Fresh meat?	0%
Large cash?	0%
Always open?	0%
Hidden space?	0%

Does it match your form?	
Signs it matches	
On the declaration?	96%
Under the allowance?	91%
Matches the trip?	70%
Personal use?	88%
Seen before?	30%
Doubts	
Hard to see inside?	74%
Not declared?	0%
Odd weight?	6%
Many of one thing?	3%
New packaging?	10%


1 2 3 4 5 One quick scan answers all 20 questions.

Sources: Sample data, made up for this example

UP CLOSE

Hard to see inside, but declared: it goes through

Form: “Two bottles of wine for my sister, under the allowance.”



Could it be dangerous?	
A weapon?	0%
Explosive?	0%
Ammunition?	0%
Sharp blade?	0%
Live animal?	0%
Plants or soil?	0%
Fresh meat?	0%
Large cash?	0%
Always open?	0%
Hidden space?	0%

Does it match your form?	
Signs it matches	
On the declaration?	96%
Under the allowance?	91%
Matches the trip?	70%
Personal use?	88%
Seen before?	30%
Doubts	
Hard to see inside?	74%
Not declared?	0%
Odd weight?	6%
Many of one thing?	3%
New packaging?	10%


1 2 3 4 5 **Could it be dangerous? No: all 0%.**

Sources: Sample data, made up for this example

UP CLOSE

Hard to see inside, but declared: it goes through

Form: “Two bottles of wine for my sister, under the allowance.”



Could it be dangerous?	
A weapon?	0%
Explosive?	0%
Ammunition?	0%
Sharp blade?	0%
Live animal?	0%
Plants or soil?	0%
Fresh meat?	0%
Large cash?	0%
Always open?	0%
Hidden space?	0%

Does it match your form?	
Signs it matches	
On the declaration?	96%
Under the allowance?	91%
Matches the trip?	70%
Personal use?	88%
Seen before?	30%
Doubts	
Hard to see inside?	**74%**
Not declared?	0%
Odd weight?	6%
Many of one thing?	3%
New packaging?	10%

1 2 3 4 5


A doubt: hard to see inside (74%).

Sources: Sample data, made up for this example

UP CLOSE

Hard to see inside, but declared: it goes through

Form: “Two bottles of wine for my sister, under the allowance.”



Could it be dangerous?

A weapon?	0%
Explosive?	0%
Ammunition?	0%
Sharp blade?	0%
Live animal?	0%
Plants or soil?	0%
Fresh meat?	0%
Large cash?	0%
Always open?	0%
Hidden space?	0%

Does it match your form?

Signs it matches	
On the declaration?	**96%**
Under the allowance?	91%
Matches the trip?	70%
Personal use?	88%
Seen before?	30%

Doubts	
Hard to see inside?	**74%**
Not declared?	0%
Odd weight?	6%
Many of one thing?	3%
New packaging?	10%

1 2 3 4 **5** But it is on your form (96%): it goes through.

Sources: Sample data, made up for this example

TRIAL RESULTS

Safer, fewer bags opened, a fifth of the wait

IN THE TRIAL WEEK

2,000 bags with a known answer

Officer today

Quick check

1 2 3 4 **Both checked the same 2,000 bags.**

Sources: Sample data, made up for this example

TRIAL RESULTS

Safer, fewer bags opened, a fifth of the wait

IN THE TRIAL WEEK

2,000 bags with a known answer

	Officer today		Quick check	
MISTAKE 1 **A dangerous bag went through** of 400 that should be opened *1 case = 1 bag*		**0.5%** 2 of 400	None	**0%** 0 of 400

1 2 3 4 A dangerous bag went through: 2 today, none new.



Sources: Sample data, made up for this example

TRIAL RESULTS

Safer, fewer bags opened, a fifth of the wait

IN THE TRIAL WEEK

2,000 bags with a known answer

	Officer today	Quick check
MISTAKE 1 **A dangerous bag went through** of 400 that should be opened *1 case = 1 bag*		
	0.5% 2 of 400	**0%** 0 of 400
MISTAKE 2 **A harmless bag was opened** of 1,600 harmless *1 case = 1 in 100*		
	22% 352 of 1,600	**12%** 192 of 1,600

1 2 3 4 Needless opens: 22% today, 12% new.



Sources: Sample data, made up for this example

TRIAL RESULTS

Safer, fewer bags opened, a fifth of the wait

IN THE TRIAL WEEK

2,000 bags with a known answer

	Officer today	Quick check
MISTAKE 1 **A dangerous bag went through** of 400 that should be opened *1 case = 1 bag*		
	0.5% 2 of 400	**0%** 0 of 400
MISTAKE 2 **A harmless bag was opened** of 1,600 harmless *1 case = 1 in 100*		
	22% 352 of 1,600	**12%** 192 of 1,600
Typical wait per bag *1 bar = 0.5 s*		
	7.5 s	**1.5 s** A fifth


1 2 3 4 Wait: 7.5 s today, 1.5 s new.

Sources: Sample data, made up for this example

TO WRAP UP

One quick scan.

Through, or opened with you, in seconds



1 2 3 One quick scan: through, or opened with you.

Sources: Sample data, made up for this example


TO WRAP UP

One quick scan.

Through, or opened with you, in seconds

No queue.

Safer, with 45% fewer bags opened for nothing



1 2 3 No queue at the desk.

Sources: Sample data, made up for this example

TO WRAP UP


One quick scan.

Through, or opened with you, in seconds

No queue.

Safer, with 45% fewer bags opened for nothing

Thank you. Questions?



Sources: Sample data, made up for this example