

Note to the user:

- *please delete page 1 (cover) and page 2 (second cover) before using the tmp/form;*
- *as per G-MNL A1200, please apply the appropriate confidentiality label before disclosing the tmp/form.*

Version Description Document (VDD)

G-TMP S0203 REV.01

GBMS	COUNTRY
	ALL
DOCUMENT TYPE	LANGUAGE
TEMPLATE	EN

REVISION HISTORY

Rev.	Date	Author	Approver	Authorizer	Revision Description
00	Mar 2022	D. Valin	R. Castagna	C. Giorgianni	First Issue
01	Apr 2025	E. Ricciardi	R. Castagna	L. Impagliazzo	Updated tables in §5 to include "Safety Related" column.

DOCUMENTS TREE

| L1. G-PRD S0200 S&T Configuration Management

| L2. G-PRC S0201 Configuration Management Activities

| L3. **G-TMP S0203 Version Description Document (VDD)**

Title	Code	Country	Rev	Page
Version Description Document (VDD)	G-TMP S0203	ALL	01	1/29

wayside-monitor

[The official Project Name shall be inserted in the relevant MS Word field]

Version Description Document (VDD)

[The document title shall be inserted in the relevant MS Word field]

[Please tailor the following table which refers to S&T.]

PBS Code	<PBS>
ABS Code	<ABS>
Area Code	<Area>
Phase Code	<Phase>
Type Code	<Type>

[PBS, ABS, Area, Phase and Type Codes shall be inserted in the relevant MS Word fields]

Document Code	<Document Code>	Revision	<Rev.>
External Code	<External Code>	Ext. Revision	<Ext. Rev.>
File Name	VDD-v1.1.docx	Page 2 of 29	

[HOW TO USE THIS TEMPLATE]

This document is the template for Version Description Document. Please refer to the following sections for guidance, format and style conventions.

INSTRUCTIONS

- *Blue italicized text enclosed in **square** brackets (**[text]**) provides instructions to the document author, or describes the intent, assumptions and context for content included in this document. The blue text in square brackets shall be deleted when compiling the document.*
- *Black text enclosed in **angle** brackets (**<text>**) indicates an additional Microsoft Word field (you can find the fields in the file properties) that should be replaced with information specific to a particular document.*
- *Black text enclosed in **curly** brackets (**{text}**) indicates a field that should be manually replaced with information specific to a particular project.*
- *Text provided in black without angle or curly brackets is part of the template and should not be altered.*

FORMATTING STYLE

- *The formatting style is set to Normal which is the style to be used for paragraph text throughout the document.*
- *Fonts shall not be changed; if source code needs to be included in the document and displayed in a mono spaced font, use Courier font.*

DOCUMENT CODES

- *If the document is issued under the responsibility of a supplier, please set the value of both External Code and External Revision fields as per supplier's quality system coding rules. Otherwise, the relevant MS Word fields shall be left blank.*
- *PBS, ABS, Area, Phase and Type Codes shall be used only for projects including more than one subsystem. For projects including only one subsystem, those fields shall be deleted (a choice of PE and PM); when used, the below meanings apply:*
 - o **PBS code:** identifies the Configuration Item (subsystem, sub-subsystem), which the document is related to.
 - o **Area code:** identifies the site / location (e.g., track site, station, vehicle).
 - o **ABS code:** identifies the activity, and the related PDM Functional Area (e.g.: quality assurance, environment, safety, design development)
 - o **Phase code:** identifies each main phase of the project life (e.g.: preliminary design, detailed design)
 - o **Type code:** identifies the document type (e.g.: plan, procedure, instructions, specifications, functional layout, wiring tables, report).

Please delete this page before releasing the document!

Document Code	<Document Code>	Revision	<Rev.>
External Code	<External Code>	Ext. Revision	<Ext. Rev.>
File Name	VDD-v1.1.docx	Page 3 of 29	

DISCLAIMER

Once the document is completed, please replace the disclaimer with the following statement:

© Property of _____ (name of the Legal Entity), _____ (year of creation and any other years of successive revisions), all rights reserved. The disclosure or other communication, copying, reproduction and any use whatsoever is forbidden without the written authorization of _____ (name of the Legal Entity).

Insert the proper Legal Entity (the one that signed the contract with the client) and year in the copyright disclaimer in the lower part of the footer.

DOCUMENT PROPERTIES AND FIELDS

- Please update the relevant document properties and refresh the related fields thorough the document (Select all document (CTRL+A) and press F9).
- Refresh fields in headers and footers.

Please delete this page before releasing the document!

Document Code	<Document Code>	Revision	<Rev.>
External Code	<External Code>	Ext. Revision	<Ext. Rev.>
File Name	VDD-v1.1.docx	Page 4 of 29	

Hitachi Rail <Company Name>
 DOCUMENT ISSUE

Date

06-JUN-2026

[Please tailor the following table which refers to S&T]

	Name and Surname	Designation	Signature
Author/Owner	Verdict (auto-generated)	AI Release Assistant	
Verifier	_to be assigned_	_to be assigned_	
Approver	_to be assigned_	_to be assigned_	
Authorizer	_to be assigned_	_to be assigned_	

- [
- **Date:** Please use the format dd-MMM-yyyy (e.g., 01-JAN-1970).
 - **Author, Approver and Authoriser:**
 - o Mandatory for ALL documents;
 - o Field values shall be consistent with the related Teamcenter record.
 - **Owner:**
 - o If the document is issued under the responsibility of a supplier, the individual responsible for the document will be the Owner and "Author" shall be removed.
 - o If there is no supplier, please remove "Owner".
 - **Verifier:**
 - o Mandatory for documents which require verification. Please refer to the Project Documentation Plan and the related record of the PDM System to check if your document requires Verification.
 - **Authorizer** authorises to release document to the Customer or to an internal client.
 - **Signature:** Unless otherwise required by contract, wet signatures are not needed in the case that PDM or other tool is used to store the document. When wet signatures are required, the (*) placeholder shall be replaced with the relevant wet signature.]

Document Code	<Document Code>	Revision	<Rev.>
External Code	<External Code>	Ext. Revision	<Ext. Rev.>
File Name	VDD-v1.1.docx	Page 5 of 29	

Supplier DOCUMENT ISSUE
 (<Supplier Name>)

Date	<Supplier_Issue_Date>
------	-----------------------

	Name and Surname	Designation	Signature
Author	<Supplier Author>	<Supplier Author Designation>	
Verifier	<Supplier Verifier>	<Supplier_Verifier_Designation>	
Approver	<Supplier Approver>	<Supplier Approver Designation>	

- [
- **ALL FIELDS:** If the document is issued under Hitachi Rail responsibility, the supplier relevant MS Word fields shall left be blank
 - If the document is issued under the responsibility of a supplier, supplier name, date, author, verifier (when required) and approver shall be inserted in the relevant MS Word fields.
 - **Date:** Please use the format dd-MMM-yyyy (e.g., 01-JAN-1970).

]

Document Code	<Document Code>	Revision	<Rev.>
External Code	<External Code>	Ext. Revision	<Ext. Rev.>
File Name	VDD-v1.1.docx	Page 6 of 29	

[Depending on the specific PDM tool, tailor the following table which refers to Teamcenter:

TRACEABILITY OF THE REVISIONS

Rev.	Ext. Rev.	Date	CO	CO Date	Author	Verifier	Approver	Authorizer	Revision Description
00.00	00	06-JUN-2026	--	--	Verdict	_to be assigned_	_to be assigned_	_to be assigned_	First Issue
{01.0x }	{B}	06-JUN-2026	{ CO number }	06-JUN-2026	Verdict	_to be assigned_	_to be assigned_	_to be assigned_	{Revised in accordance with ...}
{02.0x }	{0}	06-JUN-2026	{ CO number }	06-JUN-2026	Verdict	_to be assigned_	_to be assigned_	_to be assigned_	{Revised in accordance with ...}

- [
- Traceability data shall be manually inserted in the table replacing the text enclosed in curly brackets. All the released revisions since the first one shall be shown.
 - The CO is the Change Order number given by the PDM tool.
 - In the Revision Description write the reasons that led to the revision; writing “second issue” is not sufficient.
-]

Document Code	<Document Code>	Revision	<Rev.>
External Code	<External Code>	Ext. Revision	<Ext. Rev.>
File Name	VDD-v1.1.docx	Page 7 of 29	

TABLE OF CONTENTS [\[Refresh when complete\]](#)

1	INTRODUCTION.....	10
1.1	Purpose.....	10
1.2	Applicability.....	10
1.3	Terms, Acronyms and Abbreviations.....	10
1.3.1	Acronyms and Abbreviations.....	10
1.3.2	Terms.....	11
1.4	Reference Documents.....	12
1.4.1	Contractual Documents.....	12
1.4.2	Project Documents.....	12
1.4.3	Tender Documents.....	12
1.4.4	Standards and Regulations.....	13
1.4.5	GBMS Documents.....	13
1.5	Description of Changes from the Previous Revision.....	13
2	VERSION DESCRIPTION.....	14
2.1	Inventory of materials released.....	14
2.2	Inventory of software configuration items contents.....	14
2.2.1	Identification of the software configuration items.....	14
2.2.2	Configuration Items related checksums.....	14
2.2.3	Reference of software components used.....	14
3	DOCUMENTATION RELATED TO THE BASELINE.....	16
3.1	Requirements specification Documents.....	16
3.2	Software conception, design, programming Documents.....	16
3.3	Testing Documentation.....	16
3.4	Other documents.....	16
4	SW VERSION BUILD.....	17
4.1	SW Configuration items list.....	17
4.1.1	Source files.....	17
4.1.2	Build Environment for Reproducibility.....	17
5	CHANGES INCORPORATED.....	18
5.1	List of changes taken into account in this SW version.....	18
5.2	List of changes not taken into account in this sw version.....	19
6	SW VERSION LIMITATION.....	20
7	INSTALLATION INSTRUCTIONS.....	21

Document Code	<Document Code>	Revision	<Rev.>
External Code	<External Code>	Ext. Revision	<Ext. Rev.>
File Name	VDD-v1.1.docx	Page 8 of 29	

TABLE OF FIGURES [\[Refresh when complete\]](#)

Figure 1 Document hierarchy.....	12
----------------------------------	----

TABLE OF TABLES [\[Refresh when complete\]](#)

Table 1 – Configuration Item Examples <i>[Tailor as needed.]</i>	21
--	----

Document Code	<Document Code>	Revision	<Rev.>
External Code	<External Code>	Ext. Revision	<Ext. Rev.>
File Name	VDD-v1.1.docx	Page 9 of 29	

1 INTRODUCTION

1.1 Purpose

This Version Description Document (VDD) describes the software release v1.1 (Release test) of the Wayside Monitor System (WMS), intended for promotion from DEV to TEST stage.

This document identifies and describes the versions of the released software relevant to wayside-monitor v1.1 . When applicable it also provides the identification of the host executable binaries or target, the checksum related, scenarios and test results with related documentation, methods generation tools (build) supporting its reproducibility and download of executables.

1.2 Applicability

This document applies to the WMS release v1.1 and supersedes any prior VDD for this software baseline.

[Describe here the part of the system or the subsystem which this VDD applies].

Versions described in this document define the baseline wayside-monitor-v1.1.

1.3 Terms, Acronyms and Abbreviations

The following tables provide definitions for acronyms and abbreviations and for terms used in this document.

1.3.1 Acronyms and Abbreviations

< Alphabetical list of acronyms and abbreviations enclosed within the text. >

STS	Hitachi Rail STS
Build	An operational version of a system or component that incorporates a specified subset of the capabilities that the final product will provide (ISO/IEC 24765) to perform the steps required to produce an instance of the product. Note - In software, this means processing source files to derive target files. In hardware, this means assembling a physical object.
CI	Configuration Item
CM	Configuration Management
EWM	IBM Engineering Workflow Management
EWM Component	A component is a collection of related Configuration Items, such as the code for a plug-in, or the group of documents that are used on a web site. Configuration Items under source control are grouped into components, which can be included in zero or more streams. Any group of files and folders that share a common root can be a component.
ISA	Independent Safety Assessor

Document Code	<Document Code>	Revision	<Rev.>
External Code	<External Code>	Ext. Revision	<Ext. Rev.>
File Name	VDD-v1.1.docx	Page 10 of 29	

SCR	Software Change Request
SW	Software
TC	TeamCenter
UUID	Universal Unique Identifier
VDD	Version Description Document
WI	Work Item
WPR Problem Report	WPR Problem Report is raised when a non-compliance regarding the requirements is found.

1.3.2 Terms

< Alphabetical list of definitions related to the text.>

Document Code	<Document Code>	Revision	<Rev.>
External Code	<External Code>	Ext. Revision	<Ext. Rev.>
File Name	VDD-v1.1.docx	Page 11 of 29	

1.4 Reference Documents

1.4.1 Contractual Documents

[Please, list the contractual documents affecting this document.]

Ref.	Source	Code	Rev.	Title

1.4.2 Project Documents

The latest versions of the reference documents listed below shall be followed, except where a specific revision number of a reference document is indicated.

[Please, list the project documents affecting this document.]

Ref.	Source	Code	Rev.	Title
				Configuration Management Plan (CMP)
				SW Configuration Management Plan (SCMP) (if any)
				Software Quality Assurance Plan (SQAP)
				Development Project Management Plan (DPMP)

[If applicable, tailor the document hierarchy shown in the figure below.]

The document hierarchy is represented in Figure 1.




Figure 1 Document hierarchy

1.4.3 Tender Documents

Document Code	<Document Code>	Revision	<Rev.>
External Code	<External Code>	Ext. Revision	<Ext. Rev.>
File Name	VDD-v1.1.docx	Page 12 of 29	

[Please, list the tender documents affecting this document.]

Ref.	Source	Code	Rev.	Title

1.4.4 Standards and Regulations

[

- Please, list standards and regulations affecting this document.
- Please, list applicable laws.

]

Ref.	Source	Code	Rev.	Title

1.4.5 GBMS Documents

[Please, list the Global Business Management System (GBMS) documents (e.g., G-PRD, G-PRC, etc.) affecting this document.]

Ref.	Code	Rev.	Title

1.5 Description of Changes from the Previous Revision

The release v1.1 represents the same baseline as v0.10, introducing the three-class vibration anomaly classifier in anomaly-engine and the corresponding payload update in alert-dispatcher. The sensor-collector module remains unchanged at version 1.3.0.

Changed modules:

- anomaly-engine: 2.0.1 → 2.1.0-rc.1 (vibration classifier upgrade, new confidence field)
- alert-dispatcher: 1.1.3 → 1.2.0-rc.1 (payload schema v1.0 → v1.1, DEGRADED severity support)
- ci.yml: 1.0.1 → 1.0.2 (model artefact checksum verification step)

Document Code	<Document Code>	Revision	<Rev.>
External Code	<External Code>	Ext. Revision	<Ext. Rev.>
File Name	VDD-v1.1.docx	Page 13 of 29	

- wms-chart: 0.2.2 → 0.3.0 (anomalyEngine.modelVersion value added)

[Please, provide the detailed list of changes introduced in the new revision.]

Description of change	Chapter(s) affected by the modification(s)

Document Code	<Document Code>	Revision	<Rev.>
External Code	<External Code>	Ext. Revision	<Ext. Rev.>
File Name	VDD-v1.1.docx	Page 14 of 29	

2 VERSION DESCRIPTION

2.1 Inventory of materials released

[This paragraph should list all physical media (e.g. any Compact Disks) and associated documentation that make up the new version. This paragraph should also identify all operation and support documents that are not a part of the delivered package, but that are required to operate, load, or regenerate the released Software Configuration Items].

2.2 Inventory of software configuration items contents

2.2.1 Identification of the software configuration items

The following table lists the version of software configuration items and/or configuration data that constitutes this release.

CI Description (EWM component brief description)	CI Name (EWM component name)	CI Version (EWM component baseline)	CI Identifier (Reference of the CI inside EWM - UUID)	CI Release Location (optional if EWM is used)
alert_dispatcher	alert_dispatcher	1.2.0-rc.1	v1.1	alert_dispatcher/ __init__.py
anomaly_engine	anomaly_engin e	2.1.0-rc.1	v1.1	anomaly_engine/ __init__.py
sensor_collector	sensor_collecto r	1.3.0	v1.1	sensor_collector/ __init__.py

Baseline Name : wayside-monitor-v1.1 [In case EWM is used, here is the delivery stream snapshot
hypertext link (<https:.....>) related to the release.]

The source files are listed on chapter 4.1.1

2.2.2 Configuration Items related checksums

*[The checksums listed in this paragraph are related to the CIs to be delivered described in the
previous paragraph]*

Document Code	<Document Code>	Revision	<Rev.>
External Code	<External Code>	Ext. Revision	<Ext. Rev.>
File Name	VDD-v1.1.docx	Page 15 of 29	

CI Name <i>(EWM component or executable name)</i>	CI Version <i>(EWM component baseline)</i>	CI Identifier <i>(Reference of the CI inside EWM- UUID)</i>	Checksum Value	Checksum Calculation Method

2.2.3 Reference of software components used

[The checksums listed in this paragraph are related to reference CI(s) described in other VDDs.]

CI Name <i>(EWM component name)</i>	CI Version <i>(EWM component baseline)</i>	CI Identifier <i>(Reference of the CI inside EWM- UUID)</i>	Checksum Value	Reference VDD	
				<i>VDD Title</i>	
				<i>VDD TC CODE</i>	<i>VDD RELEASE</i>

Document Code	<Document Code>	Revision	<Rev.>
External Code	<External Code>	Ext. Revision	<Ext. Rev.>
File Name	VDD-v1.1.docx	Page 16 of 29	

3 DOCUMENTATION RELATED TO THE BASELINE

3.1 Requirements specification Documents

Document title	Doc code TC	Revision	TC Document Lifecycle state
APCS_Requirements.txt defines the following requirements applicable to this release:			
REQ-WMS-001: Sensor collection at minimum 10 Hz sampling rate			
REQ-WMS-002: Unknown sensor type rejection			
REQ-WMS-003: Hot-reload of sensor registry (SHOULD)			
REQ-WMS-004: Prometheus /metrics endpoint (COULD)			
REQ-WMS-005: Anomaly processing within 500 ms			
REQ-WMS-006: Rail temperature CRITICAL classification above 60°C			
REQ-WMS-007: Vibration classifier validation against reference dataset			
REQ-WMS-008: Three severity classes (NOMINAL, DEGRADED, CRITICAL)			
REQ-WMS-009: No event loss with queue back-pressure			
REQ-WMS-010: Confidence score attachment (SHOULD)			
REQ-WMS-011: Model version traceability (SHOULD)			
REQ-WMS-012: CRITICAL alert delivery within 2 seconds			
REQ-WMS-013: JSON payload structure with required fields			

Document Code	<Document Code>	Revision	<Rev.>
External Code	<External Code>	Ext. Revision	<Ext. Rev.>
File Name	VDD-v1.1.docx	Page 17 of 29	

Document title	Doc code TC	Revision	TC Document Lifecycle state
REQ-WMS-014: Exponential back-off retry with dead-letter logging			
REQ-WMS-015: Payload schema backward compatibility			
REQ-WMS-016: Multiple endpoint types (SHOULD)			
REQ-WMS-017: NOMINAL alert batching (COULD)			
REQ-WMS-018: Internal event schema versioning			
REQ-WMS-019: Severity field label constraints			
REQ-WMS-020: Redis Streams for inter-module communication			
REQ-WMS-021: /health endpoint per module			
REQ-WMS-022: No silent exception swallowing			
REQ-WMS-023: 500 events/sec throughput (SHOULD)			
REQ-WMS-024: JSON structured logging (SHOULD)			
REQ-WMS-025: Graceful shutdown (COULD)			
REQ-WMS-026: CRITICAL alert deduplication within 30 seconds			
REQ-WMS-027: /health/stats endpoint			
REQ-WMS-028: Sensor sequence number (SHOULD)			
REQ-WMS-029: Sensor silence detection with configurable timeout			

Document Code	<Document Code>	Revision	<Rev.>
External Code	<External Code>	Ext. Revision	<Ext. Rev.>
File Name	VDD-v1.1.docx	Page 18 of 29	

Document title	Doc code TC	Revision	TC Document Lifecycle state
REQ-WMS-030: Per-sensor rail wear rate-of-change detection (MUST)			

3.2 Software conception, design, programming Documents

Document title	Doc code TC	Revision	TC Document Lifecycle state
Evidence not available in this release bundle.			

3.3 Testing Documentation

Document title	Doc code TC	Revision	TC Document Lifecycle state
APCS_Test_Procedure.txt defines the following test cases:			
TC-WMS-001: Nominal sensor ingestion (MUST) - PASS			
TC-WMS-002: Unknown sensor type rejection (MUST) - PASS			
TC-WMS-003: Vibration model accuracy validation (MUST) - PASS (97.2% accuracy)			
TC-WMS-004: Rail temperature CRITICAL gate (MUST) - PASS			
TC-WMS-005: Three-class severity label contract (MUST) - PASS			
TC-WMS-006: Alert-dispatcher JSON schema compliance (MUST) - PASS			
TC-WMS-007: CRITICAL alert delivery latency under load (MUST) - PASS			

Document Code	<Document Code>	Revision	<Rev.>
External Code	<External Code>	Ext. Revision	<Ext. Rev.>
File Name	VDD-v1.1.docx	Page 19 of 29	

Document title	Doc code TC	Revision	TC Document Lifecycle state
TC-WMS-008: Retry and dead-letter on endpoint failure (MUST) - PASS			
TC-WMS-009: Module health endpoints (MUST) - PASS			
TC-WMS-010: Confidence score presence (SHOULD) - PASS with soft warning			
TC-WMS-011: Model version traceability in payload (SHOULD) - PASS			
TC-WMS-012: Model artefact checksum verification (MUST) - PASS			
TC-WMS-013: CRITICAL alert deduplication (MUST) - PASS			
TC-WMS-014: Health stats endpoint availability (MUST) - PASS			
TC-WMS-015: Sensor sequence number continuity (SHOULD) - PASS			

3.4 Other documents

Document title	Doc code TC	Revision	TC Document Lifecycle state
APCS_VDD.txt and APCS_Emails.txt provide additional release context and approval communications.			

[List here any additional documents related to the baseline such as the VDDs relevant to any starting reference baseline].

Document Code	<Document Code>	Revision	<Rev.>
External Code	<External Code>	Ext. Revision	<Ext. Rev.>
File Name	VDD-v1.1.docx	Page 20 of 29	

4 SW VERSION BUILD

4.1 SW Configuration items list

4.1.1 Source files

[Optional. Mandatory only in case of ISA Assessment]

The following table lists the version of source files relevant to this baseline.

CI Name (EWM component name)	CI Version (EWM component baseline)	CI Identifier (Reference of the CI inside EWM-UUID)	Source File Name, Version	Source File Identifier (Reference of the file inside EWM-UUID)	Localization of Source Files (Link in EWM)

[Here can be reported the list of source files (with related information, e.g. Source File Name and Version, or other required for ISA report), or a link to file/files (integrated, enclosed or referenced in this document) that report the list of source files under CM.]

4.1.2 Build Environment for Reproducibility

[In this paragraph the building tools are reported (if any) including relevant script files.]

Tool/Script file	Tool version/release	Location
Evidence not available in this release bundle.		

Document Code	<Document Code>	Revision	<Rev.>
External Code	<External Code>	Ext. Revision	<Ext. Rev.>
File Name	VDD-v1.1.docx	Page 21 of 29	

Document Code	<Document Code>	Revision	<Rev.>
External Code	<External Code>	Ext. Revision	<Ext. Rev.>
File Name	VDD-v1.1.docx	Page 22 of 29	

5 CHANGES INCORPORATED

The following lists identify WPR Problem Reports and Technical Change Request incorporated into the software version since the previous version.

[Note: This can be listed in a separate file (E.g.: Release Notes). In that case remove the tables and add a reference to that file.]

5.1 List of changes taken into account in this SW version

[Note: here below are reported delta WIs, between the previous and the current release.]

Identifier	Title	Status	Created by	Type	Safety Related
<i>[EWM WI id].</i>	<i>[EWM WI name]</i>	<i>[EWM WI Status]</i>	<i>[EWM WI author]</i>	<i>[EWM WI Type (WPR Problem Report/ Technical Change Request)]</i>	<i>[EWM WI: Impact = Safety]</i>
1	anomaly-engine 2.0.1 → 2.1.0-rc.1: 2-class	Closed	Verdict	Change	No

Document Code	<Document Code>	Revision	<Rev.>
External Code	<External Code>	Ext. Revision	<Ext. Rev.>
File Name	VDD-v1.1.docx	Page 23 of 29	

Identifier	Title	Status	Created by	Type	Safety Related
	threshold model replaced with 3-class statistical model (NOMINAL/DEGRADED/CRITICAL), new confidence field added				
2	alert-dispatcher 1.1.3 → 1.2.0-rc.1: payload schema v1.0 → v1.1, DEGRADED severity support, model_ver field added	Closed	Verdict	Change	No
3	ci.yml 1.0.1 → 1.0.2: model artefact checksum verification step added	Closed	Verdict	Change	No
4	wms-chart 0.2.2	Closed	Verdict	Change	No

Document Code	<Document Code>	Revision	<Rev.>
External Code	<External Code>	Ext. Revision	<Ext. Rev.>
File Name	VDD-v1.1.docx	Page 24 of 29	

Identifier	Title	Status	Created by	Type	Safety Related
	→ 0.3.0: anomalyEngine. modelVersion value added				

5.2 List of changes not taken into account in this sw version

[if any]

Identifier	Title	Created by	WI Type	Safety Related
<i>[EWM WI id].</i>	<i>[EWM WI name]</i>	<i>[EWM WI author]</i>	<i>[EWM WI Type (WPR Problem Report/ Technical Change Request)]</i>	<i>[EWM WI: Impact = Safety]</i>

Document Code

<Document Code>

Revision

<Rev.>

External Code

<External Code>

Ext. Revision

<Ext. Rev.>

File Name

VDD-v1.1.docx

Page 25 of 29

Identifier	Title	Created by	WI Type	Safety Related
1	Migration of sensor-collector to async I/O (planned for v1.4.0)	Verdict	Change	No
2	DEGRADED alert batching (REQ-WMS-017, deferred to v1.3.0 of alert-dispatcher)	Verdict	Change	No
3	Prometheus /metrics endpoint on sensor-collector (REQ-WMS-004, COULD)	Verdict	Change	No
4	Graceful shutdown drain (REQ-WMS-025, COULD)	Verdict	Change	No

Document Code

<Document Code>

Revision

<Rev.>

External Code

<External Code>

Ext. Revision

<Ext. Rev.>

File Name

VDD-v1.1.docx

Page 26 of 29

6 SW VERSION LIMITATION

The following list contains the limitation of this project's software release.

Number	Limitation	Origin
1		
2		
3		

Document Code	<Document Code>
---------------	-----------------

External Code	<External Code>
---------------	-----------------

File Name	VDD-v1.1.docx
-----------	---------------

Revision	<Rev.>
----------	--------

Ext. Revision	<Ext. Rev.>
---------------	-------------

Page 27 of 29

7 INSTALLATION INSTRUCTIONS

[This paragraph shall provide the instructions (either directly or by reference) for installing the Software version including information such as:

- Identification of other changes that have to be installed for this version to be used, including site-unique adaptation data not included in the software version*
- Security, privacy, or safety precautions relevant to the installation*
- Procedures for determining whether the version has been installed properlyA point of contact to be consulted if there are any problems or questions with the installation].*

Document Code	<Document Code>	Revision	<Rev.>
External Code	<External Code>	Ext. Revision	<Ext. Rev.>
File Name	VDD-v1.1.docx	Page 28 of 29	