Lab #3: Web Application with Genie

Fedi azizi
Senior-lecturer, Dept. of EE
ISET Bizerte — Tunisia

I. Exercise

In this lab, you will create a basic web application using **Genie** framework in Julia. The application will allow us to control the behaviour of a sine wave, given some adjustble parameters. You are required to carry out this lab using the REPL as in Figure 1.



Figure 1: Julia REPL

Exo 1: Sine Wave Control

We provide the Julia and HTML codes to build and run a web app that allows us to control the amplitude and frequency of a sine wave. **Plotly** is used to plot the corresponding graph. We also added a slider to change the number of samples used to draw the figure. The latter setting permits to grasp the influence of sampling frequency on the look of our chart.

```
using GenieFramework
@genietools

@app begin

    @in N::Int32 = 1000
    @in amp::Float32 = 0.25
    @in freq::Int32 = 1
    @in phi::Float32 = 0.25
    @in ofs::Float32 = 0.25

    @out my_sine = PlotData()

    @onchange N, amp, freq, phi, ofs begin
        x = range(0, 1, length=N)
        y = amp*sin.(2*π*freq*x .+phi) .+ofs

        my_sine = PlotData(x=x,
                           y=y,

plot=StipplePlotly.Charts.PLOT_TYPE_LINE)
    end

end

@page("/", "app.jl.html")
```

```
<header class="st-header q-pa-sm">
    <h1 class="st-header__title text-h3" Sinewave
Dashboard </h1>
</header>

<div class="row">
    <div class="st-col col-12 col-sm st-module">
        <p><b># Samples</b></p>
        <q-slider v-model="N"
    :min="10" :max="1000"
    :step="10" :label="true">
  </q-slider>
    </div>

    <div class="st-col col-12 col-sm st-module">
        <p><b># phase</b></p>
        <q-slider v-model="phi"
    :min="-3.14" :max="3.14"
    :step="0.03" :label="true">
  </q-slider>
    </div>
    <div class="st-col col-12 col-sm st-module">
        <p><b># offset</b></p>
        <q-slider v-model="ofs"
    :min="-0.5" :max="1"
    :step="0.1" :label="true">
  </q-slider>
    </div>
```

```
    <div class="st-col col-12 col-sm st-module">
        <p><b>Amplitude</b></p>
        <q-slider v-model="amp"
    :min="0" :max="3"
    :step=".5" :label="true">
  </q-slider>
    </div>

    <div class="st-col col-12 col-sm st-module">
        <p><b>Frequency</b></p>
  <q-slider v-model="freq"
    :min="0" :max="10"
    :step="1" :label="true">
  </q-slider>
    </div>
</div>

<div class="row">
    <div class="st-col col-12 col-sm st-module">
  <p><b>Sinewave</b></p>
        <plotly :data="my_sine"> </plotly>
    </div>
</div>
```

```
julia --project
```

```
 <div class="st-col col-12 col-sm st-module">
        <p><b># phase</b></p>
        <q-slider v-model="phi"
    :min="-3.14" :max="3.14"
    :step="0.03" :label="true">
  </q-slider>
    </div>
    <div class="st-col col-12 col-sm st-module">
        <p><b># offset</b></p>
        <q-slider v-model="ofs"
    :min="-0.5" :max="1"
    :step="0.1" :label="true">
  </q-slider>
    </div>
```

```
julia> using GenieFramework
julia> Genie.loadapp() # Load app
julia> up() # Start server
```

We can now open the browser and navigate to the link localhost:8000. We will get the graphical interface as in Figure 3.

Figure 2: sine wave1



Figure 3: Genie -> Sine Wave2