

0000 000000 00-00-DB 000000

00 → 00 00 → 0000 00 00 0000 00 0000 00

- 00 00 00: 00 0000
- 00: 000000 + 0000 + DB
- 00 00: 0000 /images 00

00 00

- 00000 00 00 0000 00 00 0000 00 0000.
- 00000 0000 0000 00 00 0 00 0000 DB 000000 0000.
- 00 00 00000 00 00 0 00 0000 0000 000000 0000.

00 0000 0000 00 00

- 0/00
- 000000 00 → 00 → 00 → 00
- 0000 00 → 00/00
- 0000 00 00 → 00/00 → 00

00 00

00 00 000000, 00 00.00 0000 000000 000000
Express/Sequelize 00000 0000 0000 00000.

0000 00 00 0000

00	00	00
00 0 00	frontend/src/Main.jsx	/, /test, /ontest, /wait, /result, /write, /game, /gameresult 00
API 0 0	backend/app.js	/api/item, /api/balance, /api/test, /api/diary 00
000 00 0 0	backend/controllers/back- test.js	100 00 0000 00 0000 0 0
00 0 0/00	backend/controllers/back- diary.js	0000 00, 0000 00 00 0 0, 00 00
000 00/0 0	backend/controllers/back- balance.js	00 0000, 00 000, 00 00
DB 0 0	backend/models/models/*.js	00 Sequelize 00 00

00 0000 00: 00 00000 **API DB** 00000 00

00 00 00: 00 00 / 00: 00000 → 000 → DB

- 000 00: Main()
- 00 00: createWebResp()
- 00 00 + API 00 00

1. 0 00
Home() 0 Navbar() 00 000
00 0000 00000.

↓
2. 00 00 00
000 00, 00 00, 000 00/00
0 React state 00 000 000.

↓
3. API 00
fetch() 0 000 Express 0000 0
00 000.

↓
4. 0000 00
Controller 0 Sequelize 000 0
0/00/00 0 00 00 00000 00
00.

↓
5. 00 00
navigate(), setState(), 00 000
00 00/00/000 000 00 00
0.

0000 00 0000

00 00	0000 00	0000 API	DB	00 00
/ontest	select[10] 0000 0/1 00	POST /api/test/postTestArray	back_test 00, type_attend 00	/result 0 0 0 00 00
/write	values 0 0000/0 0/000 00 00	POST /api/diary/createDiary	back_diary + back_diary_check 0 0	00 00 00 00
/write	DiaryList 00 00/ 0000	GET /api/diary/getDiary	back_diary 0000 00	00 00 00 0
/game	0000 0 00 route state 0 0 0	GET /api/balance/selectBalance	back_balance_count 00	/gameresult 0 00
/gameresult	00 0 0 00	POST /api/balance/createReply	back_balance 00	00 00 00 00

00 00 00

createWebResp() 0 00 00 2000 0 **responseStatus, responseMessage, data** 0 00
0000. 00 00 000 000 **response.json()** 0 **data.data** 0 0000.



□ □□□ □□: □□□□ □ □□ □□□□□ □□□ □□ □□□□

□□ □□ □□: □/□□ / □□: □□□□□

□□ □□□□: Home(), Navbar())

□□□□ □□ □□

□□: □□□□ □□ JSX □□



□ □	□□ □□ □□	□□ □□□	□□□	□□	□□/□□
1	□□ □□ □□/□□	Navbar / isSideMenuActive	□□ □□ □□ □	useState(Boolean)□ □□□ □□□ □□ class□ active□ □□ □.	□□ □□ JSX
2	□□□/□□□/□□□/□□ □□ □□ □	Home() □□ a href	□□□□ □□	□□□□□ /story, /test, /write, /game □□□ □□□□.	□□□□ □□ □□
3	□□ □ □□ □□□□	Navbar() □□ a href	□□□□ □□	□□ SPA □□ □□□ □□□□.	□ □□ □□ □ □
4	□□ □□□□□ □□	Navbar() □□ □□	□□□□ □□	target="_blank"□ □ □ □□	□□ □□ □□

□□ □□□

Home()□ frontend/src/component/Home/Home.jsx:10-88□□ □□□□, □□ □□□□ □□□ □□ □□ □□□□.

Navbar()□ frontend/src/component/navbar/Navbar.jsx:9-117□□ □□□□, □□□□ □□□□ isSideMenuActive□.

000000 0000 00 00: 1000 0000 0000 000000 00 00

00 00 00: 000000 00 / 00: 000000

00 0000: Test(), OnTest() 00 0000: select[0..9] = 0 00 1 00: /wait 00

1

일당백 프로젝트

2

Q1.
나는 나에 대해 얼마나 알고있나요?

3

내가 나를 모르면 누가 알아?
무엇을 좋아하고, 잘하는지 알고 있다.

무엇을 좋아하고, 잘하는지 모르겠고..
'나'라는 사람을 공부해가는 중이다.

SMART GURU

구독청년공간 청년이룸

00 00 00. 00 00, 00 0000, 0 00 00 0000 00 00 0000.

일당백 프로젝트

백수 삶의 현장

영화속 백수 캐릭터로 살펴 본
나의 백수 성향은?



백수 성향 테스트 시작!

1

0000 00 00 00. 00 0000 0000 /ontest 0 00000.

00	00 00 00	00 0000	0000 00	00	00/00
1	0000 00 00	Test() / Link to="/ontest"	00 0000	00000 00 00000 00000.	00 1 00
1	00 0 00 00000 00	OnTest() / questionmum[step]	step 0000	0~9 000 00 Q1~Q10 00000 000000.	00 00 0000
2	00 0000	onClick(yesselect)	0 = 00 00 00	select[step] = 0 00 0 00 00000 00000.	00 00 00 /wait 00
3	0000 0000	onClick(noselect)	1 = 00 00 00	select[step] = 1 00 0 00 00000 00000.	00 00 00 /wait 00

00 0000 00

- **step**: 00 00 index. 0000 00 00/00 0000 00000 00000.
- **select**: 00000 00 00 00. 100 0000 00000 0000 /wait 00000 00000.
- **navigate('/wait', { state: { select } })**: step0 90 0 0000 00 00 0 00 00 00000 00000.

00 0000: frontend/src/component/Test/Test.jsx:7-36, frontend/src/component/OnTest/OnTest.jsx:12-161

000000 0000 00 00: 00 0000 00 0000 0000 00/00 00

00 00 00: 000000 00 / 00: 000000 → 0000 → DB

000: Wait(), Result() 000: postTestResult(), getResult() DB: back_test

1

백수도 텀발

백수가 되기 위한
1등 갖템은 ?!

2



로딩중..

00 00 00. API 00 00 00 00 0000 0000 0 00 00000 00000.

1

오징어게임
'기술'



#말을 만들 #준비된 자

"기술"은 실제 총 456억 원이 걸린 게임에서 우승하는 캐릭터이지. 말도 안 되는 게임에서 그가 우승할 수 있었던 이유는 사람이 대한 말을 아닐까? 나도 자신과 타인에 대한 말을이 강해 보이는데, 이 말을을 바탕으로 AI/VR만접체할관에서 따라 면접을 채할해보는 건 어때? 혹시 모르지...이걸 통해 가장 답당자에게 너와 말을을 더 잘 보여줄 수 있는 바랑이 될 수도 있지!

최고 공합 최악 공합


인간이 넘치는 사람을 좋아하는
"자질없이 하이라크 중화"


공제 대한 노력이 조금 더 필요한
"지름 불고 하이라크 '장수'"

친구들에게 결과 공유하기

공유하기 EVENT



#청년이름 #말당백프로젝트
위 해시태그로 인스타그램에 공유하신 분들께 한하여
주점을 통해서 선물을 드립니다.

나에게 딱 맞는 장난이름 속 공간은?



말음만! 당신을 위한 공간
AI/VR 만접체할관

4

만접체할관 예약 하러 가기

00 00 00. 0000, 00, 00, 00/00000 CTA 00 00000.

□ □	00	00 000	000	00	00/00
1	□□ □	Wait() / fetchItems()	state.select[0..9]	{1:□,...,10:□} 000 POST /api/test/postTestArray 00 □ 4□ □ /result □□	data.data □ result route state□ □□
2	□□ □	postTestResult(req,res)	req.body.result	100 000 6□ 000 000 0000 00 00 type_id□ 000.	testResult, resultLike, resultDislike
3	DB	back_test	type_id	00 00 00/00/00 000 0000 type_attend□ 1 00	00 000 □
4	□□ □	Result()	state.result	result.type_from, result.type_name□ 0000 00/0000 0000 00000.	00 00 JSX, 000/00 00, 00 □ □□

00 00000 00 □ 0000

- 00 00 000 backend/controllers/back-test.js:14-83□ 000000 00.
- 00 00 00 00000 DB 000 000 frontend/src/component/Result/Result.jsx:37-121□ 00 00000 00000.

- 0, 000 00/000000 DB00 000 000 00 000 00 000 00.


0000 00 00: 000000 0000 00 0000 0000 000000 00 00

00 00 00: 00 00 / 00: 000000 → 0000 → DB

0000: WriteForm()

0000: createDiary()

DB: back_diary + back_diary_check



□ □	00 00 00	00 0000	0000 00	00	00/00
1	0000 00	values.nickname	0000 0000	handleInputChange() □ state □ 00	POST □□ diary_writer
2	00 00 00	values.content	0000 00	handleInputChange() □ state □ 00	POST □□ diary_content
3	0000 00 00	values.choice	true □ 00 00 □□	changeHandler() □ 00 0000 00	POST □□ diary_checked = O/X
4	00/0000/0000 □ 00	values.name, values.phone, values.private	0000 0000 □ □	openModal() □ choice=true □ □ 0000/□ □□ □□	POST □□ diary_name, diary_phone
5	00 00	openModal()	□□ form state	API □□ □□ □ □□□ □□.	"□ □□□□" □□ □□

00 00 00

- 0000 POST /api/diary/createDiary □ diary_writer, diary_content, diary_checked, diary_name, diary_phone □ 0000.
- createDiary() □ □□ back_diary □ □□□ □□□□ □□□□, □□□ □□□□ diary_id □ back_diary_check □ □□□ □□ □□□□ □□□□.
- □□□□ diary_writer, diary_date □□□□ □□□□. □ □□□ □□ □□ □□□□ □□□□ □□ □□□□ □□□□.

□□ □□□: **frontend/src/component/Write/Write.jsx:15-331, backend/controllers/back-diary.js:9-41**

0000 0000 00: 0000 0000 0000 0000 0000 00 00

00 00 00: 00 00/00 / 00: 000000 → 0000 → DB

000: DiaryList() 000: getDiary(), diaryLike() DB: back_diary + back_diary_like

00 00 00

1. 0000 000 0 getData(0) 00

2. GET /api/diary/getDiary?
page=0&size=4&sort=latest&keyword=

3. 0000 back_diary 00 0000 00 000000 00

4. 000 diaryList 00 pages state 00

5. 000 000 pageCount 000000 00 0000 00

00 00 00

1. 00 00 0 toggleHeart(like, diary_id)

2. GET /api/diary/diaryLike?diary_id=...

3. 000 00+IP+00000+0000 00000 back_diary_like 0
findOrCreate

4. dlike_use 0 O ↔ X 0 000 back_diary.diary_like 0 00

5. 0000 0000 O/X 0 00 0000 00 00

00 0000	0000	00	00/00
getData(pageCnt)	pageCnt, size=4, sort, keyword	00 0000 00 0000 0000 00	pages 0000 00 00
toggleHeart(like, id)	id=diary_id	00 0000 0000 0000 00	00 0000 00 0 00
getDiary(req,res)	page, size, sort, keyword	000/00/00 00	{ totalItems, diaryList, totalPages, currentPage }
diaryLike(req,res)	query.diary_id	00 0000 0	dlike_use=O 00 X

0000 0000 00 00

diary_id 0000 00 0000 00 00 00000, **back_diary_check** / **back_diary_like** 00 00 0000 0 00 00 0000 0000.

00 000: frontend/src/component/Write/DiaryList.jsx:15-149, backend/controllers/back-diary.js:43-138


0000 00 0000 00 00: 00 00000 00 0000 00000 00

00 00 00: 0000 00 / 00: 000000 → 0000 → DB

000: Game(), GameResult()

000: selectBalance(), balanceResult(), createReply()

DB: back_balance_count + back_balance



□ □	00 00 0 □	00 000	0000 00	00	00/00
1	00 00/0 □	Game() 00 JSX	00	00 000 00	00 00 00
2	A 00 00	onClick('A') + onNumberClick(0)	'A' 000, 00 00 0000 00 000	API A 0000 000 00/route state 00 0 00	/gameresult 00
3	B 00 00	onClick('B') + onNumberClick(1)	'B' 000, 10 00 0000 00 000	API B 0000 000 00/route state 00 0 00	/gameresult 00
1	00 00 0 00 00	GameResult() / state.select, result.rateA, result.cntA	state.select 00 00, result 00 0000	000 0 0000 0000 00 0000 00 0000 00	00 00 JSX
2	00/0000 00	SharegameSNS(), onDownloadBtn()	00 URL, .card DOM	000/00 00 00 dom-to-image 00 PNG 0 0	00 00 00 gameresult.png
3	00 0	values.nickname, values.content	0000 00 00	openGameModal() 00 POST /api/balance/createReply 00	00 00 00
4	00 00	GameCommentList()	page, size, sort, keyword	GET /api/balance/getReply 0 0000 00	00 00 000

PDF 查看: frontend/src/component/Game/Game.jsx:11-94, frontend/src/component/Game/GameResult.jsx:87-292, backend/controllers/back-balance.js:9-70

0000 00 0000 00: 00 0000 0000 000000 0000 00

00 00 00: 0000 00/00 / 00: 000000 → 0000 → DB

000: getReply(), replyLike()

DB: back_balance + back_balance_like

00: balance_type, balance_name

00 00 0000

00	00	00 00
balance_name	00 00 000	00 00 00 0000 00
balance_content	00 00	00 00 00
balance_type	A/B 00 00 000000	“00 000?” 0000 00
balance_id	00 00 0	00 0000 00 key 0

00 00 0000

00	00	00
blike_name	0000 00 00 00 00000	00 00 000
blike_ip	00 IP	00 00 000
blike_browser	00000 00	00 00 000
blike_use	00 00 00 O/X	00/00 00 0

00 00 0000 00

replyLike() diaryLike() 00 00 **findOrCreate** 0000 createdNow/status 0000 0000. 00 0000 0000 O↔X 00, 0000 0 00 00 0 00 00000 like 00000 +1 00.

- 00 0000 0000
- 00 0000 **back_balance_count**, 00 0000 **back_balance** 000000 00 00 000000.
 - 0, 00000 A0 00000 0000 0000 00 0000 000000 00000.
 - 00000 00 0000 blike_use 00 00 O/X 00 0000 0000 00 UI 0000.

00 000: frontend/src/component/Game/GameList.jsx:55-198, backend/controllers/back-balance.js:72-180

DB DBDB DBDB: DB DBDB DB DBDB DBDB DBDB DB DB

DB DB DB: DB DB / DB: DB + DBDB

- DB: backend/models/models/*.js
- DB DB: backend/sql/schema.sql
- DB DB: item DB API DB

back_test
DBDBDB DB DBDB. type_idDB DBDBDB type_name, type_from, type_desc, type_like, type_dislike, type_space_link, type_attendDB DBDB.

back_diary
DB DB DBDB. diary_idDB DB DBDB DBDB, DB, DB DB, DBDB, IP, DB DBDB DBDB.

back_diary_check
DBDB DB DBDB. diary_idDB back_diaryDB DBDBDB DB DB, DB, DB DB DBDB.

back_diary_like
DB DB DB. diary_idDB DBDB DB DBDBDB DB DB O/XDB DBDB.

back_balance_count
DBDB DB DB. balance_type(A/B)DB DBDB DB DB DBDBDB DBDB.

back_balance
DBDB DB DB. balance_idDB DB DBDB DBDB, DB, DBDB, DB DB DB DB.

back_balance_like
DBDB DB DB DB. balance_idDB DBDB DB DBDBDB O/X DBDB DBDB.

back_item / back_item_vote
DB DBDB DB DB. DBDB DBDBDB DBDB DB Main.jsx DBDBDB DBDBDB DB DB DBDB DBDBDB DBDB DBDB.

DB DB

DB	DB	DBDB	DBDBDB DB
back_diary	back_diary_check	diary_id	DB 1DB DBDB DB DBDBDB DB
back_diary	back_diary_like	diary_id	DB 1DB DB DB DB
back_balance	back_balance_like	balance_id	DB 1DB DB DB DB
back_item	back_item_vote	item_id	DB DB DB DBDB DB DB DB

DB DBDB vs DB DBDB

type_id, diary_id, balance_id DBDB DB DB/DBDB/DBDB DB DB DB DB DBDBDBDB, DB DBDBDB DB DBDBDB DBDB DB DBDB DB DBDBDB. DB **balance_type** DB DBDBDB DBDB A/B DBDB DBDBDB.