

00002 Team3

00 0000 PDF

00 0000 000 00 → 00 → 0000 0000 00 00 0000 0 000, 00 0000 00000·0000·DB 0000 0000 0000 0.

00 00

00 0000 /images 0000 00 0000 0, 00, 00
0, 00, 00, 0000, 0000 00 00

000000 /frontend/src 00 0000, 00000, 00 00
00

0000 /backend/app.js,
/backend/routes/api/*.js,
/backend/controllers/*.js

DB Sequelize 00
(/backend/models/models/*.js) 00 00
SQL 000(/backend/sql/schema.sql)

00 00

1. 00 00 0000 00 0000 00 00.
2. 0000 00000 0000 00000 00 API 00 000000 00
00.
3. 0000 DB 000000 00 00 00 0 0000 00 00000.

00000 00 00 00000 0000 00 0000 00000 0000 0000.
0000 00 0000 00 0000.

000 00 00 00 00000 000 000 0000 API 00 0000 000.

00 00

1. 00 00
frontend/src/Main.jsx /, /test, /ontest,
/wait, /result, /write, /game, /gameresult
0000 0000.

2. 00 00 00
000 00-0000 React state, route state, cookie
00 0000.

3. 00 00
0000 000 http://3.35.152.195/api/...
00 0000. 00 00 backend/app.js
/api/test, /api/diary, /api/balance 00
00.

4. DB 00
00000 Sequelize 000 00-00-00 000 0000.

5. 00 00
00 0000 00 00, 00 00, 000 0, 000 00 00
00000.

000 00 00 00

0 0	00 00	00 00	00/00
0 0 0 0 0	10 0 00 0	postTestResult() 0 00 00 00	back_test 00, type_attend 00, 00 00 00
0 0 0 0 0 00 00	00 0, 0 0, 00 00 00	createDiary() 0 0 00 00 000 00 00	back_diary + back_diary_check
0 0 0 0 0	00 00	diaryLike() 0 IP/0 000 00 00	back_diary_like + back_diary.diary_like
0 0 0 0 0	A/B 00	selectBalance() 0 00 0 00	back_balance_count 0 0, 00 0 00
0 0 0 0 0	00 0, 00 0	createReply() 0 0, replyLike() 0 0	back_balance + back_balance_like

00 package.json 00 000 00 00. 00 000 00 000 0
00 frontend/package.json, 000
backend/package.json, 000 00 00 000 0000.

00: frontend/src/Main.jsx, backend/app.js, backend/routes/api/test.js, backend/routes/api/diary.js, backend/routes/api/balance.js

00 0000 0000 000 000, 00 0000 0000 0 000000.



0000 00

0	00 00	0000	000 00
0		00	
1	00 00 0 0 (Navbar)	00 00 0.00 00 00 00/00 0 000 0.	isSideMenuActive0 00 00 0000 00 CSS 0000 0 00. 0000 00 00 00/0000 0.
2	00 00 0 0 00 (Home)	00 00 00 00 00 00 00.	<a href>0 /story, /test, /write, /game, /endstory0 0000.
3	0000 00 00	0000 0 0 00	0000 0000 0000 00000 0 0 0000 00 00000.
4	00 00000 0 00	0 0 0 00 URL	target="_blank"0 00 00 0000 0000. 00000000 DB00 00 00000 0000.


00: frontend/src/component/Home/Home.jsx:10-88,
frontend/src/component/navbar/Navbar.jsx:9-117

	□ □ □ □	□ □ □	□ □	□ □
1	□ □ □ □ □ □ □ □ □ □ □ □ □ □	□ □ □ □	Test □ □ □ □ <Link to="/ontest">□ □ □ □ □ □ □ □ □.	/ontest
2	□ □ □ □ □ □ □ □ □ □ □ □ □ □	□ / □ □ □ □	onClick(0) □ □ step □ □ □ 0 □ □ □ □.	□ □ □ □ □ □ □ □ □ □ □ □ □ □
3	□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	□ □ □ / □ □ □ □	onClick(1) □ □ step □ □ □ 1 □ □ □ □.	□ □ □ □ □ □ □ □ □ □ □ □ □ □
4	□ □ □ □ □ □ □ □ □ □ □ □	□ □ □ □ □ □	previewOnClick() □ □ step □ □ □ □ □ □ □ □ □ □ □.	□ □ □ □ □ □ □ □

□□
□ □□□ □□□ □□ □□□ □□□, 10□ □□□□ □□ route
state□□.

□□: frontend/src/component/Test/Test.jsx:7-36,
frontend/src/component/OnTest/OnTest.jsx:12-161

□ □□□□ □□□□ □□□ □□ □□ □□□ □□□□, □□ □□□□ □□ UI□ □ □□ □□□□.



□□.□□.□□ □□

□ □	□ □	□	□□□ □□ □□
1	□ □ □ □ □ □	state.select[0..9]	□□ □□□□ □□ 10□ □□.Wait□ □□ □□ 1~10 □□ □□ □□□ □ □ POST □□□ □□□.
2	□ □ □ □	req.body.result	postTestResult() □ □□□□ 6□ □□ □□ □ □□□□ □□ □□ □□ □ type_id□ □□□.
3	DB □ □	type_id, type_like, type_dislike	back_test□□ □□ □□, □□ □□, □□ □□ □□□□ □□□□.
4	□ □ □ □ □ □	data.data	□□□□ 4□ □ /result□ □□□□ □ □ □□□ route state□ □□□.Result□ type_from, type_name □□ □□ □□□□ □□□□.

□□ □□
□□□ □□□□ □□□ □□ □□□ type_attend□ 1 □□□□□.
□ □□ □□ □□ □□.

□□ □□
Result □□□ □□□ □□, □□ □□, □□□ □□□ □□ □□ □□
□□ □□ □□□ □□□ □□□□ □□ □□□□.

□□ □□□: type_id = 'gihun' □ □□ DB□ □□□ □ □□ □
□□, □□□□□ □□□ □□□ □□□ □□ □□ □□□□.

□□: frontend/src/component/Wait/Wait.jsx:6-114,
frontend/src/component/Result/Result.jsx:26-354,
backend/controllers/back-test.js:7-121,
backend/models/models/back_test.js

00 00: 0000 00 0000 0000 0000 0000 00 0000

□□: □□ □□ → □□ → API □□ → DB 2□ □□□ □□

□□□ □□□ “□□ □ □□”□ “□□□ □□ □□”□ □□ □□□□ □□ □□□□ □□ □□□□.

00 0 00 00

0 0 0 0	0000 00	00 00
1 0 0 0	values.nickname. 00 0000 0000 0 0.	back_diary.diary_writer
2 0 0 0	values.content. 00 00 000.	back_diary.diary_content
3 0 0 0 0 0 0	values.choice. 0 00 00 00.	back_diary_check.diary_checked 0 0/X 0 00
4 0 0 / 0 0 / 0 0 0 0	values.name, values.phone, values.private. 000 00 000 00.	back_diary_check.diary_name, diary_phone
5 0 0 0 0 0 0	00 form state 00	POST /api/diary/createDiary 00 00 00

00 00

choice === true 00 00·0000 00 00 000 00, 0000 00 00
 0 0000. 000 0000 000 alert 0 000 000.

00 00

createDiary() 0 00 back_diary 0 000 000 0, 000
 diary_id 0 back_diary_check 00 000 00 0000.

00 000

000 00 00, 00 IP, 0000 000 00 0000, 00 0 00 00 000 00
 0.



일당백 프로젝트

백수의 일기장



여러분도 디노처럼 일기를 써보세요!
디노가 '참 잘했어요' 도장을 찍어줍니다!

닉네임

성함

연락처

*연락처 미 입력 시, 게시글 작성은 가능하나 댓글 수령은 어려워요!

작성하기

디노가 주는 선물

연락처를 적고 일기를 작성해주신 분들께
추첨을 통해서 디노 선물 패키지를 드립니다.

디노 선물 패키지
5명

친구들에게 공유하면 당점확률 UP



백수들의 일기장 훑쳐보기

🔍 내용 검색

검색

공감순 ^

최신순

□□: frontend/src/component/Write/Write.jsx:15-331, backend/controllers/back-diary.js:9-41, backend/models/models/back_diary.js, backend/models/models/back_diary_check.js

□□□ □□. □□ □□□ □□ □□, □□□ □□ □□□□ □ □□
□□.

일기내용들여가는곳 일기내용들여가는곳 일기내용들여가는곳
일기내용들여가는곳 일기내용들여가는곳 일기내용들여가는곳
일기내용...

♥ 999+

닉네임 디노

일기내용들여가는곳 일기내용들여가는곳 일기내용들여가는곳
일기내용들여가는곳 일기내용들여가는곳 일기내용들여가는곳
일기내용들여가는곳 일기내용들여가는곳 일기내용들여가는곳
일기내용들여가는곳 일기내용들여가는곳 일기내용들여가는곳
일기내용...

♥ 999+

닉네임 디노

일기내용들여가는곳 일기내용들여가는곳 일기내용들여가는곳
일기내용들여가는곳 일기내용들여가는곳 일기내용들여가는곳
일기내용들여가는곳 일기내용들여가는곳 일기내용들여가는곳
일기내용들여가는곳 일기내용들여가는곳 일기내용들여가는곳
일기내용...

♥ 999+

닉네임 디노

일기내용들여가는곳 일기내용들여가는곳 일기내용들여가는곳
일기내용들여가는곳 일기내용들여가는곳 일기내용들여가는곳
일기내용들여가는곳 일기내용들여가는곳 일기내용들여가는곳
일기내용들여가는곳 일기내용들여가는곳 일기내용들여가는곳
일기내용...

♥ 999+

일기 내용 더보기



📄 📄 📄 📄 📄 📄 📄 📄 📄 📄, “📄 📄” “📄 📄” 📄 📄 📄.

📄 📄 📄

1. 📄 📄

DiaryList📄 useEffect()📄 getData(0)📄 📄 📄.

2. 📄

GET /api/diary/getDiary?
page=0&size=4&sort=latest&keyword=

3. 📄 📄

getDiary()📄 limit, offset📄 📄 📄 📄 📄
📄 📄 findAndCountAll()📄 📄 📄.

4. 📄 📄

📄 📄 diaryList, totalPages📄 state📄 📄 📄 📄
📄 📄 📄.


📄 📄 📄 📄 UI📄 📄 📄, 📄 DiaryList📄
📄 📄 📄 📄 keyword = '', sort = 'latest'
📄 📄 📄.

📄 📄

📄	📄	📄	📄
1	📄 📄 + diary_id	toggleHeart()📄 📄 📄 📄 GET /api/diary/diaryLike? diary_id=... 📄	📄 📄 📄 📄 📄 📄 📄 📄 📄
2	📄 📄 📄, IP, 📄 📄	📄 diaryLike()📄 findOrCreate()📄 📄 📄 📄 📄 📄 📄	📄 📄 📄, 📄 📄 dlike_use 📄 0/X 📄 📄
3	📄 📄 📄	back_diary.diary_like 📄 +1 📄 -1	📄 📄 📄 📄 📄 📄 📄 📄
4	📄 📄 📄	pageCount 📄 📄 📄 📄 📄	📄 📄 📄 📄 4📄 📄 📄

📄: frontend/src/component/Write/DiaryList.jsx:15-149,
backend/controllers/back-diary.js:43-155,
backend/models/models/back_diary_like.js

000 000 0 00 000 000 000 00 00. 000 00 00 00 000 000 000 0 00.



□ □	□ □ □ □	□□□	□□□ □ □□
1	A □ □ □	□□□ 'A', □□ □□ □ 0	selectBalance? balance_type=A □□□ □□ □ □□ A □□□□ □□□□□, □□□□ navigate('/gamerresult', { state: { select: 0 } }) □ □□□□.
2	B □ □	□□□ 'B', □□ □□ □ 1	□□ □□□□ B □□□□ □□□□□ □□ □□□□ □□□□.
3	□ □ □	balanceResult() □□□ rateA, cntA, rateB, cntB	□□□ □□ □□ □ □□□, □□□□ □□ □□□ □□□□□.
4	□ □ □ □ □ □	□□ □□ □□ DOM	dom-to-image □ PNG □ □□ □. DB □□□ □□ □□□.

□□ □□ □□ □ □□
□□ □□□□ □□□ balance_type = 'A' | 'B' □ □□, □□
□□□□ □□□ state.select = 0 | 1 □ □□.

□□ □□□
□□□ □□□ □□ cookie balance_type □ □□□ □□ □□ □□
□ □□□□ □□ □□ □□□□ □□□□.

□□: frontend/src/component/Game/Game.jsx:11-94,
frontend/src/component/Game/GameResult.jsx:87-239,
backend/controllers/back-balance.js:9-40,
backend/models/models/back_balance_count.js

0000 0000 0000 00 00 0000 0000, DB 0000 00 00 00 00 0000.

00 00

0	0	0000 00	00 00
0	0		
1	0	values.nickname. 00 0000 00 00.	back_balance.balance_name
2	0	values.content. 00 0000 00.	back_balance.balance_content
3	0	cookie 00 00 0000 balance_type	back_balance.balance_type
4	0	000 + 00 00 00	POST /api/balance/createReply 0 0 0 00 00

00
openGameModal() 0 000 00 0000 00 0000 alert 0 0000 0000.

0000 0000

00
GET /api/balance/getReply?
page=0&size=4&sort=latest&keyword=
0 000 400 000.

0000 0
0 000 00 00 00 balance_id 0. 00 00
0 0 00 00 replyLike() 0 0000.

00 00
replyLike() 0 blike_name + blike_ip
+ blike_browser + balance_id 0000
00 0000 00, blike_use 0 0/X 0 000000
balance_like 00 0000.

0000
pageCount 0 0000 0000 00 00 0000 0
00 0000.

00: frontend/src/component/Game/GameResult.jsx:240-292, frontend/src/component/Game/GameList.jsx:55-198, backend/controllers/back-balance.js:42-180, backend/models/models/back_balance.js, backend/models/models/back_balance_like.js

1000 1000 1000 1000 1000 1000, 1000 1000 1000 DB 1000 1000 1000.

DB 1000

1000

- back_test: 1000 1000, 1000, 1000 1000, 1000 1000
- 1000 1000: type_id

1000 1000 1000 1000: type_id

1000

- back_diary: 1000 1000, 1000, 1000 1000, 1000 1000, IP, 1000 1000
- back_diary_check: 1000 1000 1000, 1000, 1000 1000
- back_diary_like: 1000 1000 1000

diary_id 1:N 1000

1000 1000

- back_balance_count: A/B 1000 1000
- back_balance: 1000 1000, 1000 1000, 1000 1000, IP, 1000 1000
- back_balance_like: 1000 1000 1000

balance_id 1:N 1000

1000 1000 1000 1000 1000 1000

- back_item, back_item_vote 1000 1000 1000 1000, 1000 1000 1000, 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000.

DB 1000 1000 1000 1000

1000	1000	1000
1000 1000 1000	state.select	1000 1000 A/B 1000 1000 1000 1000 1000 1000
1000 1000 1000	cookie balance_type, cookie diary_writer, cookie balance_name	1000 API 1000 1000 1000/1000 1000 1000 1000 1000 1000
DB 1000 1000	type_id, diary_id, balance_id	1000 1000·1000 1000 1000
1000 1000 1000	dlike_use, blike_use	1000 1000 1000 1000 1000 1000 O/X 1000

1000 1000 1000

backend/models/models/back_test.js 1000 1000
 1000 backend/sql/schema.sql 1000 back_test 1000
 1000 1000. 1000 1000 1000 1000 Sequelize 1000 1000
 1000 1000 1000 1000.

1000: backend/models/models/init-models.js,
 backend/models/models/back_test.js,
 backend/models/models/back_diary.js,
 backend/models/models/back_diary_check.js,
 backend/models/models/back_diary_like.js,
 backend/models/models/back_balance.js,
 backend/models/models/back_balance_like.js,
 backend/sql/schema.sql