37. EMBRYOLOGICAL TAI CHI : REMINDER

DURATION : 01:38 STUDY SHEET

COURSE SUMMARY

This video offers a clear and structured reminder of the embryological Tai Chi, focusing on the first major movement: the notochordal wave and its interaction with mesodermal movement. The essential steps described include brain growth and flexions, as well as kidney, bladder, and uterine movements, highlighting their importance in embryological development. Practical demonstrations illustrate how these movements influence osteopathic manipulation, particularly through specific movements involving the peritoneum and liver, allowing students and therapists to deepen their understanding and enrich their care.

EMBRYOLOGICAL TAI CHI: RECAP

The first major **Tai Chi** movement focuses on the **notochordal wave**. This movement encompasses the entire accompanying **mesodermal movement**.

So we have the notochordal wave, with all the mesodermal movement beneath it.




FIG. — Digestive and nervous system

Next, we focus on the **brain**, following these key steps:

1. **Brain growth**

2. **Cephalic flexure**

3. **Cervical flexure**

4. **Pontine flexure**

5. **Telencephalisation**

The movement of the **kidneys** follows, which is an **exorotation** movement.

We will now address the movements related to the **bladder** and **uterus**, before returning to the previous steps.

For the **peritoneum**, the right hand is placed in front. I take the loop at this point and bring it back towards my **hepatic** side.

The hand then descends and completes the rotation. Thus, I launch what is in front of me, and it grows.

I pull this hand and come to find the loop here to bring it back towards my **liver**.

Then, the hand at this point descends, ascends, and the other hand descends to form the **terminal face**.




FIG. — Embryonic germ layers




FIG. — Development of the nervous system




FIG. — Neurocranium and spinal column




FIG. — Development of cervical muscles




FIG. — Human body diagram