

33. PRACTICE : REMINDERS & CHAIN WORK FOR THE STOMACH

DURATION : 07:43

STUDY SHEET

COURSE SUMMARY

This video offers an in-depth approach to osteopathic work on the stomach, focusing on the link between the digestive tract and emotions. Key concepts include gentle manipulation from the base of the skull to the stomach, taking into account embryological points of support and fulcra. You will learn to recognise and treat retained tensions and emotions, such as anger, while improving organic functionality. The video also explores the relationship between the stomach, speech, and the patient's breathing, integrating transmutation techniques and connection to the limbic system to anchor corrections in bodily memory.

PRACTICE: REMINDERS & CHAIN WORK FOR THE STOMACH

The **digestive tract** extends from the mouth to the anorectal membrane. We have already explored the oesophagus, the lungs, and now the stomach, taking into account its essential **packaging**, namely the **retrogastric pouch** and the **peritoneum**. The latter must be considered an **intelligent** element in our approach.

We will work from the **base of the skull** to the **oesophago-cardiotuberositary junction** of the stomach. It is also crucial to consider the support area at the **hyoid** level, in connection with the **fulcrum** of the oesophagus and its **embryological fulcrum**. The latter is represented by the **hiatus of Vinsou**, which resets itself each time.

It is important to seek out the **points of support** for the system to organise itself efficiently in its function. We have identified several functions of the stomach: **hormonal**, **mechanical**, and **fluidic**. Furthermore, the stomach is related to **speech**. Its functioning begins in the mouth, with the tongue, saliva, teeth, and swallowing. This highlights the importance of not swallowing our words.

Anger can be expressed, repressed, or enlighten us. If expressed, it can be problematic. If repressed, it is very bad. However, if we use it with clarity, it can enlighten us. At the moment anger rises, there is a vision that can be exploited to return to **clarity of mind**. Every emotion has its **wisdom** and can be transformed into **awakening**.

We observe a small **stomach ring** around the iris. Examining the lip, one may notice a slight discolouration, as well as a pale and trembling tongue. To work on the stomach, we will start from the base of the skull, resuming the **dural sheath** while applying gentle pressure to seek out the **rings** and allow for **freedom**.

We will first address a **tissue** plane, then possibly a **cellular** plane, and if necessary, a **molecular, enzymatic, or energetic** plane. The work is done gently in relation to the **sphenobasilar symphysis**. A slight swelling in the neck lodge may indicate old stress related to the **adrenals**. We release through the kidneys and diaphragm, thus restoring **flexibility** to the diaphragmatic crura.

We can also work on the **hyoid bone** in connection with its **embryonic fulcrum**. Tensions can be felt at the hypoglossal level, indicating **unspoken words** that can be released to facilitate expression. Taking into account the junction of the stomach, we can also work on the **sphenoid** to release tensions.

The stomach, in its entirety, is connected to the lesser sac of the **omenta**. By placing our hands on the posterior part of the stomach, we create a **gliding** surface to allow for expression. We observe the patient's breathing, connecting to their breath. The work is done in the **void**, where we can receive information from the tissue.

A gentle **transmutation** occurs, and it is possible to feel an odour emanating from the tissue, indicating a change. By working at the **sacrum**, we can explore the lesser pelvis, which can help realign the body. A strong heat can be felt, symbolising the alignment of ancestors.

We inscribe these corrections in the patient's brain, accessing the **limbic system** so that they remember this moment as an **eternity**.




FIG. 63. — Artères de l'estomac.
Disposition générale.

FIG. — Arterial vascularization of the stomach




FIG. — Portosystemic anastomoses