

26. NEUROPHYSIOLOGY OF THE EYE: INTRO

DURATION : 04:43

STUDY SHEET

COURSE SUMMARY

This introduction to the neurophysiology of the eye explores the interconnections between suffering, perception, and the anatomical specificities of the eye. You will learn how eye movements and iris geometry can signal emotional states, as well as the distinctions between seeing, clairvoyance, and polyvoyance. The video then details the different structures of the eye, from the conjunctiva to the retina, and explains how light is converted into electrical signals. By integrating concepts such as the importance of eye orientation and photon transduction, this presentation enriches your theoretical and practical approach to osteopathy and biodynamics.

NEUROPHYSIOLOGY OF THE EYE: INTRODUCTION

When a person experiences **suffering**, whether **physical**, **emotional**, or of another nature, it can be reflected in their eyes. The eye can perform specific movements, and there is a **geometry** in the iris that can manifest in different ways.

The eye is also a point of initiation in relation to the **Christagalie**. Initially, this structure is flat, but through the process of **telencephaly**, it evolves. This point of concentration is often referred to as the **eye of clairvoyance**.

There are several levels of perception:

- **Clairvoyance** (Voyance): Using the emotion of others.
- **Clairvoyance** (Clairvoyance): The ability to perceive the akashic world of another, allowing one to understand their functioning.
- **Polyvoyance**: Vision of the divinity present in everything.

The eye receives **light information** in the form of photons. The first layer traversed is the **conjunctiva**, followed by the **cornea**, which is the transparent part of the sclera. Then, light passes through the **pupil**.




FIG. — *Layers of the eye*

The anterior chamber, which contains **aqueous humour**, is followed by the posterior chamber, which also contains this fluid. The **ciliary bodies** at the front produce fluid, while the **canal of Schlemm** at the back reabsorbs this fluid. This process allows for a continuous circulation of fluid that nourishes the eye.

Light then passes through the **lens** and the **vitreous humour** to reach the **retina**, composed of several layers. The eye is capable of capturing a small amount of light, even a single photon, while having both central vision and peripheral vision.

It is essential to learn to use these two types of vision. The frequency, wave, and light spectrum vary, and the orientation of the eye is often **23 degrees**, a value that resonates with the orientation of the heart, the Earth, and the inner ears.

This specific orientation influences the **retina**, where the phenomenon of **transduction** occurs. Photons are converted into electrical signals, sent as nerve impulses to the left and right. Each eye transmits this information to the **lateral geniculate body (LGB)**, which interprets it through **parvocellular** and **magnocellular** cells.

Once integrated, this information travels along the **optic radiations** to reach the **visual cortex**, located above and below the eye, near the **calcarine sulcus**. This pathway of the eye and the interpretation of visual signals are crucial for understanding the neurophysiology of vision.

