

31. BIS. INFLUENCES ON THE EYE

DURATION : 24:37

STUDY SHEET

COURSE SUMMARY

Examination of the eye's role within the neurosensory programme and its connection to Tenon's capsule / hypothalamo-ventricular system. Integration of postural chemistry, somatic feedback, and energetic mechanisms to demonstrate how visual afferents affect tone and psychic state. Analysis of fascial tissue as a vector of body memory and the cardiovascular system's influence on electromagnetic balance.

INFLUENCES ON THE EYE

The **Tenon's capsule** is connected to the entire body and plays a crucial role in a **neurosensorimotor programme**. This means it integrates information about **postural tone**, which can be considered as **postural chemistry**. At the level of the **hypothalamus**, a great deal of information is integrated, notably via the **thalamus** and the **pulvinar**, as well as other nuclei around the ventricular system.

This information can be classified into two types: **trophotropic** and **ergotropic**, corresponding respectively to the sympathetic and parasympathetic systems. Thus, the information received by the hypothalamus, including that from the eyes, influences postural chemistry at a cellular level, integrating elements such as **oxidation-reduction** and **nucleotides** like **guanosine** and **adenosine**. The hypothalamus uses this data to adjust bodily tonicity.

For example, a spiral movement can be oriented to the right or left, and can be associated with various energy states, such as **depression** or **overpressure**. Postural chemistry is thus integrated into a tone influenced by various afferents to the cortical and visual system, creating a continuous, positive or negative **feedback**.

The eye, as a source of information, plays an essential role in integrating these messages. It contributes to a specific postural outcome, representing the best possible adaptation at a given moment. There is no bad posture, only the most adequate functional response. It is crucial to trust what one sees, while being aware that the programme can sometimes loop. This requires a gaze, a liberating gesture, performed at the right time and in the right space.

Meditation can also help to break free from these habitual patterns, which can sometimes distort our perception of reality. Micro-lesions in the facial and ocular areas can alter the orientation of the eye and influence mental programmes. The eye is of paramount importance in the integration of neurosensory information, in connection with the **tectospinal system** and memories stored in the **facial tissue**.

The **fascia** is an intelligent tissue capable of storing information and memories. By being attentive, in the right place and at the right time, with an adequate mental map, it is possible to achieve liberation. This mental representation is influenceable and can even support the visual message.

The link between the eye and the meningeal system is fundamental. The eye acts as a beacon, integrating all information at this level. It is essential to understand that the eye cannot deceive, because it is pure. Light, as a photon, is a source of energy that influences our perception. The relationship between frequency and wavelength is crucial: a higher frequency corresponds to a shorter wavelength, leading to an increase in energy.

Light information, captured by the retina, can cause fluid mobilisation. The **cones** and **rods** of the retina are not only information sensors, but also energy sensors. Physical fatigue can often be linked to sympathetic lesions, leading to **mydriasis** and agitation of the rods, which can exhaust the sympathetic system.

Factors such as energetic stress can degrade our state. The right light information is essential to maintain our well-being. The aura, as a luminous field, is influenced by our position in life. Inner peace and wisdom must be cultivated to emanate positive energy.

The eye undergoes an energetic and interpretative programme, integrating information in the form of pre-programmes. This process leads us to an electrical and electromagnetic plane, where the heart plays a central role. The heart emits a powerful electromagnetic field, and the eye, as a mobile fulcrum, is also influenced by different currents.

There are significant vascular differences between the left and right eyes, influencing their functioning. For example, the right eye is linked to hepatic venous stasis, while the left eye is associated with arterial hypertension. These anatomical differences can lead to specific interferences on the visual cortex.




FIG. — *Spiral eyes*

Ocular reflexes, such as the fronto-orbital reflex and the auriculo-cardiac reflex, show how light pressure on the eyes can rebalance cardiac problems. Each eye has a postural role and a dominant eye, which are not always the same.

Eye movements are essential for rebalancing. Visual axes and angles of inclination play a role in neurosensory light integration. The eye has a freedom of light integration of approximately 23 degrees, a figure found in various contexts, such as the Earth's tilt.




FIG. — *Crossing the line*

Finally, information axes, such as the petrous axis, show how ocular destabilisations can affect balance. Memories integrated into bones or electrical patterns can also influence our perception and balance.




FIG. — Axes and angles of visual integration




FIG. — Eye movements




FIG. — 23 degrees of visual freedom

Orbital Pyramid axes in right lateral strain...




FIG. — Memories in the bone