

41. CHARACTERISTICS OF THE DIFFERENT TISSUES

DURATION : 03:25

STUDY SHEET

COURSE SUMMARY

In this video, we delve into the characteristics of different bodily tissues in relation to tensegrity and homeostasis. Mr. Benjamin presents key concepts such as 'boundary tissue' and 'interior tissue', while analysing their respective roles within organ systems. You will discover how gastric disorders can be linked to imbalances in the lesser pelvis and the importance of rebalancing the pelvic fascia for digestive health.

Furthermore, the video highlights the central role of vascular tissue, acting as both a driver and a brake for tissue growth, underscoring its importance in circulation and cell nourishment. A deep understanding of these mechanisms opens up new perspectives for healthcare practitioners and osteopaths, offering concrete tools to improve their patients' health.

CHARACTERISTICS OF DIFFERENT TISSUES

This course aims to understand the phenomenon of **tensegrity** at a developmental level and the balance of the body's **homeostatic** processes, particularly the organisation of **metabolic fields**.

Mr. Benjamin, a doctor, conducted extensive research on **ontogenesis**. By observing movements, he deduced a concept of the **metabolic field**. He introduced the idea of "**boundary tissue**" and "**interior tissue**".

THE TWO MAIN TYPES OF TISSUES

Under the microscope, he distinguished two main types of tissues:

- **Boundary tissue:** Located at the periphery, it forms the boundaries between vesicles and other structures.
- **Interior (nutritive) tissue:** This tissue brings nourishment.

The **ectoderm** and **endoderm**, for example, are **lipid-forming** or **connective** tissues. This is a classic histological and embryological interpretation, as well as an approach to Blüchmann's **biodynamic embryology**.

AN EXAMPLE OF A MOLECULAR LINK

Many women suffering from chronic gastric problems, such as **reflux** or **oesophagitis**, often find the origin of these disorders in the **pelvic basin**. This manifests at a molecular level through a differentiation in the concentration of **hormones**, **neuro-hormones**, and **gastrin**.

It is often necessary to rebalance the **pelvic fascia** to improve stomach physiology. This is an example of a molecular link.

THE ROLE OF THE VASCULAR SYSTEM

We will address the **vascular system**, the **endothelial system**, which constitutes a major link in the body. A small scratch here causes bleeding. A small scratch there also causes bleeding.

It is a very deep conducting tissue. One must know how to use it in its **electrical force**, with the interdependence of organisational planes, on symbolic forces. One must almost symbolise, that is, gather and unify the system.

VASCULAR TISSUE: MOTOR AND BRAKE

What is mainly retained is that vascular tissue is a tissue where there is no **congestion**. It is always dependent on this system. Whereas in other tissues, there can be phases of congestion.

However, the vascular system is both a **motor** and a **resistance** for the growth of the tissues it nourishes. An arriving vessel is a motor because it provides the force to the tissue it nourishes. It transports nourishment, it gives.

But at the same time, it does not grow at the same rate as the tissues it supplies. So, it is both the motor for growth and the brake for growth. This may seem paradoxical, but it is not.




FIG. — *Homeostasis by fields*