

avaliacao-05 - Replit

https://replit.com/@FernandaHolanda/avaliacao-05

Run

Search

Files

main.sql

main.sql

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

.header on

.mode COLUMN

CREATE TABLE "TB_BLACKPINK" (

"ID" INTEGER PRIMARY KEY AUTOINCREMENT,

"NAME" TEXT NOT NULL,

"DEBUT" INT NOT NULL,

"INTEGRANTES" INT NOT NULL

);

INSERT INTO TB_BLACKPINK (ID, NAME, DEBUT, INTEGRANTES) VALUES (1, "BLACKPINK", 2017, 4);

.print

.print "first example"

SELECT * FROM TB_BLACKPINK;

ALTER TABLE TB_BLACKPINK RENAME TO TB_BABYMONSTERS;

UPDATE TB_BABYMONSTERS SET NAME="BABYMONSTERS" WHERE ID IN (1);

.print

.print "second example"

SELECT * FROM TB_BABYMONSTERS;

DELETE FROM TB_BABYMONSTERS WHERE INTEGRANTES=4;

.print

.print "thirst example"

.print "nao ha nada na tabela"

SELECT * FROM TB_BABYMONSTERS;

Console

Shell

-- Loading resources from main.sql

Error: mode should be one of: ascii box column csv html insert json line list mark

down qbox quote table tabs tcl

first example

ID|NAME|DEBUT|INTEGRANTES

1|BLACKPINK|2017|4

second example

ID|NAME|DEBUT|INTEGRANTES

1|BABYMONSTERS|2017|4

thirst example

nao ha nada na tabela

SQLite version 3.39.4 2022-09-29 15:55:41

Enter ".help" for usage hints.

> --

Tools

CPU

RAM

Storage

Help

Ln 1, Col 1

History