

Relational Schema

Note that primary keys are all NOT NULL

Team(country, nationalAssociation, url, group)
nationalAssociation: NOT NULL
group: NOT NULL

Player(memberId, mname, dob, shirtNumber, generalPosition, country)
mname: NOT NULL
dob: NOT NULL
country: foreign key referencing Team, NOT NULL

Coach(memberId, mname, dob, crole, country)
mname: NOT NULL
dob: NOT NULL
country: foreign key referencing Team NOT NULL

Referee(refereeId, rname, yearsOfExperience, country)
rname: NOT NULL

Stadium(stadiumName, stadiumLocation, capacity)
stadiumLocation: NOT NULL
capacity: NOT NULL

Match(matchId, Date, StartTime, Length, Round, stadiumName)
Date: NOT NULL
Round: NOT NULL
stadiumName: foreign key referencing Stadium

Client(email, name, password, countryOfResidence, postalCode)
name: NOT NULL
password: NOT NULL
countryOfResidence: NOT NULL
postalCode: NOT NULL

Ticket(ticketId, price, isAvailable, isVip, matchId, email, seatNumber, stadiumName)
price: NOT NULL
isAvailable: NOT NULL
isVip: NOT NULL

matchId: foreign key referencing Match, NOT NULL
email: foreign key referencing Client
seatNumber: foreign key referencing Seat, NOT NULL
stadiumName: foreign key referencing Stadium (since Seat is weak), NOT NULL

matchPlayer(matchId, memberId, position, entranceTime, exitTime, yellowCardCount, receivedRedCard)

matchId: foreign key referencing Match, NOT NULL
memberId: foreign key referencing Player, NOT NULL
yellowCardCount: NOT NULL
receivedRedCard: NOT NULL

matchReferee(refereeId, matchId, role)

refereeId: foreign key referencing Referee, NOT NULL
matchId: foreign key referencing Match, NOT NULL
role: NOT NULL

playingCountry(matchId, country)

matchId: foreign key referencing match, NOT NULL
country: foreign key referencing the team, NOT NULL

Seat(stadiumName, seatNumber, section)

stadiumName: foreign key referencing Stadium, NOT NULL
seatNumber: key to differentiate seats in the same Stadium, NOT NULL

Goal(matchId, occurrence, country, memberId, time_stamp, isPenalty)

matchId: foreign key referencing Match, NOT NULL
occurrence: NOT NULL
country: foreign key for Team NOT NULL
memberId: foreign key for Player NOT NULL
isPenalty: NOT NULL

Application Interaction

(a)

i. Run a query in the database that shows match information about ALL matches, including the participating countries if already known.

```
SELECT A.COUNTRY1, A.COUNTRY2, A.DATE, A.ROUND, B.goals1, C.goals2, D.SALE
FROM (SELECT M.MATCHID, PC.COUNTRY1, PC.COUNTRY2, M.DATE, M.ROUND
      FROM (SELECT c1.MATCHID, c1.COUNTRY as COUNTRY1, c2.COUNTRY as COUNTRY2
            FROM PLAYINGCOUNTRY c1
              JOIN PLAYINGCOUNTRY c2 on (c1.MATCHID=c2.MATCHID AND c1.COUNTRY NOT
LIKE c2.COUNTRY AND c1.COUNTRY < c2.COUNTRY)) PC
      RIGHT OUTER JOIN MATCH M on M.MATCHID = PC.MATCHID
ORDER BY M.DATE) as A
LEFT OUTER JOIN (SELECT g.MATCHID, g.COUNTRY, COUNT(*) as goals1
                  FROM GOAL g
                  group by g.MATCHID, g.COUNTRY) as B on B.MATCHID =
A.MATCHID and B.COUNTRY = A.COUNTRY1
LEFT OUTER JOIN (SELECT g.MATCHID, g.COUNTRY, COUNT(*) as goals2
                  FROM GOAL g
                  group by g.MATCHID, g.COUNTRY) as C on C.MATCHID =
A.MATCHID and C.COUNTRY = A.COUNTRY2
LEFT OUTER JOIN (SELECT t.MATCHID as MATCHID, COUNT(*) as SALE
                  FROM TICKET t
                  WHERE EMAIL IS NOT NULL
                  GROUP BY MATCHID) as D on D.MATCHID = A.MATCHID
ORDER BY A.DATE;
```

```

db2 => SELECT A.COUNTRY1, A.COUNTRY2, A.DATE, A.ROUND, B.goals1, C.goals2, D.SALE
FROM (SELECT M.MATCHID, Pdb2 (cont.) => C.COUNTRY1, PC.COUNTRY2, M.DATE, M.ROUND
FROMdb2 (cont.) => (SELECT c1.MATCHID, c1.COUNTRY as COUNTRY1, c2.COUNTRY as COUNTRY2
FROM PLAYINGCOUNTRY cdb2 (cont.) => 1
JOIN PLAYINGCOUNTRY c2 on (c1.Matdb2 (cont.) => CHID=c2.MATCHID AND c1.COUNTRY NOT LIKE c2.COUNTRY AND c1.COUNTRY < c2.COUNTRY)) PC
RIdb2 (cont.) => GHT OUTER JOIN MATCH M on M.MATCHID = PC.MATCHID
db2 (cont.) => ORDER BY M.DATE) as A
LEFT OUTER JOIN db2 (cont.) => (SELECT g.MATCHID, g.COUNTRY, COUNT(*) as goals1
db2 (cont.) => FROM GOAL g
db2 (cont.) => group by g.MATCHID, g.COUNTRY) as B on B.MATCHID = A.MATCHID and B.COUNTRY = A.COUNTRY1
db2 (cont.) => LEFT OUTER JOIN (SELECT g.MATCHID, g.COUNTRY, COUNT(*) as goals2
FROMdb2 (cont.) => M GOAL g
group by g.MATCHdb2 (cont.) => ID, g.COUNTRY) as C on C.MATCHID = A.MATCHID and C.COUNTRY = A.COUNTRY2
LEFT OUTER JOIN (SELdb2 (cont.) => ECT t.MATCHID as MATCHID, COUNT(*) as SALE
db2 (cont.) => FROM TICKET t
db2 (cont.) => WHERE EMAIL IS NOT NULL
db2 (cont.) => GROUP BY MATCHID) as D on D.MATCHID = A.MATCHID
ORDER BY A.DATE;db2 (cont.) =>

```

COUNTRY1	COUNTRY2	DATE	ROUND	GOALS1	GOALS2	SALE
--						
Canada	Japan	03/08/2023	group	3	-	
2						
England	France	03/09/2023	group	2	1	
1						
Australia	Nigeria	03/10/2023	group	-	2	
1						
Egypt	Spain	03/10/2023	group	-	1	
1						
Brazil	Croatia	03/11/2023	group	1	-	
-						
Denmark	Poland	03/11/2023	group	1	-	
-						
Canada	Peru	03/12/2023	group	3	2	
4						
Canada	Russia	03/13/2023	group	-	-	
-						
Japan	Morocco	03/13/2023	group	-	-	

COUNTRY1	COUNTRY2	DATE	ROUND	GOALS1	GOALS2	SALE
--						
Canada	Japan	03/08/2023	group	3	-	
2						
England	France	03/09/2023	group	2	1	
1						
Australia	Nigeria	03/10/2023	group	-	2	
1						
Egypt	Spain	03/10/2023	group	-	1	
1						
Brazil	Croatia	03/11/2023	group	1	-	
-						
Denmark	Poland	03/11/2023	group	1	-	
-						
Canada	Peru	03/12/2023	group	3	2	
4						
Canada	Russia	03/13/2023	group	-	-	
-						
Japan	Morocco	03/13/2023	group	-	-	
-						
Belgium	Italy	03/14/2023	group	-	-	
-						
Mexico	United States	03/14/2023	group	-	-	
-						
Japan	Peru	03/15/2023	group	-	-	
-						
-	-	03/15/2023	group	-	-	
-						
6	-	04/11/2023	quarterfinals	-	-	
-						
-	-	04/19/2023	semifinals	-	-	
-						
-	-	05/01/2023	final	-	-	
-						

16 record(s) selected.

ii. Start the application, choose the first item of the main menu and enter a country for which there are at least 2 matches in the result of the previous query.

```
Soccer Main Menu
    1. List information of matches of a country
    2. Insert initial player information for a match
    3. Insert goal
    4. Exit application
Please Enter Your Option:
1
1. List information of matches of a country
Please enter a country
Canada
Canada      Japan      2023-03-08      group      3      0      2
Canada      Peru       2023-03-12      group      3      2      4
Canada      Russia     2023-03-13      group      0      0      0
Enter [A] to find matches of another country, [P] to go to the previous menu:
█
```

iii. Go back to the previous menu.

```
Soccer Main Menu
    1. List information of matches of a country
    2. Insert initial player information for a match
    3. Insert goal
    4. Exit application
Please Enter Your Option:
1
1. List information of matches of a country
Please enter a country
Canada
Canada      Japan      2023-03-08      group      3      0      2
Canada      Peru       2023-03-12      group      3      2      4
Canada      Russia     2023-03-13      group      0      0      0
Enter [A] to find matches of another country, [P] to go to the previous menu:
P
Soccer Main Menu
    1. List information of matches of a country
    2. Insert initial player information for a match
    3. Insert goal
    4. Exit application
Please Enter Your Option:
█
```

(b)

i. Run a query in the database that shows information about ALL matches that take place within 3 days of the date the query is posed including any matches that might not yet the countries determined.

```
SELECT M.MATCHID, PC.COUNTRY1, PC.COUNTRY2, M.DATE, M.STARTTIME, M.ROUND
FROM (SELECT c1.MATCHID, c1.COUNTRY as COUNTRY1, c2.COUNTRY as COUNTRY2
      FROM PLAYINGCOUNTRY c1
      JOIN PLAYINGCOUNTRY c2 on c1.MATCHID=c2.MATCHID AND c1.COUNTRY NOT
      LIKE c2.COUNTRY AND c1.COUNTRY < c2.COUNTRY) PC
      RIGHT OUTER JOIN MATCH M on M.MATCHID = PC.MATCHID
WHERE timestamp(m.DATE, m.STARTTIME) < CURRENT_TIMESTAMP + 3 DAYS AND
timestamp(m.DATE, m.STARTTIME) > CURRENT_TIMESTAMP
ORDER BY M.DATE;
```

```

db2 => SELECT M.MATCHID, PC.COUNTRY1, PC.COUNTRY2, M.DATE, M.STARTTIME, M.ROUND
FROM (SELECT c1.MATCHID, c1db2 (cont.) => .COUNTRY as COUNTRY1, c2.COUNTRY as COUNTRY2
      db2 (cont.) => FROM PLAYINGCOUNTRY c1
      JOIN PLAYINGCdb2 (cont.) => COUNTRY c2 on c1.MATCHID=c2.MATCHID AND c1.COUNTRY NOT LIKE c2.COUNTRY AND c1.COUNTRY < c2.COUNTRY) PC
RIGHT OUTER JOIN MATCH M on M.MATCHID = db2 (cont.) => PC.MATCHID
WHERE timestamp(m.DATE, m.STARTTIME) < db2 (cont.) => CURRENT_TIMESTAMP + 3 DAYS AND timestamp(m.DATE, m.STARTTIME) > CURRENT_TIMESTAMP
ORDER BY M.DATE;db2 (cont.) =>

```

MATCHID	COUNTRY1	COUNTRY2	DATE	STARTTIME	ROUND
10	Canada	Russia	03/13/2023	14:00:00	group
11	Japan	Morocco	03/13/2023	17:00:00	group
12	Belgium	Italy	03/14/2023	17:00:00	group
13	Mexico	United States	03/15/2023	14:00:00	group
14	Japan	Peru	03/15/2023	17:00:00	group

5 record(s) selected.

ii. Then run a query in the database that shows for one of the matches M in the previous query and one of the countries C of this match all the players of this country that play in the match. The result should be empty.

```

SELECT p.MNAME, p.DOB, p.SHIRTNUMBER, mp.POSITION, p.COUNTRY
FROM Player p
JOIN matchPlayer mp ON p.memberId = mp.memberId
JOIN playingCountry pc ON mp.matchId = pc.matchId AND p.country = pc.country
WHERE mp.matchId = 11 AND pc.country = 'Morocco';

```

```

db2 => SELECT p.MNAME, p.DOB, p.SHIRTNUMBER, mp.POSITION, p.COUNTRY
FROM Player p
JOIN matchPlayer mp ON p.db2 (cont.) => db2 (cont.) => memberId = mp.memberId
JOIN playingCountry pc ON mdb2 (cont.) => p.matchId = pc.matchId AND p.country = pc.country
db2 (cont.) => WHERE mp.matchId = 11 AND pc.country = 'Morocco';

```

MNAME	DOB	SHIRTNUMBER	POSITION	COUNTRY
-------	-----	-------------	----------	---------

0 record(s) selected.

iii. Run another query that shows all the players of the team of country C. For better visibility, it should have around 5 players.

```

SELECT p.MNAME, p.DOB, p.SHIRTNUMBER, p.GENERALPOSITION, p.COUNTRY
FROM PLAYER P
WHERE COUNTRY LIKE 'Morocco';

```

```

db2 => SELECT p.MNAME, p.DOB, p.SHIRTNUMBER, p.GENERALPOSITION, p.COUNTRY
FROM PLAYER P
WHERE COUNTRY LIKE db2 (cont.) => db2 (cont.) => 'Morocco';

```

MNAME	DOB	SHIRTNUMBER	GENERALPOSITION	COUNTRY
Asmaa Boulti	02/23/1997	14	Forward	Morocco
Ghizlane Chebbak	05/15/1993	3	Defender	Morocco
Meryem Hajri	11/07/1995	6	Midfielder	Morocco
Amina Salam	05/12/1998	9	Forward	Morocco
Nadia Khadija	09/20/1997	17	Midfielder	Morocco

5 record(s) selected.

iv. In the application, choose the second item of the main menu.

```

Soccer Main Menu
    1. List information of matches of a country
    2. Insert initial player information for a match
    3. Insert goal
    4. Exit application
Please Enter Your Option:
2
2. Insert initial player information for a match
CURRENT TIME: 2023-03-13T10:06:42.777
Matches:
    10          Canada          Russia          2023-03-13      group
    11          Japan           Morocco         2023-03-13      group
    12          Belgium         Italy           2023-03-14      group
    13          Mexico          United States   2023-03-14      group
    14          Japan           Peru            2023-03-15      group
Please input match identifier for insert, or [P] to go to the previous menu

```

v. Enter the same match id M and country C that you used for the second of the above database queries.

```

Soccer Main Menu
    1. List information of matches of a country
    2. Insert initial player information for a match
    3. Insert goal
    4. Exit application
Please Enter Your Option:
2
2. Insert initial player information for a match
CURRENT TIME: 2023-03-13T10:06:42.777
Matches:
    10          Canada          Russia          2023-03-13      group
    11          Japan           Morocco         2023-03-13      group
    12          Belgium         Italy           2023-03-14      group
    13          Mexico          United States   2023-03-14      group
    14          Japan           Peru            2023-03-15      group
Please input match identifier for insert, or [P] to go to the previous menu
11
Please input match Country for insert, or [P] to go to the previous menu
Morocco
The following players from Morocco are already entered for match 11:
Possible players from Morocco not yet selected:
    1 Asmaa Boulti          14 Forward
    2 Ghizlane Chebbak      3 Defender
    3 Meryem Hajri          6 Midfielder
    4 Amina Salam           9 Forward
    5 Nadia Khadija         17 Midfielder
Enter the number of the player you want to insert or [P] to go to the previous menu

```

vi. Show the result as indicated in the task.

```

C:\Users\user\Documents\comp121\7\2\src\main\java\org\java\Bocce
Soccer Main Menu
    1. List information of matches of a country
    2. Insert initial player information for a match
    3. Insert goal
    4. Exit application
Please Enter Your Option:
2
2. Insert initial player information for a match
CURRENT TIME: 2023-03-13T10:06:42.777
Matches:
    10      Canada      Russia      2023-03-13      group
    11      Japan       Morocco    2023-03-13      group
    12      Belgium     Italy      2023-03-14      group
    13      Mexico      United States 2023-03-14      group
    14      Japan       Peru       2023-03-15      group
Please input match identifier for insert, or [P] to go to the previous menu
11
Please input match Country for insert, or [P] to go to the previous menu
Morocco
The following players from Morocco are already entered for match 11:
Possible players from Morocco not yet selected:
    1 Asmaa Boulti      14 Forward
    2 Ghizlane Chebbak   3  Defender
    3 Meryem Hajri       6  Midfielder
    4 Amina Salam        9  Forward
    5 Nadia Khadija      17 Midfielder
Enter the number of the player you want to insert or [P] to go to the previous menu

```

vii. In your application program select one of the available players and show the result.

```

2. Insert initial player information for a match
CURRENT TIME: 2023-03-13T10:06:42.777
Matches:
    10      Canada      Russia      2023-03-13      group
    11      Japan       Morocco    2023-03-13      group
    12      Belgium     Italy      2023-03-14      group
    13      Mexico      United States 2023-03-14      group
    14      Japan       Peru       2023-03-15      group
Please input match identifier for insert, or [P] to go to the previous menu
11
Please input match Country for insert, or [P] to go to the previous menu
Morocco
The following players from Morocco are already entered for match 11:
Possible players from Morocco not yet selected:
    1 Asmaa Boulti      14 Forward
    2 Ghizlane Chebbak   3  Defender
    3 Meryem Hajri       6  Midfielder
    4 Amina Salam        9  Forward
    5 Nadia Khadija      17 Midfielder
Enter the number of the player you want to insert or [P] to go to the previous menu
1
Enter the player's position
Striker
The following players from Morocco are already entered for match 11:
    Asmaa Boulti      14 Striker      from minute 00:00:00 to minute Null      0      0
Possible players from Morocco not yet selected:
    1 Ghizlane Chebbak   3  Defender
    2 Meryem Hajri       6  Midfielder
    3 Amina Salam        9  Forward
    4 Nadia Khadija      17 Midfielder
Enter the number of the player you want to insert or [P] to go to the previous menu

```

viii. In your program set the maximum number of players of a team for a match to two or three (just for testing) and show an example execution where you reach this limit. Your program should not allow further inserts.


```

2. Insert initial player information for a match
CURRENT TIME: 2023-03-13T10:13:01.523
Matches:
   10      Canada      Russia      2023-03-13      group
   11      Japan       Morocco    2023-03-13      group
   12      Belgium     Italy      2023-03-14      group
   13      Mexico      United States 2023-03-14      group
   14      Japan       Peru       2023-03-15      group
Please input match identifier for insert, or [P] to go to the previous menu
11
Please input match Country for insert, or [P] to go to the previous menu
Morocco
The following players from Morocco are already entered for match 11:
   Asmaa Boulti      14      Striker      from minute 00:00:00 to minute Null      0      0
Possible players from Morocco not yet selected:
   1 Ghizlane Chebbak      3      Defender
   2 Meryem Hajri          6      Midfielder
   3 Amina Salam           9      Forward
   4 Nadia Khadija        17      Midfielder
Enter the number of the player you want to insert or [P] to go to the previous menu
1
Enter the player's position
Center Back
The following players from Morocco are already entered for match 11:
   Ghizlane Chebbak      3      Center Back      from minute 00:00:00 to minute Null      0      0
   Asmaa Boulti          14      Striker          from minute 00:00:00 to minute Null      0      0
Possible players from Morocco not yet selected:
   1 Meryem Hajri          6      Midfielder
   2 Amina Salam           9      Forward
   3 Nadia Khadija        17      Midfielder
Maximum number of player for Morocco reached. Press any key to return to previous menu

```

ix. Go back to the main menu and from there exit the application.

```

Center Back
The following players from Morocco are already entered for match 11:
   Ghizlane Chebbak      3      Center Back      from minute 00:00:00 to minute Null      0      0
   Asmaa Boulti          14      Striker          from minute 00:00:00 to minute Null      0      0
Possible players from Morocco not yet selected:
   1 Meryem Hajri          6      Midfielder
   2 Amina Salam           9      Forward
   3 Nadia Khadija        17      Midfielder
Maximum number of player for Morocco reached. Press any key to return to previous menu
s
CURRENT TIME: 2023-03-13T10:14:17.199
Matches:
   10      Canada      Russia      2023-03-13      group
   11      Japan       Morocco    2023-03-13      group
   12      Belgium     Italy      2023-03-14      group
   13      Mexico      United States 2023-03-14      group
   14      Japan       Peru       2023-03-15      group
Please input match identifier for insert, or [P] to go to the previous menu
P
Soccer Main Menu
   1. List information of matches of a country
   2. Insert initial player information for a match
   3. Insert goal
   4. Exit application
Please Enter Your Option:
4
4. Exit application
Exiting application
cs421g111@winter2023-comp421:~/p2/COMP421P3/src$ █

```

X.

```

db2 => SELECT p.MNAME, p.DOB, p.SHIRTNUMBER, mp.POSITION, p.COUNTRY
FROM Player p
JOIN matchPlayer mp ON p.db2 (cont.) => db2 (cont.) => memberId = mp.memberId
JOIN playingCountry pc ON mdb2 (cont.) => p.matchId = pc.matchId AND p.country = pc.country
db2 (cont.) => WHERE mp.matchId = 11 AND pc.country = 'Morocco';

```

MNAME	DOB	SHIRTNUMBER	POSITION	COUNTRY
Asmaa Boulti	02/23/1997	14	Striker	Morocco
Ghizlane Chebbak	05/15/1993	3	Center Back	Morocco

2 record(s) selected.

(c)

Description: This menu item allows users to add goals. At every step, users have the option to type [P] and return to the previous menu. The program will first ask for a match id. It will then display the current goals and the match players already registered for the match. The user will then be able to select a user from the list to add a goal. The system will then ask if it is a penalty kick. If it is, the goal will be added as a penalty kick. Otherwise the system will ask for the goal timestamp and then add it as a regular goal. Goals must be added in order, since they are identified by their occurrence.

i. Run a query to show all goals.

```
SELECT G.MATCHID, G.COUNTRY, G.OCCURRENCE, P.MNAME, G.TIME_STAMP, G.ISPENALTY
FROM GOAL G
JOIN PLAYER P on P.MEMBERID = G.MEMBERID
ORDER BY G.MATCHID, G.OCCURRENCE;
```

```
db2 => SELECT G.MATCHID, G.COUNTRY, G.OCCURRENCE, P.MNAME, G.TIME_STAMP, G.ISPENALTY
FROM GOAL G
JOIN PLAYEdb2 (cont.) => db2 (cont.) => R P on P.MEMBERID = G.MEMBERID
ORDER BY G.MATCHID,db2 (cont.) => G.OCCURRENCE;
```

MATCHID	COUNTRY	OCCURRENCE	MNAME	TIME_STAMP	ISPENALTY
1	Canada	1	Christine Sinclair	00:15:44	0
1	Canada	2	Chloe Martin	00:40:00	0
1	Canada	3	Christine Sinclair	00:50:12	0
2	England	1	Ellen White	00:11:52	0
2	France	2	Marie-Antoinette Katoto	01:00:13	1
2	England	3	Lucy Bronze	01:12:13	0
3	Nigeria	1	Asisat Oshoala	00:30:22	1
3	Nigeria	2	Asisat Oshoala	00:51:52	0
4	Spain	1	Amanda Sampedro	00:23:12	0
5	Denmark	1	Nadia Nadim	00:17:59	0
6	Brazil	1	Marta Vieira da Silva	00:12:12	1
9	Canada	1	Christine Sinclair	00:09:39	0
9	Canada	2	Emma Davis	00:28:27	0
9	Peru	3	Fiorella Quispe	00:32:18	0
9	Canada	4	Jade Lee	00:46:55	0
9	Peru	5	Nicole Pérez	01:24:09	0

16 record(s) selected.

ii. Run a query to show all the goals for one of the matches M in the previous query.

```
SELECT G.MATCHID, G.COUNTRY, G.OCCURRENCE, P.MNAME, G.TIME_STAMP, G.ISPENALTY
FROM GOAL G
JOIN PLAYER P on P.MEMBERID = G.MEMBERID
WHERE MATCHID = 1
ORDER BY G.OCCURRENCE;
```

```
db2 => SELECT G.MATCHID, G.COUNTRY, G.OCCURRENCE, P.MNAME, G.TIME_STAMP, G.ISPENALTY
FROM GOAL G
JOIN PLAYEdb2 (cont.) => db2 (cont.) => R P on P.MEMBERID = G.MEMBERID
WHERE MATCHID = 1
Odb2 (cont.) => db2 (cont.) => RDER BY G.OCCURRENCE;
```

MATCHID	COUNTRY	OCCURRENCE	MNAME	TIME_STAMP	ISPENALTY
1	Canada	1	Christine Sinclair	00:15:44	0
1	Canada	2	Chloe Martin	00:40:00	0
1	Canada	3	Christine Sinclair	00:50:12	0

3 record(s) selected.

iii. In the application, choose the third item of the main menu.

iv. Enter the same match id as match M.

v. Show the result.

```

Soccer Main Menu
    1. List information of matches of a country
    2. Insert initial player information for a match
    3. Insert goal
    4. Exit application
Please Enter Your Option:
3
3. Insert goal
Input match identifier for insert, or [P] to go to the previous menu
1
Current goals:
    1 Canada      Christine Sinclair    00:15:44
    2 Canada      Chloe Martin         00:40:00
    3 Canada      Christine Sinclair    00:50:12
Match player for match 1:
    1 Canada      Chloe Martin
    2 Canada      Christine Sinclair
    3 Canada      Janine Beckie
    4 Canada      Sophia Jones
    5 Japan       Maya Ishida
    6 Japan       Nao Yamamoto
Select player for insert or [P] to go to the previous menu

```

vi. Select a player, add a non-penalty goal with a valid timestamp and show the result.

```

Input match identifier for insert, or [P] to go to the previous menu
1
Current goals:
    1 Canada      Christine Sinclair    00:15:44
    2 Canada      Chloe Martin         00:40:00
    3 Canada      Christine Sinclair    00:50:12
Match player for match 1:
    1 Canada      Chloe Martin
    2 Canada      Christine Sinclair
    3 Canada      Janine Beckie
    4 Canada      Sophia Jones
    5 Japan       Maya Ishida
    6 Japan       Nao Yamamoto
Select player for insert or [P] to go to the previous menu
5
Was it a penalty kick? [Y/N] or [P] to go to the previous menu
Y
Current goals:
    1 Canada      Christine Sinclair    00:15:44
    2 Canada      Chloe Martin         00:40:00
    3 Canada      Christine Sinclair    00:50:12
    4 Japan       Maya Ishida          Penalty kick
Match player for match 1:
    1 Canada      Chloe Martin
    2 Canada      Christine Sinclair
    3 Canada      Janine Beckie
    4 Canada      Sophia Jones
    5 Japan       Maya Ishida
    6 Japan       Nao Yamamoto
Select player for insert or [P] to go to the previous menu

```

vii. Select another player, add another goal, penalty this time and show the result.

```

Current goals:
  1 Canada      Christine Sinclair    00:15:44
  2 Canada      Chloe Martin      00:40:00
  3 Canada      Christine Sinclair    00:50:12
  4 Canada      Christine Sinclair    01:13:19
Match player for match 1:
  1 Canada      Chloe Martin
  2 Canada      Christine Sinclair
  3 Canada      Janine Beckie
  4 Canada      Sophia Jones
  5 Japan       Maya Ishida
  6 Japan       Nao Yamamoto
Select player for insert or [P] to go to the previous menu
2
Was it a penalty kick? [Y/N] or [P] to go to the previous menu
Y
Current goals:
  1 Canada      Christine Sinclair    00:15:44
  2 Canada      Chloe Martin      00:40:00
  3 Canada      Christine Sinclair    00:50:12
  4 Canada      Christine Sinclair    01:13:19
  5 Canada      Christine Sinclair    Penalty kick
Match player for match 1:
  1 Canada      Chloe Martin
  2 Canada      Christine Sinclair
  3 Canada      Janine Beckie
  4 Canada      Sophia Jones
  5 Japan       Maya Ishida
  6 Japan       Nao Yamamoto
Select player for insert or [P] to go to the previous menu

```

viii. Go back to the main menu and from there exit the application.

```

Match player for match 1:
1 Canada      Chloe Martin
2 Canada      Christine Sinclair
3 Canada      Janine Beckie
4 Canada      Sophia Jones
5 Japan       Maya Ishida
6 Japan       Nao Yamamoto
Select player for insert or [P] to go to the previous menu
2
Was it a penalty kick? [Y/N] or [P] to go to the previous menu
Y
Current goals:
1 Canada      Christine Sinclair      00:15:44
2 Canada      Chloe Martin            00:40:00
3 Canada      Christine Sinclair      00:50:12
4 Canada      Christine Sinclair      01:13:19
5 Canada      Christine Sinclair      Penalty kick
Match player for match 1:
1 Canada      Chloe Martin
2 Canada      Christine Sinclair
3 Canada      Janine Beckie
4 Canada      Sophia Jones
5 Japan       Maya Ishida
6 Japan       Nao Yamamoto
Select player for insert or [P] to go to the previous menu
P
Soccer Main Menu
1. List information of matches of a country
2. Insert initial player information for a match
3. Insert goal
4. Exit application
Please Enter Your Option:
4
4. Exit application
Exiting application

```

ix. Run a query in the database that shows the goals for M.

```

db2 => SELECT G.MATCHID, G.COUNTRY, G.OCCURRENCE, P.MNAME, G.TIME_STAMP, G.ISPENALTY
FROM GOAL G
JOIN PLAYEdb2 (cont.) => db2 (cont.) => R P on P.MEMBERID = G.MEMBERID
WHERE MATCHID = 1
Odb2 (cont.) => db2 (cont.) => RDER BY G.OCCURRENCE;

```


MATCHID	COUNTRY	OCCURRENCE	MNAME	TIME_STAMP	ISPENALTY
1	Canada	1	Christine Sinclair	00:15:44	0
1	Canada	2	Chloe Martin	00:40:00	0
1	Canada	3	Christine Sinclair	00:50:12	0
1	Canada	4	Christine Sinclair	01:13:19	0
1	Canada	5	Christine Sinclair	-	1

```

5 record(s) selected.

```

Indexing

A terminal window with a title bar showing three colored circles (red, yellow, green) and a folder icon. The title text is "keyan — ssh -l cs421g111 winter2023-comp421.cs.mcgill.ca...". The terminal content shows a prompt "Local database alias" followed by "= CS421". Then, a command "db2 => CREATE INDEX ticket_match_idx ON Ticket (matchId);" is entered. The response is "DB20000I The SQL command completed successfully." followed by another prompt "db2 =>".

```
keyan — ssh -l cs421g111 winter2023-comp421.cs.mcgill.ca...
Local database alias    = CS421

db2 => CREATE INDEX ticket_match_idx ON Ticket (matchId);
DB20000I The SQL command completed successfully.
db2 =>
```

We decided to index the TICKET table over MATCHID. The ticket table can become very large since the stadiums have a high capacity, and every match's seat will need a ticket. Tickets will also need to be queried by match often, for example, when displaying the tickets available for a particular match or counting the number of tickets sold for a particular match. The index will make these operations much faster.

An index on the ticket table's matchId attribute would be useful for queries that involve selecting tickets based on their match. This is because querying the ticket table based on the matchId attribute without an index would require a full table scan, which would be inefficient for large datasets.

The SQL query to create this index would be:

```
CREATE INDEX ticket_match_idx ON Ticket (matchId);
```


This index would help speed up queries that filter tickets based on their match. For example, the following query would benefit from this index:

```
SELECT * FROM Ticket WHERE matchId = 57;
```

With the index in place, the database could use the index to quickly find all the tickets for the specified match rather than scanning the entire ticket table.

Data Analytics

Top 5 Countries with the Most Group Round Goals



```
keyan — ssh -l cs421g111 winter2023-comp421.cs.mcgill.ca — 7...
db2 => SELECT G.COUNTRY, COUNT(*) as GOALS
FROM GOAL G
JOIN MATCH M on G.MATCHID = M.MATCHID
WHERE ROUND LIKE 'group'
group by G.COUNTRY
ORDER BY GOALS DESC
LIMIT 5;db2 (cont.) => db2 (cont.) => db2 (cont.) => db2 (cont.) => db2
(cont.) => db2 (cont.) =>

COUNTRY                                GOALS
-----
Canada                                6
England                                2
Peru                                    2
Nigeria                                2
Brazil                                  1

5 record(s) selected.

db2 =>
```

```
SELECT G.COUNTRY, COUNT(*) as GOALS
FROM GOAL G
JOIN MATCH M on G.MATCHID = M.MATCHID
```

```
WHERE ROUND LIKE 'group'  
group by G.COUNTRY  
ORDER BY GOALS DESC  
LIMIT 5;
```

keyan — ssh -l cs421g111 winter2023-comp421.cs.mcgill.ca — 77x10

```
NT(*) as GOALS FROM GOAL G JOIN MATCH M on G.MATCHID = M.MATCHID WHERE ROUND  
LIKE 'group' group by G.COUNTRY ORDER BY GOALS DESC LIMIT 5;  
SQL3104N  The Export utility is beginning to export data to file "goals.csv".  
  
SQL3105N  The Export utility has finished exporting "5" rows.  
  
Number of rows exported: 5  
  
db2 =>
```