





LEGEND:

* DIMENSION TO BE VERIFIED WITH THE CONTRACT 810A FOR INSTALLATION OF E&M SERVICES, CABLE DUCTS, PUMPING MAINS AND OTHER FACILITIES INSTALLATION



PUMP ROOM - FINISHES SCHEDULE	
FLOOR	MIN. 100mm SCREED FOR FORMATION OF FINISHED FLOOR SURFACE FALLING TOWARD FLOOR DRAIN
SKIRTING	140x300x9mm THK. SKIRTING TILE LAUFEN OSTARA WITH 2mm WIDE FLUSH POINTED JOINTS TILES TO BE LAID AS IN SPECIFICATION
WALLS	WALLS UP TO 1490mm ABOVE F.F.L. 150x150x6mm THK. WHITE GLAZED TILES TO BE LAID AS SPECIFIED. TILES TO BE SET-OUT SO THAT CUT TILES ARE KEPT TO A MINIMUM AND WHERE THEY DO OCCUR AS LARGE AS POSSIBLE. JOINTS TO BE HORIZONTAL AND VERTICAL. HORIZONTAL JOINTS IN ADJACENT WALLS ALIGNING WALLS 1490mm ABOVE F.F.L. 30mm THK. CEMENT RENDERING AS IN SPECIFICATION 2 COATS OF WHITE ICL PENTALITE EMULSION PAINT A 921-LINE
CEILING	15mm THK. CEMENTITIOUS PYROK COLOUR-CHARCOAL PYROK SUPPLIED AND APPLIED BY PYROK SURFACE TREATMENT INDUSTRIES LIMITED

