```
Last login: Mon May 12 09:35:34 on ttys000
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly on master[?$]
$ rails s
=> Booting WEBrick
=> Rails 4.1.0 application starting in development on http://0.0.0.0:3000
=> Run `rails server -h` for more startup options
=> Notice: server is listening on all interfaces (0.0.0.0). Consider using 127.0.0.1 (--binding option)
=> Ctrl-C to shutdown server
[2014-05-12 11:21:15] INFO WEBrick 1.3.1
[2014-05-12 11:21:15] INFO ruby 1.9.3 (2013-06-27) [x86 64-darwin13.1.0]
[2014-05-12 11:21:15] INFO WEBrick::HTTPServer#start: pid=54438 port=3000
Started GET "/" for 127.0.0.1 at 2014-05-12 11:21:30 -0400
  ActiveRecord::SchemaMigration Load (0.4ms) SELECT "schema_migrations".* FROM "schema_migrations"
Processing by Rails::WelcomeController#index as HTML
  Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/railties-4.1.0/lib/rail
s/templates/rails/welcome/index.html.erb (30.9ms)
Completed 200 OK in 83ms (Views: 45.6ms | ActiveRecord: 0.0ms)
[2014-05-12 11:21:31] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks" for 127.0.0.1 at 2014-05-12 11:21:53 -0400
ActionController::RoutingError (No route matches [GET] "/cookbooks"):
  actionpack (4.1.0) lib/action_dispatch/middleware/debug_exceptions.rb:21:in `call'
  actionpack (4.1.0) lib/action dispatch/middleware/show exceptions.rb:30:in `call'
  railties (4.1.0) lib/rails/rack/logger.rb:38:in `call_app'
railties (4.1.0) lib/rails/rack/logger.rb:20:in `block in call'
  activesupport (4.1.0) lib/active_support/tagged_logging.rb:68:in `block in tagged'
  activesupport (4.1.0) lib/active_support/tagged_logging.rb:26:in `tagged'
  activesupport (4.1.0) lib/active_support/tagged_logging.rb:68:in `tagged'
  railties (4.1.0) lib/rails/rack/logger.rb:20:in `call'
  actionpack (4.1.0) lib/action_dispatch/middleware/request_id.rb:21:in `call'
  rack (1.5.2) lib/rack/methodoverride.rb:21:in `call'
  rack (1.5.2) lib/rack/runtime.rb:17:in `call'
  activesupport (4.1.0) lib/active_support/cache/strategy/local_cache_middleware.rb:26:in `call'
  rack (1.5.2) lib/rack/lock.rb:17:in `call'
  actionpack (4.1.0) lib/action_dispatch/middleware/static.rb:64:in `call'
  rack (1.5.2) lib/rack/sendfile.rb:112:in `call'
  railties (4.1.0) lib/rails/engine.rb:514:in `call'
  railties (4.1.0) lib/rails/application.rb:144:in `call'
  rack (1.5.2) lib/rack/lock.rb:17:in `call'
  rack (1.5.2) lib/rack/content length.rb:14:in `call'
  rack (1.5.2) lib/rack/handler/webrick.rb:60:in `service'
  /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/httpserver.rb:138:in `service'
  /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/httpserver.rb:94:in `run'
  /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/server.rb:191:in `block in start_t
hread'
  Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/ac
tion_dispatch/middleware/templates/rescues/_trace.html.erb (1.0ms)
  Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/ac
tion_dispatch/middleware/templates/routes/_table.html.erb (13.8ms)
  Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/ac
tion_dispatch/middleware/templates/rescues/routing_error.html.erb within rescues/layout (30.6ms)
Started GET "/cookbooks" for 127.0.0.1 at 2014-05-12 11:23:01 -0400
AbstractController::ActionNotFound (The action 'index' could not be found for CookbooksController):
  actionpack (4.1.0) lib/abstract_controller/base.rb:131:in `process'
  actionview (4.1.0) lib/action_view/rendering.rb:30:in `process'
  actionpack (4.1.0) lib/action_controller/metal.rb:195:in `dispatch'
  actionpack (4.1.0) lib/action_controller/metal/rack_delegation.rb:13:in `dispatch'
  actionpack (4.1.0) lib/action_controller/metal.rb:231:in `block in action'
  actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:80:in `call'
  actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:80:in `dispatch'
```

```
actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:48:in `call'
  actionpack (4.1.0) lib/action_dispatch/journey/router.rb:71:in `block in call'
  actionpack (4.1.0) lib/action_dispatch/journey/router.rb:59:in `each'
  actionpack (4.1.0) lib/action_dispatch/journey/router.rb:59:in `call'
  actionpack (4.1.0) lib/action dispatch/routing/route set.rb:676:in `call'
  rack (1.5.2) lib/rack/etag.rb:23:in `call'
  rack (1.5.2) lib/rack/conditionalget.rb:25:in `call'
  rack (1.5.2) lib/rack/head.rb:11:in `call'
  actionpack (4.1.0) lib/action_dispatch/middleware/params_parser.rb:27:in `call'
  actionpack (4.1.0) lib/action dispatch/middleware/flash.rb:254:in `call'
  rack (1.5.2) lib/rack/session/abstract/id.rb:225:in `context'
  rack (1.5.2) lib/rack/session/abstract/id.rb:220:in `call'
  actionpack (4.1.0) lib/action_dispatch/middleware/cookies.rb:560:in `call'
  activerecord (4.1.0) lib/active_record/query_cache.rb:36:in `call'
  activerecord (4.1.0) lib/active_record/connection_adapters/abstract/connection_pool.rb:621:in `call'
  activerecord (4.1.0) lib/active record/migration.rb:380:in `call'
  actionpack (4.1.0) lib/action_dispatch/middleware/callbacks.rb:29:in `block in call'
  activesupport (4.1.0) lib/active_support/callbacks.rb:82:in `run_callbacks'
  actionpack (4.1.0) lib/action_dispatch/middleware/callbacks.rb:27:in `call'
  actionpack (4.1.0) lib/action_dispatch/middleware/reloader.rb:73:in `call'
  actionpack (4.1.0) lib/action_dispatch/middleware/remote_ip.rb:76:in `call'
  actionpack (4.1.0) lib/action dispatch/middleware/debug exceptions.rb:17:in `call'
  actionpack (4.1.0) lib/action_dispatch/middleware/show_exceptions.rb:30:in `call'
  railties (4.1.0) lib/rails/rack/logger.rb:38:in `call_app'
  railties (4.1.0) lib/rails/rack/logger.rb:20:in `block in call'
  activesupport (4.1.0) lib/active_support/tagged_logging.rb:68:in `block in tagged'
  activesupport (4.1.0) lib/active_support/tagged_logging.rb:26:in `tagged'
  activesupport (4.1.0) lib/active_support/tagged_logging.rb:68:in `tagged'
  railties (4.1.0) lib/rails/rack/logger.rb:20:in `call'
  actionpack (4.1.0) lib/action_dispatch/middleware/request_id.rb:21:in `call'
  rack (1.5.2) lib/rack/methodoverride.rb:21:in `call'
  rack (1.5.2) lib/rack/runtime.rb:17:in `call'
  activesupport (4.1.0) lib/active_support/cache/strategy/local_cache_middleware.rb:26:in `call'
  rack (1.5.2) lib/rack/lock.rb:17:in `call'
  actionpack (4.1.0) lib/action_dispatch/middleware/static.rb:64:in `call'
  rack (1.5.2) lib/rack/sendfile.rb:112:in `call'
  railties (4.1.0) lib/rails/engine.rb:514:in `call'
  railties (4.1.0) lib/rails/application.rb:144:in `call'
  rack (1.5.2) lib/rack/lock.rb:17:in `call'
  rack (1.5.2) lib/rack/content_length.rb:14:in `call'
  rack (1.5.2) lib/rack/handler/webrick.rb:60:in `service'
  /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/httpserver.rb:138:in `service'
  /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/httpserver.rb:94:in `run'
  /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/server.rb:191:in `block in start_t
hread'
  Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/ac
tion_dispatch/middleware/templates/rescues/unknown_action.html.erb within rescues/layout (0.6ms)
Started GET "/cookbooks" for 127.0.0.1 at 2014-05-12 11:23:13 -0400
Processing by CookbooksController#index as HTML
Completed 500 Internal Server Error in 2ms
ActionView::MissingTemplate (Missing template cookbooks/index, application/index with {:locale=>[:en], :fo
rmats=>[:html], :variants=>[], :handlers=>[:erb, :builder, :raw, :ruby, :jbuilder, :coffee]}. Searched in:
  * "/Users/omardelarosa/Dropbox/Code/WDI/wdi-string/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly/app/v
iews"
):
  actionview (4.1.0) lib/action_view/path_set.rb:46:in `find'
  actionview (4.1.0) lib/action_view/lookup_context.rb:124:in `find'
  actionview (4.1.0) lib/action_view/renderer/abstract_renderer.rb:18:in `find_template'
  actionview (4.1.0) lib/action_view/renderer/template_renderer.rb:41:in `determine_template'
  actionview (4.1.0) lib/action_view/renderer/template_renderer.rb:8:in `render'
  actionview (4.1.0) lib/action_view/renderer/renderer.rb:42:in `render_template'
  actionview (4.1.0) lib/action_view/renderer/renderer.rb:23:in `render'
  actionview (4.1.0) lib/action_view/rendering.rb:99:in `_render_template'
  actionpack (4.1.0) lib/action_controller/metal/streaming.rb:217:in `_render_template'
  actionview (4.1.0) lib/action_view/rendering.rb:82:in `render_to_body'
```

```
actionpack (4.1.0) lib/action_controller/metal/rendering.rb:32:in `render_to_body'
actionpack (4.1.0) lib/action_controller/metal/renderers.rb:32:in `render_to_body'
actionpack (4.1.0) lib/abstract_controller/rendering.rb:25:in `render'
actionpack (4.1.0) lib/action controller/metal/rendering.rb:16:in `render'
actionpack (4.1.0) lib/action controller/metal/instrumentation.rb:41:in `block (2 levels) in render'
activesupport (4.1.0) lib/active_support/core_ext/benchmark.rb:12:in `block in ms'
/Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/benchmark.rb:295:in `realtime'
activesupport (4.1.0) lib/active_support/core_ext/benchmark.rb:12:in `ms'
actionpack (4.1.0) lib/action_controller/metal/instrumentation.rb:41:in `block in render'
actionpack (4.1.0) lib/action controller/metal/instrumentation.rb:84:in `cleanup view runtime'
activerecord (4.1.0) lib/active record/railties/controller runtime.rb:25:in `cleanup view runtime'
actionpack (4.1.0) lib/action_controller/metal/instrumentation.rb:40:in `render'
actionpack (4.1.0) lib/action_controller/metal/implicit_render.rb:10:in `default_render'
actionpack (4.1.0) lib/action_controller/metal/implicit_render.rb:5:in `send_action'
actionpack (4.1.0) lib/abstract_controller/base.rb:189:in `process_action'
actionpack (4.1.0) lib/action controller/metal/rendering.rb:10:in `process action'
actionpack (4.1.0) lib/abstract_controller/callbacks.rb:20:in `block in process_action'
activesupport (4.1.0) lib/active_support/callbacks.rb:113:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:113:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:229:in `block in halting'
activesupport (4.1.0) lib/active_support/callbacks.rb:229:in `call'
activesupport (4.1.0) lib/active support/callbacks.rb:229:in `block in halting'
activesupport (4.1.0) lib/active_support/callbacks.rb:166:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:166:in `block in halting'
activesupport (4.1.0) lib/active_support/callbacks.rb:166:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:166:in `block in halting'
activesupport (4.1.0) lib/active_support/callbacks.rb:166:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:166:in `block in halting'
activesupport (4.1.0) lib/active_support/callbacks.rb:86:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:86:in `run_callbacks'
actionpack (4.1.0) lib/abstract_controller/callbacks.rb:19:in `process_action'
actionpack (4.1.0) lib/action_controller/metal/rescue.rb:29:in `process_action'
actionpack (4.1.0) lib/action_controller/metal/instrumentation.rb:31:in `block in process_action'
active support (4.1.0) lib/active support/notifications.rb:159:in `block in instrument'
activesupport (4.1.0) lib/active_support/notifications/instrumenter.rb:20:in `instrument'
activesupport (4.1.0) lib/active_support/notifications.rb:159:in `instrument'
actionpack (4.1.0) lib/action_controller/metal/instrumentation.rb:30:in `process_action'
actionpack (4.1.0) lib/action_controller/metal/params_wrapper.rb:250:in `process_action'
activerecord (4.1.0) lib/active_record/railties/controller_runtime.rb:18:in `process_action'
actionpack (4.1.0) lib/abstract_controller/base.rb:136:in `process'
actionview (4.1.0) lib/action_view/rendering.rb:30:in `process'
actionpack (4.1.0) lib/action_controller/metal.rb:195:in `dispatch'
actionpack (4.1.0) lib/action_controller/metal/rack_delegation.rb:13:in `dispatch'
actionpack (4.1.0) lib/action_controller/metal.rb:231:in `block in action'
actionpack (4.1.0) lib/action dispatch/routing/route set.rb:80:in `call'
actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:80:in `dispatch'
actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:48:in `call'
actionpack (4.1.0) lib/action_dispatch/journey/router.rb:71:in `block in call'
actionpack (4.1.0) lib/action_dispatch/journey/router.rb:59:in `each'
actionpack (4.1.0) lib/action_dispatch/journey/router.rb:59:in `call'
actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:676:in `call'
rack (1.5.2) lib/rack/etag.rb:23:in `call'
rack (1.5.2) lib/rack/conditionalget.rb:25:in `call'
rack (1.5.2) lib/rack/head.rb:11:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/params_parser.rb:27:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/flash.rb:254:in `call'
rack (1.5.2) lib/rack/session/abstract/id.rb:225:in `context'
rack (1.5.2) lib/rack/session/abstract/id.rb:220:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/cookies.rb:560:in `call'
activerecord (4.1.0) lib/active_record/query_cache.rb:36:in `call'
activerecord (4.1.0) lib/active_record/connection_adapters/abstract/connection_pool.rb:621:in `call'
activerecord (4.1.0) lib/active_record/migration.rb:380:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/callbacks.rb:29:in `block in call'
activesupport (4.1.0) lib/active_support/callbacks.rb:82:in `run_callbacks'
actionpack (4.1.0) lib/action_dispatch/middleware/callbacks.rb:27:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/reloader.rb:73:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/remote_ip.rb:76:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/debug_exceptions.rb:17:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/show_exceptions.rb:30:in `call'
railties (4.1.0) lib/rails/rack/logger.rb:38:in `call_app'
```

```
railties (4.1.0) lib/rails/rack/logger.rb:20:in `block in call'
 activesupport (4.1.0) lib/active_support/tagged_logging.rb:68:in `block in tagged'
 activesupport (4.1.0) lib/active_support/tagged_logging.rb:26:in `tagged'
 activesupport (4.1.0) lib/active_support/tagged_logging.rb:68:in `tagged'
  railties (4.1.0) lib/rails/rack/logger.rb:20:in `call'
 actionpack (4.1.0) lib/action_dispatch/middleware/request_id.rb:21:in `call'
 rack (1.5.2) lib/rack/methodoverride.rb:21:in `call'
  rack (1.5.2) lib/rack/runtime.rb:17:in `call'
 activesupport (4.1.0) lib/active_support/cache/strategy/local_cache_middleware.rb:26:in `call'
  rack (1.5.2) lib/rack/lock.rb:17:in `call'
 actionpack (4.1.0) lib/action dispatch/middleware/static.rb:64:in `call'
  rack (1.5.2) lib/rack/sendfile.rb:112:in `call'
  railties (4.1.0) lib/rails/engine.rb:514:in `call'
  railties (4.1.0) lib/rails/application.rb:144:in `call'
  rack (1.5.2) lib/rack/lock.rb:17:in `call'
  rack (1.5.2) lib/rack/content length.rb:14:in `call'
  rack (1.5.2) lib/rack/handler/webrick.rb:60:in `service'
 /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/httpserver.rb:138:in `service'
 /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/httpserver.rb:94:in `run'
 /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/server.rb:191:in `block in start_t
hread'
 Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/ac
tion_dispatch/middleware/templates/rescues/missing_template.html.erb within rescues/layout (0.4ms)
[2014-05-12 11:23:13] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks" for 127.0.0.1 at 2014-05-12 11:23:41 -0400
Processing by CookbooksController#index as HTML
 Rendered cookbooks/index.html.erb within layouts/application (0.4ms)
Completed 200 OK in 486ms (Views: 484.8ms | ActiveRecord: 0.0ms)
Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-12 11:23:41 -0400
[2014-05-12 11:23:41] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-12 11:23:41 -0400
[2014-05-12 11:23:41] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-12 11:23:41 -0400
[2014-05-12 11:23:41] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-12 11:23:41 -0400
[2014-05-12 11:23:41] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-12 11:23:41 -0400
[2014-05-12 11:23:41] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks" for 127.0.0.1 at 2014-05-12 11:23:48 -0400
Processing by CookbooksController#index as HTML
  Rendered cookbooks/index.html.erb within layouts/application (0.9ms)
Completed 200 OK in 10ms (Views: 9.1ms | ActiveRecord: 0.0ms)
Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-12 11:23:48 -0400
[2014-05-12 11:23:48] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
```

```
Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-12 11:23:48 -0400
[2014-05-12 11:23:48] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-12 11:23:48 -0400
[2014-05-12 11:23:48] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-12 11:23:48 -0400
[2014-05-12 11:23:48] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-12 11:23:48 -0400
[2014-05-12 11:23:48] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks" for 127.0.0.1 at 2014-05-12 11:23:57 -0400
Processing by CookbooksController#index as HTML
 Rendered cookbooks/index.html.erb within layouts/application (0.3ms)
Completed 200 OK in 6ms (Views: 5.1ms | ActiveRecord: 0.0ms)
Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-12 11:23:58 -0400
[2014-05-12 11:23:58] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-12 11:23:58 -0400
[2014-05-12 11:23:58] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-12 11:23:58 -0400
[2014-05-12 11:23:58] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-12 11:23:58 -0400
[2014-05-12 11:23:58] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-12 11:23:58 -0400
[2014-05-12 11:23:58] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks" for 127.0.0.1 at 2014-05-12 11:26:22 -0400
Processing by CookbooksController#index as HTML
  Cookbook Load (0.7ms) SELECT "cookbooks" * FROM "cookbooks"
Completed 200 OK in 4ms (Views: 0.9ms | ActiveRecord: 0.7ms)
[2014-05-12 11:26:22] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks" for 127.0.0.1 at 2014-05-12 11:29:42 -0400
Processing by CookbooksController#index as HTML
Cookbook Load (0.6ms) SELECT "cookbooks".* FROM "cookbooks" Completed 200 OK in 55ms (Views: 51.8ms | ActiveRecord: 2.4ms)
[2014-05-12 11:29:42] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks" for 127.0.0.1 at 2014-05-12 11:30:31 -0400
```

Processing by CookbooksController#index as HTML

```
Completed 200 OK in 25ms (Views: 22.5ms | ActiveRecord: 1.2ms)
Started GET "/cookbooks" for 127.0.0.1 at 2014-05-12 11:33:49 -0400
Processing by CookbooksController#index as HTML
  Cookbook Load (1.4ms) SELECT "cookbooks".* FROM "cookbooks"
 Rendered cookbooks/index.html.erb within layouts/application (8.5ms)
Completed 200 OK in 13ms (Views: 9.2ms | ActiveRecord: 2.5ms)
Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-12 11:33:49 -0400
[2014-05-12 11:33:49] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-12 11:33:49 -0400
[2014-05-12 11:33:49] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-12 11:33:49 -0400
[2014-05-12 11:33:49] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-12 11:33:49 -0400
[2014-05-12 11:33:49] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-12 11:33:49 -0400
[2014-05-12 11:33:49] WARN Could not determine content-length of response body. Set content-length of the
response or set Response#chunked = true
[2014-05-12 11:33:49] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks" for 127.0.0.1 at 2014-05-12 11:34:04 -0400
Processing by CookbooksController#index as HTML
  Cookbook Load (1.0ms) SELECT "cookbooks" * FROM "cookbooks"
  Rendered cookbooks/index.html.erb within layouts/application (7.5ms)
Completed 200 OK in 12ms (Views: 10.4ms | ActiveRecord: 1.0ms)
Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-12 11:34:04 -0400
[2014-05-12 11:34:04] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-12 11:34:04 -0400
[2014-05-12 11:34:04] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-12 11:34:04 -0400
[2014-05-12 11:34:04] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-12 11:34:04 -0400
[2014-05-12 11:34:04] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-12 11:34:04 -0400
[2014-05-12 11:34:04] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
```

Cookbook Load (1.2ms) SELECT "cookbooks".\* FROM "cookbooks"

```
Started GET "/cookbooks" for 127.0.0.1 at 2014-05-12 11:34:26 -0400
Processing by CookbooksController#index as HTML
  Cookbook Load (0.4ms) SELECT "cookbooks".* FROM "cookbooks"
 Rendered cookbooks/index.html.erb within layouts/application (19.2ms)
Completed 200 OK in 23ms (Views: 22.3ms | ActiveRecord: 0.4ms)
Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-12 11:34:26 -0400
[2014-05-12 11:34:26] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-12 11:34:26 -0400
[2014-05-12 11:34:26] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-12 11:34:26 -0400
[2014-05-12 11:34:26] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-12 11:34:26 -0400
[2014-05-12 11:34:26] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery ujs.js?body=1" for 127.0.0.1 at 2014-05-12 11:34:26 -0400
[2014-05-12 11:34:26] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks" for 127.0.0.1 at 2014-05-12 11:34:32 -0400
Processing by CookbooksController#index as HTML
  Cookbook Load (0.7ms) SELECT "cookbooks".* FROM "cookbooks"
 Rendered cookbooks/index.html.erb within layouts/application (76.6ms)
Completed 200 OK in 81ms (Views: 80.0ms | ActiveRecord: 0.7ms)
[2014-05-12 11:34:32] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks" for 127.0.0.1 at 2014-05-12 11:34:33 -0400
Processing by CookbooksController#index as HTML
  Cookbook Load (0.7ms) SELECT "cookbooks".* FROM "cookbooks"
 Rendered cookbooks/index.html.erb within layouts/application (25.4ms)
Completed 200 OK in 32ms (Views: 29.9ms | ActiveRecord: 0.7ms)
[2014-05-12 11:34:33] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks" for 127.0.0.1 at 2014-05-12 11:34:34 -0400
Processing by CookbooksController#index as HTML
  Cookbook Load (0.6ms) SELECT "cookbooks" * FROM "cookbooks"
 Rendered cookbooks/index.html.erb within layouts/application (16.6ms)
Completed 200 OK in 20ms (Views: 19.0ms | ActiveRecord: 0.6ms)
[2014-05-12 11:34:34] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks" for 127.0.0.1 at 2014-05-12 11:34:35 -0400
Processing by CookbooksController#index as HTML
  Cookbook Load (0.5ms) SELECT "cookbooks".* FROM "cookbooks"
  Rendered cookbooks/index.html.erb within layouts/application (12.7ms)
Completed 200 OK in 17ms (Views: 15.9ms | ActiveRecord: 0.5ms)
[2014-05-12 11:34:35] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks" for 127.0.0.1 at 2014-05-12 11:37:58 -0400
Processing by CookbooksController#index as HTML
```

```
Cookbook Load (1.6ms) SELECT "cookbooks".* FROM "cookbooks"
 Rendered cookbooks/index.html.erb within layouts/application (15.3ms)
Completed 500 Internal Server Error in 20ms
ActionView::Template::Error (undefined local variable or method `cookbook path' for #<#<Class:0x007fed5e03
3b78>:0x007fed5e29b848>):
   1: <h2>Cookbooks</h2>
   2: 
        <% @cookbooks.each do |cookbook| %>
          <%= link_to cookbook.title, cookbook_path %>
   5:
   6: 
 app/views/cookbooks/index.html.erb:4:in `block in _app_views_cookbooks_index_html_erb__73309815780112438
8 70328731897460'
  app/views/cookbooks/index.html.erb:3:in `_app_views_cookbooks_index_html_erb__733098157801124388_7032873
1897460'
 Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/ac
tion dispatch/middleware/templates/rescues/ trace.html.erb (31.1ms)
  Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/rubv/gems/1.9.1/gems/actionpack-4.1.0/lib/ac
tion dispatch/middleware/templates/rescues/ request and response.html.erb (0.9ms)
  Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/ac
tion_dispatch/middleware/templates/rescues/template_error.html.erb within rescues/layout (41.6ms)
[2014-05-12 11:37:58] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks" for 127.0.0.1 at 2014-05-12 11:38:56 -0400
Processing by CookbooksController#index as HTML
  Cookbook Load (0.4ms) SELECT "cookbooks".* FROM "cookbooks"
 Rendered cookbooks/index.html.erb within layouts/application (4.5ms)
Completed 200 OK in 9ms (Views: 7.2ms | ActiveRecord: 0.4ms)
Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-12 11:38:56 -0400
[2014-05-12 11:38:56] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-12 11:38:56 -0400
[2014-05-12 11:38:56] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-12 11:38:56 -0400
[2014-05-12 11:38:56] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-12 11:38:56 -0400
[2014-05-12 11:38:56] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-12 11:38:56 -0400
[2014-05-12 11:38:56] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks/104" for 127.0.0.1 at 2014-05-12 11:39:14 -0400
ActionController::RoutingError (No route matches [GET] "/cookbooks/104"):
 actionpack (4.1.0) lib/action_dispatch/middleware/debug_exceptions.rb:21:in `call'
 actionpack (4.1.0) lib/action_dispatch/middleware/show_exceptions.rb:30:in `call'
 railties (4.1.0) lib/rails/rack/logger.rb:38:in `call app'
 railties (4.1.0) lib/rails/rack/logger.rb:20:in `block in call'
 activesupport (4.1.0) lib/active_support/tagged_logging.rb:68:in `block in tagged'
 activesupport (4.1.0) lib/active_support/tagged_logging.rb:26:in `tagged'
 activesupport (4.1.0) lib/active_support/tagged_logging.rb:68:in `tagged'
```

```
railties (4.1.0) lib/rails/rack/logger.rb:20:in `call'
 actionpack (4.1.0) lib/action_dispatch/middleware/request_id.rb:21:in `call'
  rack (1.5.2) lib/rack/methodoverride.rb:21:in `call'
  rack (1.5.2) lib/rack/runtime.rb:17:in `call'
 activesupport (4.1.0) lib/active support/cache/strategy/local cache middleware.rb:26:in `call'
  rack (1.5.2) lib/rack/lock.rb:17:in `call'
 actionpack (4.1.0) lib/action_dispatch/middleware/static.rb:64:in `call'
  rack (1.5.2) lib/rack/sendfile.rb:112:in `call'
  railties (4.1.0) lib/rails/engine.rb:514:in `call'
  railties (4.1.0) lib/rails/application.rb:144:in `call'
  rack (1.5.2) lib/rack/lock.rb:17:in `call'
  rack (1.5.2) lib/rack/content_length.rb:14:in `call'
  rack (1.5.2) lib/rack/handler/webrick.rb:60:in `service'
  /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/httpserver.rb:138:in `service'
  /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/httpserver.rb:94:in `run'
  /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/server.rb:191:in `block in start t
hread'
 Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/ac
tion dispatch/middleware/templates/rescues/ trace.html.erb (0.9ms)
  Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/ac
tion_dispatch/middleware/templates/routes/_route.html.erb (1.4ms)
  Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/ac
tion_dispatch/middleware/templates/routes/_table.html.erb (1.5ms)
  Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/ac
tion_dispatch/middleware/templates/rescues/routing_error.html.erb within rescues/layout (24.6ms)
Started GET "/cookbooks/104" for 127.0.0.1 at 2014-05-12 11:39:14 -0400
ActionController::RoutingError (No route matches [GET] "/cookbooks/104"):
  actionpack (4.1.0) lib/action_dispatch/middleware/debug_exceptions.rb:21:in `call'
 actionpack (4.1.0) lib/action dispatch/middleware/show exceptions.rb:30:in `call'
  railties (4.1.0) lib/rails/rack/logger.rb:38:in `call_app'
  railties (4.1.0) lib/rails/rack/logger.rb:20:in `block in call'
 activesupport (4.1.0) lib/active_support/tagged_logging.rb:68:in `block in tagged'
 activesupport (4.1.0) lib/active_support/tagged_logging.rb:26:in `tagged'
 activesupport (4.1.0) lib/active_support/tagged_logging.rb:68:in `tagged'
  railties (4.1.0) lib/rails/rack/logger.rb:20:in `call'
 actionpack (4.1.0) lib/action_dispatch/middleware/request_id.rb:21:in `call'
 rack (1.5.2) lib/rack/methodoverride.rb:21:in `call'
 rack (1.5.2) lib/rack/runtime.rb:17:in `call'
 activesupport (4.1.0) lib/active_support/cache/strategy/local_cache_middleware.rb:26:in `call'
  rack (1.5.2) lib/rack/lock.rb:17:in `call'
 actionpack (4.1.0) lib/action_dispatch/middleware/static.rb:64:in `call'
  rack (1.5.2) lib/rack/sendfile.rb:112:in `call'
  railties (4.1.0) lib/rails/engine.rb:514:in `call'
  railties (4.1.0) lib/rails/application.rb:144:in `call'
  rack (1.5.2) lib/rack/lock.rb:17:in `call'
  rack (1.5.2) lib/rack/content length.rb:14:in `call'
  rack (1.5.2) lib/rack/handler/webrick.rb:60:in `service'
  /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/httpserver.rb:138:in `service'
  /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/httpserver.rb:94:in `run'
 /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/server.rb:191:in `block in start_t
hread'
 Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/ac
tion_dispatch/middleware/templates/rescues/_trace.html.erb (0.9ms)
  Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/ac
tion_dispatch/middleware/templates/routes/_route.html.erb (3.1ms)
  Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/ac
tion_dispatch/middleware/templates/routes/_table.html.erb (1.5ms)
  Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/ac
tion_dispatch/middleware/templates/rescues/routing_error.html.erb within rescues/layout (23.3ms)
```

```
AbstractController::ActionNotFound (The action 'show' could not be found for CookbooksController):
 actionpack (4.1.0) lib/abstract_controller/base.rb:131:in `process'
 actionview (4.1.0) lib/action_view/rendering.rb:30:in `process'
 actionpack (4.1.0) lib/action_controller/metal.rb:195:in `dispatch'
 actionpack (4.1.0) lib/action controller/metal/rack delegation.rb:13:in `dispatch'
 actionpack (4.1.0) lib/action_controller/metal.rb:231:in `block in action'
 actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:80:in `call'
 actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:80:in `dispatch'
 actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:48:in `call'
 actionpack (4.1.0) lib/action dispatch/journey/router.rb:71:in `block in call'
 actionpack (4.1.0) lib/action dispatch/journey/router.rb:59:in `each'
 actionpack (4.1.0) lib/action_dispatch/journey/router.rb:59:in `call'
 actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:676:in `call'
  rack (1.5.2) lib/rack/etag.rb:23:in `call'
  rack (1.5.2) lib/rack/conditionalget.rb:25:in `call'
  rack (1.5.2) lib/rack/head.rb:11:in `call'
 actionpack (4.1.0) lib/action_dispatch/middleware/params_parser.rb:27:in `call'
 actionpack (4.1.0) lib/action_dispatch/middleware/flash.rb:254:in `call'
  rack (1.5.2) lib/rack/session/abstract/id.rb:225:in `context'
 rack (1.5.2) lib/rack/session/abstract/id.rb:220:in `call'
 actionpack (4.1.0) lib/action dispatch/middleware/cookies.rb:560:in `call'
 activerecord (4.1.0) lib/active record/query cache.rb:36:in `call'
 activerecord (4.1.0) lib/active_record/connection_adapters/abstract/connection_pool.rb:621:in `call'
 activerecord (4.1.0) lib/active_record/migration.rb:380:in `call'
 actionpack (4.1.0) lib/action_dispatch/middleware/callbacks.rb:29:in `block in call'
 activesupport (4.1.0) lib/active_support/callbacks.rb:82:in `run_callbacks'
 actionpack (4.1.0) lib/action_dispatch/middleware/callbacks.rb:27:in `call'
 actionpack (4.1.0) lib/action dispatch/middleware/reloader.rb:73:in `call'
 actionpack (4.1.0) lib/action_dispatch/middleware/remote_ip.rb:76:in `call'
 actionpack (4.1.0) lib/action_dispatch/middleware/debug_exceptions.rb:17:in `call'
 actionpack (4.1.0) lib/action_dispatch/middleware/show_exceptions.rb:30:in `call'
  railties (4.1.0) lib/rails/rack/logger.rb:38:in `call_app'
  railties (4.1.0) lib/rails/rack/logger.rb:20:in `block in call'
 activesupport (4.1.0) lib/active support/tagged logging.rb:68:in `block in tagged'
 activesupport (4.1.0) lib/active_support/tagged_logging.rb:26:in `tagged'
 activesupport (4.1.0) lib/active_support/tagged_logging.rb:68:in `tagged'
  railties (4.1.0) lib/rails/rack/logger.rb:20:in `call'
 actionpack (4.1.0) lib/action_dispatch/middleware/request_id.rb:21:in `call'
  rack (1.5.2) lib/rack/methodoverride.rb:21:in `call'
  rack (1.5.2) lib/rack/runtime.rb:17:in `call'
 activesupport (4.1.0) lib/active_support/cache/strategy/local_cache_middleware.rb:26:in `call'
 rack (1.5.2) lib/rack/lock.rb:17:in `call'
 actionpack (4.1.0) lib/action_dispatch/middleware/static.rb:64:in `call'
 rack (1.5.2) lib/rack/sendfile.rb:112:in `call'
  railties (4.1.0) lib/rails/engine.rb:514:in `call'
  railties (4.1.0) lib/rails/application.rb:144:in `call'
  rack (1.5.2) lib/rack/lock.rb:17:in `call'
  rack (1.5.2) lib/rack/content_length.rb:14:in `call'
  rack (1.5.2) lib/rack/handler/webrick.rb:60:in `service'
 /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/httpserver.rb:138:in `service'
  /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/httpserver.rb:94:in `run'
 /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/server.rb:191:in `block in start_t
hread'
 Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/ac
tion dispatch/middleware/templates/rescues/unknown action.html.erb within rescues/layout (0.7ms)
[2014-05-12 11:51:18] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks/104" for 127.0.0.1 at 2014-05-12 11:51:25 -0400
AbstractController::ActionNotFound (The action 'blah' could not be found for CookbooksController):
 actionpack (4.1.0) lib/abstract_controller/base.rb:131:in `process'
 actionview (4.1.0) lib/action_view/rendering.rb:30:in `process'
 actionpack (4.1.0) lib/action_controller/metal.rb:195:in `dispatch'
 actionpack (4.1.0) lib/action controller/metal/rack delegation.rb:13:in `dispatch'
 actionpack (4.1.0) lib/action_controller/metal.rb:231:in `block in action'
 actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:80:in `call'
```

```
actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:80:in `dispatch'
  actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:48:in `call'
  actionpack (4.1.0) lib/action_dispatch/journey/router.rb:71:in `block in call'
  actionpack (4.1.0) lib/action_dispatch/journey/router.rb:59:in `each'
actionpack (4.1.0) lib/action_dispatch/journey/router.rb:59:in `call'
  actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:676:in `call'
  rack (1.5.2) lib/rack/etag.rb:23:in `call'
  rack (1.5.2) lib/rack/conditionalget.rb:25:in `call'
  rack (1.5.2) lib/rack/head.rb:11:in `call'
  actionpack (4.1.0) lib/action_dispatch/middleware/params_parser.rb:27:in `call'
  actionpack (4.1.0) lib/action dispatch/middleware/flash.rb:254:in `call'
  rack (1.5.2) lib/rack/session/abstract/id.rb:225:in `context'
  rack (1.5.2) lib/rack/session/abstract/id.rb:220:in `call'
  actionpack (4.1.0) lib/action_dispatch/middleware/cookies.rb:560:in `call'
  activerecord (4.1.0) lib/active_record/query_cache.rb:36:in `call'
  activerecord (4.1.0) lib/active_record/connection_adapters/abstract/connection_pool.rb:621:in `call'
  activerecord (4.1.0) lib/active_record/migration.rb:380:in `call'
  actionpack (4.1.0) lib/action_dispatch/middleware/callbacks.rb:29:in `block in call'
  activesupport (4.1.0) lib/active_support/callbacks.rb:82:in `run_callbacks'
  actionpack (4.1.0) lib/action_dispatch/middleware/callbacks.rb:27:in `call'
  actionpack (4.1.0) lib/action_dispatch/middleware/reloader.rb:73:in `call'
  actionpack (4.1.0) lib/action dispatch/middleware/remote ip.rb:76:in `call'
  actionpack (4.1.0) lib/action_dispatch/middleware/debug_exceptions.rb:17:in `call'
  actionpack (4.1.0) lib/action_dispatch/middleware/show_exceptions.rb:30:in `call'
  railties (4.1.0) lib/rails/rack/logger.rb:38:in `call_app'
  railties (4.1.0) lib/rails/rack/logger.rb:20:in `block in call'
  activesupport (4.1.0) lib/active_support/tagged_logging.rb:68:in `block in tagged'
  activesupport (4.1.0) lib/active_support/tagged_logging.rb:26:in `tagged'
activesupport (4.1.0) lib/active_support/tagged_logging.rb:68:in `tagged'
  railties (4.1.0) lib/rails/rack/logger.rb:20:in `call'
  actionpack (4.1.0) lib/action_dispatch/middleware/request_id.rb:21:in `call'
  rack (1.5.2) lib/rack/methodoverride.rb:21:in `call'
  rack (1.5.2) lib/rack/runtime.rb:17:in `call'
  activesupport (4.1.0) lib/active_support/cache/strategy/local_cache_middleware.rb:26:in `call'
  rack (1.5.2) lib/rack/lock.rb:17:in `call'
  actionpack (4.1.0) lib/action dispatch/middleware/static.rb:64:in `call'
  rack (1.5.2) lib/rack/sendfile.rb:112:in `call'
  railties (4.1.0) lib/rails/engine.rb:514:in `call'
  railties (4.1.0) lib/rails/application.rb:144:in `call'
  rack (1.5.2) lib/rack/lock.rb:17:in `call'
  rack (1.5.2) lib/rack/content_length.rb:14:in `call'
  rack (1.5.2) lib/rack/handler/webrick.rb:60:in `service'
  /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/httpserver.rb:138:in `service'
  /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/httpserver.rb:94:in `run'
  /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/server.rb:191:in `block in start_t
hread'
  Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/ac
tion_dispatch/middleware/templates/rescues/unknown_action.html.erb within rescues/layout (0.4ms)
Started GET "/cookbooks/104" for 127.0.0.1 at 2014-05-12 11:51:40 -0400
AbstractController::ActionNotFound (The action 'show' could not be found for CookbooksController):
  actionpack (4.1.0) lib/abstract_controller/base.rb:131:in `process'
  actionview (4.1.0) lib/action view/rendering.rb:30:in `process'
  actionpack (4.1.0) lib/action_controller/metal.rb:195:in `dispatch'
  actionpack (4.1.0) lib/action_controller/metal/rack_delegation.rb:13:in `dispatch'
  actionpack (4.1.0) lib/action_controller/metal.rb:231:in `block in action'
  actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:80:in `call'
  actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:80:in `dispatch'
actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:48:in `call'
  actionpack (4.1.0) lib/action_dispatch/journey/router.rb:71:in `block in call'
  actionpack (4.1.0) lib/action_dispatch/journey/router.rb:59:in `each'
  actionpack (4.1.0) lib/action_dispatch/journey/router.rb:59:in `call'
  actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:676:in `call'
  rack (1.5.2) lib/rack/etag.rb:23:in `call'
  rack (1.5.2) lib/rack/conditionalget.rb:25:in `call'
  rack (1.5.2) lib/rack/head.rb:11:in `call'
```

```
actionpack (4.1.0) lib/action_dispatch/middleware/params_parser.rb:27:in `call'
  actionpack (4.1.0) lib/action_dispatch/middleware/flash.rb:254:in `call'
  rack (1.5.2) lib/rack/session/abstract/id.rb:225:in `context'
rack (1.5.2) lib/rack/session/abstract/id.rb:220:in `call'
  actionpack (4.1.0) lib/action dispatch/middleware/cookies.rb:560:in `call'
  activerecord (4.1.0) lib/active_record/query_cache.rb:36:in `call'
  activerecord (4.1.0) lib/active_record/connection_adapters/abstract/connection_pool.rb:621:in `call'
  activerecord (4.1.0) lib/active_record/migration.rb:380:in `call'
  actionpack (4.1.0) lib/action dispatch/middleware/callbacks.rb:29:in `block in call'
  activesupport (4.1.0) lib/active_support/callbacks.rb:82:in `run_callbacks'
  actionpack (4.1.0) lib/action dispatch/middleware/callbacks.rb:27:in `call'
  actionpack (4.1.0) lib/action_dispatch/middleware/reloader.rb:73:in `call'
  actionpack (4.1.0) lib/action_dispatch/middleware/remote_ip.rb:76:in `call'
  actionpack (4.1.0) lib/action_dispatch/middleware/debug_exceptions.rb:17:in `call'
  actionpack (4.1.0) lib/action_dispatch/middleware/show_exceptions.rb:30:in `call'
  railties (4.1.0) lib/rails/rack/logger.rb:38:in `call_app' railties (4.1.0) lib/rails/rack/logger.rb:20:in `block in call'
  activesupport (4.1.0) lib/active_support/tagged_logging.rb:68:in `block in tagged'
  activesupport (4.1.0) lib/active_support/tagged_logging.rb:26:in `tagged'
  activesupport (4.1.0) lib/active_support/tagged_logging.rb:68:in `tagged'
  railties (4.1.0) lib/rails/rack/logger.rb:20:in `call'
  actionpack (4.1.0) lib/action dispatch/middleware/request id.rb:21:in `call'
  rack (1.5.2) lib/rack/methodoverride.rb:21:in `call'
  rack (1.5.2) lib/rack/runtime.rb:17:in `call'
  activesupport (4.1.0) lib/active_support/cache/strategy/local_cache_middleware.rb:26:in `call'
  rack (1.5.2) lib/rack/lock.rb:17:in `call'
  actionpack (4.1.0) lib/action_dispatch/middleware/static.rb:64:in `call'
  rack (1.5.2) lib/rack/sendfile.rb:112:in `call'
  railties (4.1.0) lib/rails/engine.rb:514:in `call'
  railties (4.1.0) lib/rails/application.rb:144:in `call'
  rack (1.5.2) lib/rack/lock.rb:17:in `call'
  rack (1.5.2) lib/rack/content_length.rb:14:in `call'
  rack (1.5.2) lib/rack/handler/webrick.rb:60:in `service'
  /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/httpserver.rb:138:in `service'
  /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/httpserver.rb:94:in `run'
  /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/server.rb:191:in `block in start t
hread'
  Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/ac
tion_dispatch/middleware/templates/rescues/unknown_action.html.erb within rescues/layout (0.5ms)
Started GET "/cookbooks/104" for 127.0.0.1 at 2014-05-12 11:51:56 -0400
Processing by CookbooksController#show as HTML
  Parameters: {"id"=>"104"}
Completed 500 Internal Server Error in 2ms
ActionView::MissingTemplate (Missing template cookbooks/show, application/show with {:locale=>[:en], :form
ats=>[:html], :variants=>[], :handlers=>[:erb, :builder, :raw, :ruby, :jbuilder, :coffee]}. Searched in:
  * "/Users/omardelarosa/Dropbox/Code/WDI/wdi-string/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly/app/v
iews"
):
  actionview (4.1.0) lib/action_view/path_set.rb:46:in `find'
  actionview (4.1.0) lib/action_view/lookup_context.rb:124:in `find'
  actionview (4.1.0) lib/action_view/renderer/abstract_renderer.rb:18:in `find_template'
  actionview (4.1.0) lib/action view/renderer/template renderer.rb:41:in `determine template'
  actionview (4.1.0) lib/action_view/renderer/template_renderer.rb:8:in `render'
  actionview (4.1.0) lib/action_view/renderer/renderer.rb:42:in `render_template'
  actionview (4.1.0) lib/action_view/renderer/renderer.rb:23:in `render'
  actionview (4.1.0) lib/action_view/rendering.rb:99:in `_render_template'
  actionpack (4.1.0) lib/action_controller/metal/streaming.rb:217:in `_render_template'
  actionview (4.1.0) lib/action_view/rendering.rb:82:in `render_to_body'
  actionpack (4.1.0) lib/action_controller/metal/rendering.rb:32:in
                                                                      `render_to_body'
  actionpack (4.1.0) lib/action_controller/metal/renderers.rb:32:in `render_to_body'
  actionpack (4.1.0) lib/abstract_controller/rendering.rb:25:in `render'
  actionpack (4.1.0) lib/action_controller/metal/rendering.rb:16:in `render'
  actionpack (4.1.0) lib/action_controller/metal/instrumentation.rb:41:in `block (2 levels) in render'
  activesupport (4.1.0) lib/active_support/core_ext/benchmark.rb:12:in `block in ms'
  /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/benchmark.rb:295:in `realtime'
```

```
activesupport (4.1.0) lib/active_support/core_ext/benchmark.rb:12:in `ms'
actionpack (4.1.0) lib/action_controller/metal/instrumentation.rb:41:in `block in render'
actionpack (4.1.0) lib/action_controller/metal/instrumentation.rb:84:in `cleanup_view_runtime'
activerecord (4.1.0) lib/active_record/railties/controller_runtime.rb:25:in `cleanup_view_runtime'
actionpack (4.1.0) lib/action controller/metal/instrumentation.rb:40:in
                                                                             `render'
actionpack (4.1.0) lib/action_controller/metal/implicit_render.rb:10:in `default_render'
actionpack (4.1.0) lib/action_controller/metal/implicit_render.rb:5:in `send_action'
actionpack (4.1.0) lib/abstract_controller/base.rb:189:in `process_action'
actionpack (4.1.0) lib/action_controller/metal/rendering.rb:10:in `process_action'
actionpack (4.1.0) lib/abstract_controller/callbacks.rb:20:in `block in process_action'
activesupport (4.1.0) lib/active support/callbacks.rb:113:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:113:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:229:in `block in halting'
activesupport (4.1.0) lib/active_support/callbacks.rb:229:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:229:in `block in halting' activesupport (4.1.0) lib/active_support/callbacks.rb:166:in `call' activesupport (4.1.0) lib/active_support/callbacks.rb:166:in `block in halting'
activesupport (4.1.0) lib/active_support/callbacks.rb:166:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:166:in `block in halting'
activesupport (4.1.0) lib/active_support/callbacks.rb:166:in `call'
activesupport (4.1.0) lib/active support/callbacks.rb:166:in `block in halting'
activesupport (4.1.0) lib/active support/callbacks.rb:86:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:86:in `run_callbacks'
actionpack (4.1.0) lib/abstract_controller/callbacks.rb:19:in `process_action'
actionpack (4.1.0) lib/action_controller/metal/rescue.rb:29:in `process_action'
actionpack (4.1.0) lib/action_controller/metal/instrumentation.rb:31:in `block in process_action'
activesupport (4.1.0) lib/active_support/notifications.rb:159:in `block in instrument'
activesupport (4.1.0) lib/active_support/notifications/instrumenter.rb:20:in `instrument'
activesupport (4.1.0) lib/active_support/notifications.rb:159:in `instrument'
actionpack (4.1.0) lib/action_controller/metal/instrumentation.rb:30:in `process_action'
actionpack (4.1.0) lib/action_controller/metal/params_wrapper.rb:250:in `process_action'
activerecord (4.1.0) lib/active_record/railties/controller_runtime.rb:18:in `process_action'
actionpack (4.1.0) lib/abstract_controller/base.rb:136:in `process'
actionview (4.1.0) lib/action view/rendering.rb:30:in `process'
actionpack (4.1.0) lib/action_controller/metal.rb:195:in `dispatch'
actionpack (4.1.0) lib/action_controller/metal/rack_delegation.rb:13:in `dispatch'
actionpack (4.1.0) lib/action_controller/metal.rb:231:in `block in action'
actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:80:in `call'
actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:80:in `dispatch'
actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:48:in `call'
actionpack (4.1.0) lib/action_dispatch/journey/router.rb:71:in `block in call'
actionpack (4.1.0) lib/action_dispatch/journey/router.rb:59:in `each'
actionpack (4.1.0) lib/action_dispatch/journey/router.rb:59:in `call'
actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:676:in `call'
rack (1.5.2) lib/rack/etag.rb:23:in `call'
rack (1.5.2) lib/rack/conditionalget.rb:25:in `call'
rack (1.5.2) lib/rack/head.rb:11:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/params_parser.rb:27:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/flash.rb:254:in `call'
rack (1.5.2) lib/rack/session/abstract/id.rb:225:in `context'
rack (1.5.2) lib/rack/session/abstract/id.rb:220:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/cookies.rb:560:in `call'
activerecord (4.1.0) lib/active_record/query_cache.rb:36:in `call'
activerecord (4.1.0) lib/active_record/connection_adapters/abstract/connection_pool.rb:621:in `call'
activerecord (4.1.0) lib/active_record/migration.rb:380:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/callbacks.rb:29:in `block in call'
activesupport (4.1.0) lib/active_support/callbacks.rb:82:in `run_callbacks'
actionpack (4.1.0) lib/action_dispatch/middleware/callbacks.rb:27:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/reloader.rb:73:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/remote_ip.rb:76:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/debug_exceptions.rb:17:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/show_exceptions.rb:30:in `call'
railties (4.1.0) lib/rails/rack/logger.rb:38:in `call_app' railties (4.1.0) lib/rails/rack/logger.rb:20:in `block in call'
activesupport (4.1.0) lib/active_support/tagged_logging.rb:68:in `block in tagged'
activesupport (4.1.0) lib/active_support/tagged_logging.rb:26:in `tagged'
activesupport (4.1.0) lib/active_support/tagged_logging.rb:68:in `tagged'
railties (4.1.0) lib/rails/rack/logger.rb:20:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/request_id.rb:21:in `call'
rack (1.5.2) lib/rack/methodoverride.rb:21:in `call'
```

```
rack (1.5.2) lib/rack/runtime.rb:17:in `call'
 activesupport (4.1.0) lib/active_support/cache/strategy/local_cache_middleware.rb:26:in `call'
  rack (1.5.2) lib/rack/lock.rb:17:in `call'
 actionpack (4.1.0) lib/action dispatch/middleware/static.rb:64:in `call'
  rack (1.5.2) lib/rack/sendfile.rb:112:in `call'
  railties (4.1.0) lib/rails/engine.rb:514:in `call'
  railties (4.1.0) lib/rails/application.rb:144:in `call'
  rack (1.5.2) lib/rack/lock.rb:17:in `call'
  rack (1.5.2) lib/rack/content length.rb:14:in `call'
  rack (1.5.2) lib/rack/handler/webrick.rb:60:in `service'
 /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/httpserver.rb:138:in `service'
 /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/httpserver.rb:94:in `run'
  /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/server.rb:191:in `block in start_t
hread'
  Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/ac
tion_dispatch/middleware/templates/rescues/missing_template.html.erb within rescues/layout (0.4ms)
Started GET "/cookbooks/104" for 127.0.0.1 at 2014-05-12 11:52:10 -0400
Processing by CookbooksController#show as HTML
 Parameters: {"id"=>"104"}
  Rendered cookbooks/show.html.erb within layouts/application (0.3ms)
Completed 200 OK in 4ms (Views: 3.5ms | ActiveRecord: 0.0ms)
Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-12 11:52:10 -0400
[2014-05-12 11:52:10] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-12 11:52:10 -0400
[2014-05-12 11:52:10] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-12 11:52:10 -0400
[2014-05-12 11:52:10] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-12 11:52:10 -0400
[2014-05-12 11:52:10] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-12 11:52:10 -0400
[2014-05-12 11:52:10] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks/104" for 127.0.0.1 at 2014-05-12 11:52:17 -0400
Processing by CookbooksController#show as HTML
 Parameters: {"id"=>"104"}
  Rendered cookbooks/show.html.erb within layouts/application (0.3ms)
Completed 200 OK in 4ms (Views: 3.2ms | ActiveRecord: 0.0ms)
Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-12 11:52:17 -0400
[2014-05-12 11:52:17] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-12 11:52:17 -0400
[2014-05-12 11:52:17] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
```

Started GET "/assets/jquery\_ujs.js?body=1" for 127.0.0.1 at 2014-05-12 11:52:17 -0400

```
[2014-05-12 11:52:17] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-12 11:52:17 -0400
[2014-05-12 11:52:17] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-12 11:52:17 -0400
[2014-05-12 11:52:17] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks/104" for 127.0.0.1 at 2014-05-12 11:52:29 -0400
Processing by CookbooksController#show as HTML
  Parameters: {"id"=>"104"}
  Rendered cookbooks/show.html.erb within layouts/application (0.6ms)
Completed 200 OK in 6ms (Views: 5.2ms | ActiveRecord: 0.0ms)
Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-12 11:52:29 -0400
[2014-05-12 11:52:29] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-12 11:52:29 -0400
[2014-05-12 11:52:29] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-12 11:52:29 -0400
[2014-05-12 11:52:29] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-12 11:52:29 -0400
[2014-05-12 11:52:29] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-12 11:52:29 -0400
[2014-05-12 11:52:29] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks" for 127.0.0.1 at 2014-05-12 11:52:32 -0400
Processing by CookbooksController#index as HTML
  Cookbook Load (0.6ms) SELECT "cookbooks".* FROM "cookbooks"
  Rendered cookbooks/index.html.erb within layouts/application (23.7ms)
Completed 200 OK in 32ms (Views: 25.4ms | ActiveRecord: 4.0ms)
[2014-05-12 11:52:32] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks" for 127.0.0.1 at 2014-05-12 11:53:59 -0400
Processing by CookbooksController#index as HTML
  Cookbook Load (0.7ms) SELECT "cookbooks".* FROM "cookbooks"
 Rendered cookbooks/index.html.erb within layouts/application (13.2ms)
Completed 200 OK in 21ms (Views: 15.9ms | ActiveRecord: 2.2ms)
[2014-05-12 11:53:59] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-12 11:53:59 -0400
[2014-05-12 11:53:59] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
```

Started GET "/assets/jquery\_ujs.js?body=1" for 127.0.0.1 at 2014-05-12 11:53:59 -0400

```
[2014-05-12 11:53:59] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-12 11:53:59 -0400
[2014-05-12 11:53:59] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-12 11:53:59 -0400
[2014-05-12 11:53:59] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-12 11:53:59 -0400
[2014-05-12 11:53:59] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks/106" for 127.0.0.1 at 2014-05-12 11:54:01 -0400
Processing by CookbooksController#show as HTML
 Parameters: {"id"=>"106"}
 Rendered cookbooks/show.html.erb within layouts/application (0.4ms)
Completed 200 OK in 4ms (Views: 3.8ms | ActiveRecord: 0.0ms)
Started GET "/cookbooks/108" for 127.0.0.1 at 2014-05-12 11:54:04 -0400
Processing by CookbooksController#show as HTML
 Parameters: {"id"=>"108"}
 Rendered cookbooks/show.html.erb within layouts/application (0.1ms)
Completed 200 OK in 6ms (Views: 5.4ms | ActiveRecord: 0.0ms)
Started GET "/cookbooks/105" for 127.0.0.1 at 2014-05-12 11:54:07 -0400
Processing by CookbooksController#show as HTML
  Parameters: {"id"=>"105"}
  Rendered cookbooks/show.html.erb within layouts/application (0.1ms)
Completed 200 OK in 5ms (Views: 4.7ms | ActiveRecord: 0.0ms)
Started GET "/cookbooks" for 127.0.0.1 at 2014-05-12 11:54:45 -0400
Processing by CookbooksController#index as HTML
  Cookbook Load (0.7ms) SELECT "cookbooks" * FROM "cookbooks"
  Rendered cookbooks/index.html.erb within layouts/application (5.1ms)
Completed 200 OK in 41ms (Views: 39.4ms | ActiveRecord: 0.7ms)
[2014-05-12 11:54:45] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-12 11:54:45 -0400
[2014-05-12 11:54:45] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-12 11:54:45 -0400
[2014-05-12 11:54:45] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-12 11:54:45 -0400
[2014-05-12 11:54:45] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-12 11:54:45 -0400
[2014-05-12 11:54:45] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
```

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-12 11:54:46 -0400

```
[2014-05-12 11:54:46] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks/101" for 127.0.0.1 at 2014-05-12 11:54:47 -0400
Processing by CookbooksController#show as HTML
 Parameters: {"id"=>"101"}
 Rendered cookbooks/show.html.erb within layouts/application (1.1ms)
Completed 500 Internal Server Error in 4ms
ActionView::Template::Error (undefined method `title' for nil:NilClass):
    1: <h2><%= @cookbook.title %></h2>
  app/views/cookbooks/show.html.erb:1:in `_app_views_cookbooks_show_html_erb__2909018394373243039_70328736
928960'
  Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/ac
tion_dispatch/middleware/templates/rescues/_trace.html.erb (1.6ms)
  Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/ac
tion_dispatch/middleware/templates/rescues/_request_and_response.html.erb (5.1ms)
  Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/ac
tion dispatch/middleware/templates/rescues/template error.html.erb within rescues/layout (22.3ms)
Started GET "/cookbooks/101" for 127.0.0.1 at 2014-05-12 11:54:47 -0400
Processing by CookbooksController#show as HTML
 Parameters: {"id"=>"101"}
 Rendered cookbooks/show.html.erb within layouts/application (0.9ms)
Completed 500 Internal Server Error in 4ms
ActionView::Template::Error (undefined method `title' for nil:NilClass):
   1: <h2><%= @cookbook.title %></h2>
  app/views/cookbooks/show.html.erb:1:in `_app_views_cookbooks_show_html_erb__2909018394373243039_70328732
387540'
 Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/ac
tion_dispatch/middleware/templates/rescues/_trace.html.erb (2.0ms)
  Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/ac
tion_dispatch/middleware/templates/rescues/_request_and_response.html.erb (1.4ms)
  Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/ac
tion_dispatch/middleware/templates/rescues/template_error.html.erb within rescues/layout (18.0ms)
Started GET "/cookbooks/101" for 127.0.0.1 at 2014-05-12 11:55:28 -0400
Processing by CookbooksController#show as HTML
 Parameters: {"id"=>"101"}
  Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = $1 LIMIT 1 [["i
d", 101]]
 Rendered cookbooks/show.html.erb within layouts/application (3.8ms)
Completed 200 OK in 16ms (Views: 8.8ms | ActiveRecord: 2.3ms)
Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-12 11:55:28 -0400
[2014-05-12 11:55:28] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-12 11:55:28 -0400
[2014-05-12 11:55:28] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-12 11:55:28 -0400
[2014-05-12 11:55:28] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-12 11:55:28 -0400
[2014-05-12 11:55:28] WARN Could not determine content-length of response body. Set content-length of the
```

```
Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-12 11:55:28 -0400
[2014-05-12 11:55:28] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks/101" for 127.0.0.1 at 2014-05-12 11:56:23 -0400
Processing by CookbooksController#show as HTML
 Parameters: {"id"=>"101"}
  Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = $1 LIMIT 1 [["i
d", 101]]
  Rendered cookbooks/show.html.erb within layouts/application (0.6ms)
Completed 200 OK in 7ms (Views: 5.3ms | ActiveRecord: 0.3ms)
Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-12 11:56:23 -0400
[2014-05-12 11:56:23] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-12 11:56:23 -0400
[2014-05-12 11:56:23] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-12 11:56:23 -0400
[2014-05-12 11:56:23] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-12 11:56:23 -0400
[2014-05-12 11:56:23] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-12 11:56:23 -0400
[2014-05-12 11:56:23] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
[2014-05-12 11:56:23] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks/101" for 127.0.0.1 at 2014-05-12 11:58:08 -0400
Processing by CookbooksController#show as HTML
 Parameters: {"id"=>"101"}
 Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = $1 LIMIT 1 [["i
d", 101]]
 Rendered cookbooks/show.html.erb within layouts/application (2.8ms)
Completed 200 OK in 10ms (Views: 6.3ms | ActiveRecord: 1.3ms)
Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-12 11:58:08 -0400
[2014-05-12 11:58:08] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-12 11:58:08 -0400
[2014-05-12 11:58:08] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-12 11:58:08 -0400
[2014-05-12 11:58:08] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-12 11:58:08 -0400
```

[2014-05-12 11:58:08] WARN Could not determine content-length of response body. Set content-length of the

```
Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-12 11:58:08 -0400
[2014-05-12 11:58:08] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks/101" for 127.0.0.1 at 2014-05-12 11:58:41 -0400
Processing by CookbooksController#show as HTML
 Parameters: {"id"=>"101"}
  Cookbook Load (0.4ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = $1 LIMIT 1 [["i
d", 101]]
 Rendered cookbooks/show.html.erb within layouts/application (42.0ms)
Completed 200 OK in 50ms (Views: 47.0ms | ActiveRecord: 0.4ms)
Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-12 11:58:41 -0400
[2014-05-12 11:58:41] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-12 11:58:41 -0400
[2014-05-12 11:58:41] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-12 11:58:41 -0400
[2014-05-12 11:58:41] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-12 11:58:41 -0400
[2014-05-12 11:58:41] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-12 11:58:41 -0400
[2014-05-12 11:58:41] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks/101" for 127.0.0.1 at 2014-05-12 11:58:59 -0400
Processing by CookbooksController#show as HTML
 Parameters: {"id"=>"101"}
 Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = $1 LIMIT 1 [["i
d", 101]]
 Rendered cookbooks/show.html.erb within layouts/application (0.8ms)
Completed 200 OK in 9ms (Views: 7.1ms | ActiveRecord: 0.3ms)
Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-12 11:58:59 -0400
[2014-05-12 11:58:59] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-12 11:58:59 -0400
[2014-05-12 11:58:59] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-12 11:58:59 -0400
[2014-05-12 11:58:59] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-12 11:58:59 -0400
[2014-05-12 11:58:59] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
```

```
Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-12 11:58:59 -0400
[2014-05-12 11:58:59] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks/101" for 127.0.0.1 at 2014-05-12 12:00:07 -0400
Processing by CookbooksController#show as HTML
 Parameters: {"id"=>"101"}
  Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = $1 LIMIT 1 [["i
d", 101]]
 Rendered cookbooks/show.html.erb within layouts/application (0.4ms)
Completed 200 OK in 6ms (Views: 4.2ms | ActiveRecord: 0.3ms)
Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-12 12:00:07 -0400
[2014-05-12 12:00:07] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-12 12:00:07 -0400
[2014-05-12 12:00:07] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-12 12:00:07 -0400
[2014-05-12 12:00:07] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-12 12:00:07 -0400
[2014-05-12 12:00:07] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-12 12:00:07 -0400
[2014-05-12 12:00:07] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks/101" for 127.0.0.1 at 2014-05-12 12:00:38 -0400
Processing by CookbooksController#show as HTML
 Parameters: {"id"=>"101"}
  Cookbook Load (0.4ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = $1 LIMIT 1 [["i
d", 101]]
 Rendered cookbooks/show.html.erb within layouts/application (0.7ms)
Completed 200 OK in 9ms (Views: 5.2ms | ActiveRecord: 0.4ms)
Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-12 12:00:38 -0400
[2014-05-12 12:00:38] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-12 12:00:38 -0400
[2014-05-12 12:00:38] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-12 12:00:38 -0400
[2014-05-12 12:00:38] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-12 12:00:38 -0400
[2014-05-12 12:00:38] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
```

Started GET "/assets/jquery\_ujs.js?body=1" for 127.0.0.1 at 2014-05-12 12:00:38 -0400

```
[2014-05-12 12:00:38] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks/101" for 127.0.0.1 at 2014-05-12 12:02:56 -0400
Processing by CookbooksController#show as HTML
   Parameters: {"id"=>"101"}
   Cookbook Load (0.5ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = $1 LIMIT 1 [["i
d". 10111
   Rendered cookbooks/show.html.erb within layouts/application (1.4ms)
Completed 500 Internal Server Error in 7ms
ActionView::Template::Error (undefined method `recipes' for #<Cookbook:0x007fed5cc4ae90>):
      4: 
      5:
      6: 
      7:
             <% @cookbook.recipes do |recipe| %>
                 <%= recipe.title %>
      8:
      9:
    10: 
   app/views/cookbooks/show.html.erb:7:in `_app_views_cookbooks_show_html_erb__2909018394373243039_70328720
181000'
   Rendered \ /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpa
tion_dispatch/middleware/templates/rescues/_trace.html.erb (1.0ms)
   Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/rubv/gems/1.9.1/gems/actionpack-4.1.0/lib/ac
tion_dispatch/middleware/templates/rescues/_request_and_response.html.erb (0.8ms)
   Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/ac
tion dispatch/middleware/templates/rescues/template error.html.erb within rescues/layout (10.6ms)
[2014-05-12 12:02:56] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks/101" for 127.0.0.1 at 2014-05-12 12:06:57 -0400
Processing by CookbooksController#show as HTML
   Parameters: {"id"=>"101"}
   Cookbook Load (0.1ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = $1 LIMIT 1 [["i
d", 101]]
   Rendered cookbooks/show.html.erb within layouts/application (50.2ms)
Completed 200 OK in 64ms (Views: 52.9ms | ActiveRecord: 2.2ms)
Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-12 12:06:57 -0400
[2014-05-12 12:06:57] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-12 12:06:57 -0400
[2014-05-12 12:06:57] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-12 12:06:57 -0400
[2014-05-12 12:06:57] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-12 12:06:57 -0400
[2014-05-12 12:06:57] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-12 12:06:57 -0400
[2014-05-12 12:06:57] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks/101" for 127.0.0.1 at 2014-05-12 12:09:13 -0400
Processing by CookbooksController#show as HTML
```

```
Parameters: {"id"=>"101"}
 Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = $1 LIMIT 1 [["i
d", 101]]
 Rendered cookbooks/show.html.erb within layouts/application (4.0ms)
Completed 200 OK in 12ms (Views: 7.7ms | ActiveRecord: 1.5ms)
[2014-05-12 12:09:13] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-12 12:09:13 -0400
[2014-05-12 12:09:13] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-12 12:09:13 -0400
[2014-05-12 12:09:13] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-12 12:09:13 -0400
[2014-05-12 12:09:13] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-12 12:09:13 -0400
[2014-05-12 12:09:13] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-12 12:09:13 -0400
[2014-05-12 12:09:13] WARN Could not determine content-length of response body. Set content-length of the
response or set Response#chunked = true
[2014-05-12 12:09:13] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks/101" for 127.0.0.1 at 2014-05-12 12:24:27 -0400
Processing by CookbooksController#show as HTML
 Parameters: {"id"=>"101"}
  Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = $1 LIMIT 1 [["i
d", 101]]
Completed 404 Not Found in 5ms
ActiveRecord::RecordNotFound (Couldn't find Cookbook with 'id'=101):
 app/controllers/cookbooks controller.rb:13:in `show'
 Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/ac
tion_dispatch/middleware/templates/rescues/_source.erb (0.6ms)
  Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/ac
tion_dispatch/middleware/templates/rescues/_trace.html.erb (0.9ms)
 Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/ac
tion_dispatch/middleware/templates/rescues/_request_and_response.html.erb (0.7ms)
 Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/ac
tion_dispatch/middleware/templates/rescues/diagnostics.erb within rescues/layout (14.8ms)
[2014-05-12 12:24:28] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/" for 127.0.0.1 at 2014-05-12 12:24:42 -0400
Processing by Rails::WelcomeController#index as HTML
  Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/railties-4.1.0/lib/rail
s/templates/rails/welcome/index.html.erb (0.1ms)
Completed 200 OK in 3ms (Views: 2.1ms | ActiveRecord: 0.0ms)
[2014-05-12 12:24:42] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks" for 127.0.0.1 at 2014-05-12 12:24:49 -0400
```

Processing by CookbooksController#index as HTML

```
Cookbook Load (0.7ms) SELECT "cookbooks".* FROM "cookbooks"
 Rendered cookbooks/index.html.erb within layouts/application (8.8ms)
Completed 200 OK in 14ms (Views: 12.6ms | ActiveRecord: 0.7ms)
Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-12 12:24:49 -0400
[2014-05-12 12:24:49] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-12 12:24:49 -0400
[2014-05-12 12:24:49] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-12 12:24:49 -0400
[2014-05-12 12:24:49] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-12 12:24:49 -0400
[2014-05-12 12:24:49] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-12 12:24:49 -0400
[2014-05-12 12:24:49] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks/209" for 127.0.0.1 at 2014-05-12 12:24:56 -0400
Processing by CookbooksController#show as HTML
 Parameters: {"id"=>"209"}
  Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = $1 LIMIT 1 [["i
d", 209]]
 Rendered cookbooks/show.html.erb within layouts/application (4.0ms)
Completed 200 OK in 10ms (Views: 7.1ms | ActiveRecord: 0.9ms)
Started GET "/cookbooks/209" for 127.0.0.1 at 2014-05-12 12:25:00 -0400
Processing by CookbooksController#show as HTML
 Parameters: {"id"=>"209"}
 Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = $1 LIMIT 1 [["i
d", 209]]
 Rendered cookbooks/show.html.erb within layouts/application (0.4ms)
Completed 200 OK in 5ms (Views: 3.8ms | ActiveRecord: 0.2ms)
[2014-05-12 12:25:00] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-12 12:25:00 -0400
[2014-05-12 12:25:00] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-12 12:25:00 -0400
[2014-05-12 12:25:00] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-12 12:25:00 -0400
[2014-05-12 12:25:00] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-12 12:25:00 -0400
```

[2014-05-12 12:25:00] WARN Could not determine content-length of response body. Set content-length of the

response or set Response#chunked = true

```
Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-12 12:25:00 -0400
[2014-05-12 12:25:00] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks/209" for 127.0.0.1 at 2014-05-12 12:25:15 -0400
Processing by CookbooksController#show as HTML
 Parameters: {"id"=>"209"}
 Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = $1 LIMIT 1 [["i
d", 209]]
 Rendered cookbooks/show.html.erb within layouts/application (1.4ms)
Completed 200 OK in 8ms (Views: 6.1ms | ActiveRecord: 0.2ms)
[2014-05-12 12:25:15] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-12 12:25:15 -0400
[2014-05-12 12:25:15] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-12 12:25:15 -0400
[2014-05-12 12:25:15] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-12 12:25:15 -0400
[2014-05-12 12:25:15] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-12 12:25:15 -0400
[2014-05-12 12:25:15] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-12 12:25:15 -0400
[2014-05-12 12:25:15] WARN Could not determine content-length of response body. Set content-length of the
response or set Response#chunked = true
^C[2014-05-12 12:25:52] INFO going to shutdown ...
[2014-05-12 12:25:52] INFO WEBrick::HTTPServer#start done.
Exiting
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly on master[!?$]
$ rails s
=> Booting WEBrick
=> Rails 4.1.0 application starting in development on http://0.0.0.0:3000
=> Run `rails server -h` for more startup options
=> Notice: server is listening on all interfaces (0.0.0.0). Consider using 127.0.0.1 (--binding option)
=> Ctrl-C to shutdown server
[2014-05-12 12:25:57] INFO WEBrick 1.3.1
[2014-05-12 12:25:57] INFO ruby 1.9.3 (2013-06-27) [x86 64-darwin13.1.0]
[2014-05-12 12:25:57] INFO WEBrick::HTTPServer#start: pid=55841 port=3000
Started GET "/cookbooks/209" for 127.0.0.1 at 2014-05-12 12:25:59 -0400
 ActiveRecord::SchemaMigration Load (0.3ms) SELECT "schema_migrations".* FROM "schema_migrations"
Processing by CookbooksController#show as HTML
 Parameters: {"id"=>"209"}
  Cookbook Load (0.4ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = $1 LIMIT 1 [["i
d", 209]]
 Rendered cookbooks/show.html.erb within layouts/application (19.0ms)
Completed 200 OK in 117ms (Views: 78.4ms | ActiveRecord: 2.9ms)
[2014-05-12 12:26:00] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-12 12:26:00 -0400
[2014-05-12 12:26:00] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
```

```
Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-12 12:26:00 -0400
[2014-05-12 12:26:00] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-12 12:26:00 -0400
[2014-05-12 12:26:00] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-12 12:26:00 -0400
[2014-05-12 12:26:00] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-12 12:26:00 -0400
[2014-05-12 12:26:00] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks/209" for 127.0.0.1 at 2014-05-12 12:26:01 -0400
Processing by CookbooksController#show as HTML
 Parameters: {"id"=>"209"}
 Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = $1 LIMIT 1 [["i
d", 209]]
 Rendered cookbooks/show.html.erb within layouts/application (0.5ms)
Completed 200 OK in 30ms (Views: 28.7ms | ActiveRecord: 0.3ms)
Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-12 12:26:01 -0400
Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-12 12:26:01 -0400
Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-12 12:26:01 -0400
Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-12 12:26:01 -0400
Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-12 12:26:01 -0400
Started GET "/cookbooks/209" for 127.0.0.1 at 2014-05-12 12:26:57 -0400
Processing by CookbooksController#show as HTML
 Parameters: {"id"=>"209"}
  Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = $1 LIMIT 1 [["i
ap gem not found. Try typing 'gem install awesome_print' to get super-fancy output.
From: /Users/omardelarosa/Dropbox/Code/WDI/wdi-string/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly/app/
     8: def show
    9: # by default...
         # render :name_of_this_method
    10:
   11:
    12:
          # define @cookbook
          @cookbook = Cookbook.find(params[:id])
    13:
 => 14:
         binding.pry
    15: end
[1] pry(#<CookbooksController>)> @cookbook
=> #<Cookbook id: 209, title: "Nihil aliquid ut.", description: "Aut rerum ratione et. Assumenda et cumque sequi et...", created_at: "2014-05-12 16:20:26", updated_at: "2014-05-12 16:20:26">
[2] pry(#<CookbooksController>)> @cookbook.recipes
 Recipe Load (1.0ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."cookbook_id" = $1 [["cookbook_
id", 209]]
=> [#<Recipe id: 1081, title: "Aliquid esse magni iusto voluptas error non.", content: "Non unde qui volup
```

```
14-05-12 16:20:26">,
 #<Recipe id: 1082, title: "Dolores ullam impedit qui qui veritatis omnis mole...", content: "Illo consequ</pre>
t: "2014-05-12 16:20:26">,
 #<Recipe id: 1083, title: "Rerum error aliquid nihil et non cum.", content: "Molestiae quod magnam. Harum
 #<Recipe id: 1084, title: "Ea sint eum dolorem ratione.", content: "Facere ut deleniti dolor rerum tenetu</pre>
 #<Recipe id: 1085, title: "Culpa rem et est porro non quisquam praesentium.", content: "Harum molestias s</pre>
014-05-12 16:20:26">,
#<Recipe id: 1086, title: "Facilis eos in ea.", content: "Omnis explicabo sint quam quis minus. Possimus qui...", cookbook_id: 209, created_at: "2014-05-12 16:20:26", updated_at: "2014-05-12 16:20:26">, #<Recipe id: 1087, title: "Quo libero nam saepe error.", content: "Adipisci earum modi ipsam possimus mol litia. Dolor...", cookbook_id: 209, created_at: "2014-05-12 16:20:26", updated_at: "2014-05-12 16:20:26">, updated_at
 #<Recipe id: 1088, title: "Velit sed iusto et est mollitia nostrum molestiae.", content: "Eum veniam elig</pre>
"2014-05-12 16:20:26">,
 #<Recipe id: 1089, title: "Itaque corrupti qui et.", content: "Quaerat explicabo sit enim quo. Ex ut exce
pturi se...", cookbook id: 209, created at: "2014-05-12 16:20:26", updated at: "2014-05-12 16:20:26">,.
 #<Recipe id: 1090, title: "Consequatur perferendis sit sint.", content: "Dolor voluptate harum tempora. E
:26">]
[3] pry(#<CookbooksController>)> @cookbook.recipes.each {|r| r.title}
=> [#<Recipe id: 1081, title: "Aliquid esse magni iusto voluptas error non.", content: "Non unde qui volup
14-05-12 16:20:26">,
 #<Recipe id: 1082, title: "Dolores ullam impedit qui qui veritatis omnis mole...", content: "Illo consequ</pre>
t: "2014-05-12 16:20:26">,
 #<Recipe id: 1083, title: "Rerum error aliquid nihil et non cum.", content: "Molestiae quod magnam. Harum</pre>
6:20:26">,
 #<Recipe id: 1084, title: "Ea sint eum dolorem ratione.", content: "Facere ut deleniti dolor rerum tenetu
 #<Recipe id: 1085, title: "Culpa rem et est porro non quisquam praesentium.", content: "Harum molestias s</pre>
014-05-12 16:20:26">.
 #<Recipe id: 1086, title: "Facilis eos in ea.", content: "Omnis explicabo sint quam quis minus. Possimus</pre>
qui...", cookbook_id: 209, created_at: "2014-05-12 16:20:26", updated_at: "2014-05-12 16:20:26">,
 #<Recipe id: 1087, title: "Quo libero nam saepe error.", content: "Adipisci earum modi ipsam possimus mol
litia. Dolor...", cookbook_id: 209, created_at: "2014-05-12 16:20:26", updated_at: "2014-05-12 16:20:26">,
 #<Recipe id: 1088, title: "Velit sed iusto et est mollitia nostrum molestiae.", content: "Eum veniam elig</pre>
"2014-05-12 16:20:26">,
 #<Recipe id: 1089, title: "Itaque corrupti qui et.", content: "Quaerat explicabo sit enim quo. Ex ut exce</pre>
pturi se...", cookbook_id: 209, created_at: "2014-05-12 16:20:26", updated_at: "2014-05-12 16:20:26">, #<Recipe id: 1090, title: "Consequatur perferendis sit sint.", content: "Dolor voluptate harum tempora. E um et sint et ea o...", cookbook_id: 209, created_at: "2014-05-12 16:20:26", updated_at: "2014-05-12 16:20
:26">]
[4] pry(#<CookbooksController>)> @cookbook.recipes.each {|r| puts r.title}
Aliquid esse magni iusto voluptas error non.
Dolores ullam impedit qui qui veritatis omnis molestias.
Rerum error aliquid nihil et non cum.
Ea sint eum dolorem ratione.
Culpa rem et est porro non quisquam praesentium.
Facilis eos in ea.
Quo libero nam saepe error.
Velit sed iusto et est mollitia nostrum molestiae.
Itaque corrupti qui et.
Consequatur perferendis sit sint.
=> [#<Recipe id: 1081, title: "Aliquid esse magni iusto voluptas error non.", content: "Non unde qui volup
 #<Recipe id: 1082, title: "Dolores ullam impedit qui qui veritatis omnis mole...", content: "Illo consequ
```

t: "2014-05-12 16:20:26">,

```
#<Recipe id: 1083, title: "Rerum error aliquid nihil et non cum.", content: "Molestiae quod magnam. Harum
#<Recipe id: 1084, title: "Ea sint eum dolorem ratione.", content: "Facere ut deleniti dolor rerum tenetu
#<Recipe id: 1085, title: "Culpa rem et est porro non quisquam praesentium.", content: "Harum molestias s</pre>
014-05-12 16:20:26">,
#<Recipe id: 1086, title: "Facilis eos in ea.", content: "Omnis explicabo sint quam quis minus. Possimus</pre>
qui...", cookbook_id: 209, created_at: "2014-05-12 16:20:26", updated_at: "2014-05-12 16:20:26">,
#<Recipe id: 1087, title: "Quo libero nam saepe error.", content: "Adipisci earum modi ipsam possimus mol litia. Dolor...", cookbook_id: 209, created_at: "2014-05-12 16:20:26", updated_at: "2014-05-12 16:20:26">,
#<Recipe id: 1088, title: "Velit sed iusto et est mollitia nostrum molestiae.", content: "Eum veniam elig
endi iusto id. Aut id sed. Tempora ...", cookbook_id: 209, created_at: "2014-05-12 16:20:26", updated_at:
"2014-05-12 16:20:26">,
#<Recipe id: 1089, title: "Itaque corrupti qui et.", content: "Quaerat explicabo sit enim quo. Ex ut exce</pre>
pturi se...", cookbook_id: 209, created_at: "2014-05-12 16:20:26", updated_at: "2014-05-12 16:20:26">,
#<Recipe id: 1090, title: "Consequatur perferendis sit sint.", content: "Dolor voluptate harum tempora. E</pre>
[5] pry(#<CookbooksController>)> exit
  Rendered cookbooks/show.html.erb within layouts/application (3.2ms)
Completed 200 OK in 42067ms (Views: 7.0ms | ActiveRecord: 4.5ms)
[2014-05-12 12:27:39] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks/209" for 127.0.0.1 at 2014-05-12 12:27:39 -0400
Processing by CookbooksController#show as HTML
  Parameters: {"id"=>"209"}
  Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = $1 LIMIT 1 [["i
d", 209]]
From: /Users/omardelarosa/Dropbox/Code/WDI/wdi-string/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly/app/
     8: def show
     9:
          # by default...
    10:
          # render :name of this method
    11:
    12:
          # define @cookbook
    13:
          @cookbook = Cookbook.find(params[:id])
 => 14:
          binding.pry
    15: end
[1] pry(#<CookbooksController>)> exit
  Rendered cookbooks/show.html.erb within layouts/application (0.6ms)
Completed 200 OK in 1955ms (Views: 5.4ms | ActiveRecord: 0.3ms)
Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-12 12:27:41 -0400
[2014-05-12 12:27:41] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-12 12:27:41 -0400
[2014-05-12 12:27:41] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-12 12:27:41 -0400
[2014-05-12 12:27:41] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-12 12:27:41 -0400
[2014-05-12 12:27:41] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
```

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-12 12:27:41 -0400

```
[2014-05-12 12:27:41] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks/209" for 127.0.0.1 at 2014-05-12 12:27:43 -0400
Processing by CookbooksController#show as HTML
 Parameters: {"id"=>"209"}
  Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = $1 LIMIT 1 [["i
d", 209]]
From: /Users/omardelarosa/Dropbox/Code/WDI/wdi-string/WDI NYC Apr14 String/w04/d01/INSTRUCTORS/cookly/app/
     8: def show
    9 :
         # by default...
         # render :name_of_this_method
    10:
    11:
   12:
         # define @cookbook
   13:
         @cookbook = Cookbook.find(params[:id])
         binding.pry
 => 14:
   15: end
[1] pry(#<CookbooksController>)> exit
 Rendered cookbooks/show.html.erb within layouts/application (0.5ms)
Completed 200 OK in 10976ms (Views: 38.3ms | ActiveRecord: 0.3ms)
[2014-05-12 12:27:54] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-12 12:27:54 -0400
[2014-05-12 12:27:54] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-12 12:27:54 -0400
[2014-05-12 12:27:54] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-12 12:27:54 -0400
[2014-05-12 12:27:54] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-12 12:27:54 -0400
[2014-05-12 12:27:54] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-12 12:27:54 -0400
[2014-05-12 12:27:54] WARN Could not determine content-length of response body. Set content-length of the
response or set Response#chunked = true
^C[2014-05-12 12:27:56] INFO going to shutdown ...
[2014-05-12 12:27:56] INFO WEBrick::HTTPServer#start done.
Exiting
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly on master[!?$]
$ rails s
=> Booting WEBrick
=> Rails 4.1.0 application starting in development on http://0.0.0.0:3000
=> Run `rails server -h` for more startup options
=> Notice: server is listening on all interfaces (0.0.0.0). Consider using 127.0.0.1 (--binding option)
=> Ctrl-C to shutdown server
[2014-05-12 12:34:30] INFO WEBrick 1.3.1
[2014-05-12 12:34:30] INFO
                           ruby 1.9.3 (2013-06-27) [x86_64-darwin13.1.0]
[2014-05-12 12:34:30] INFO WEBrick::HTTPServer#start: pid=55996 port=3000
Started GET "/cookbooks/209" for 127.0.0.1 at 2014-05-12 12:34:33 -0400
 ActiveRecord::SchemaMigration Load (0.3ms) SELECT "schema migrations".* FROM "schema migrations"
Processing by CookbooksController#show as HTML
 Parameters: {"id"=>"209"}
```

```
Cookbook Load (0.8ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = $1 LIMIT 1 [["i
d", 209]]
ap gem not found. Try typing 'gem install awesome_print' to get super-fancy output.
From: /Users/omardelarosa/Dropbox/Code/WDI/wdi-string/WDI NYC Apr14 String/w04/d01/INSTRUCTORS/cookly/app/
     8: def show
    9: # by default...
    10:
        # render :name_of_this_method
    11:
    12:
          # define @cookbook
    13:
          @cookbook = Cookbook.find(params[:id])
    14:
          @recipes = @cookbook.recipes
          binding.pry
 => 15:
[1] pry(#<CookbooksController>)> exit
  Rendered cookbooks/show.html.erb within layouts/application (0.7ms)
Completed 500 Internal Server Error in 6091ms
SyntaxError (/Users/omardelarosa/Dropbox/Code/WDI/wdi-string/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cook
ly/app/views/cookbooks/show.html.erb:7: syntax error, unexpected keyword_do, expecting keyword_end
'.freeze;
            @recipes do |recipe|
/Users/omardelarosa/Dropbox/Code/WDI/wdi-string/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly/app/views/
cookbooks/show.html.erb:12: syntax error, unexpected keyword_ensure, expecting $end):
  actionview (4.1.0) lib/action_view/template.rb:297:in `module_eval'
  actionview (4.1.0) lib/action_view/template.rb:297:in `compile'
  actionview (4.1.0) lib/action_view/template.rb:245:in `block (2 levels) in compile!'
  activesupport (4.1.0) lib/active support/notifications.rb:161:in `instrument'
 actionview (4.1.0) lib/action_view/template.rb:339:in `instrument' actionview (4.1.0) lib/action_view/template.rb:244:in `block in compile!'
  <internal:prelude>:10:in `synchronize'
  actionview (4.1.0) lib/action_view/template.rb:232:in `compile!'
  actionview (4.1.0) lib/action_view/template.rb:144:in `block in render'
  activesupport (4.1.0) lib/active support/notifications.rb:161:in `instrument'
  actionview (4.1.0) lib/action_view/template.rb:339:in `instrument'
  actionview (4.1.0) lib/action_view/template.rb:143:in `render'
  actionview (4.1.0) lib/action_view/renderer/template_renderer.rb:55:in `block (2 levels) in render_templ
ate'
  actionview (4.1.0) lib/action view/renderer/abstract renderer.rb:38:in `block in instrument'
  activesupport (4.1.0) lib/active_support/notifications.rb:159:in `block in instrument'
  activesupport (4.1.0) lib/active_support/notifications/instrumenter.rb:20:in `instrument'
  activesupport (4.1.0) lib/active_support/notifications.rb:159:in `instrument'
  actionview (4.1.0) lib/action_view/renderer/abstract_renderer.rb:38:in `instrument'
  actionview (4.1.0) lib/action_view/renderer/template_renderer.rb:54:in `block in render_template'
  actionview (4.1.0) lib/action view/renderer/template renderer.rb:62:in `render with layout'
  actionview (4.1.0) lib/action_view/renderer/template_renderer.rb:53:in `render_template'
  actionview (4.1.0) lib/action_view/renderer/template_renderer.rb:17:in `render'
  actionview (4.1.0) lib/action_view/renderer/renderer.rb:42:in `render_template'
  actionview (4.1.0) lib/action_view/renderer/renderer.rb:23:in `render
  actionview (4.1.0) lib/action_view/rendering.rb:99:in `_render_template'
  actionpack (4.1.0) lib/action_controller/metal/streaming.rb:217:in `_render_template'
  actionview (4.1.0) lib/action_view/rendering.rb:82:in `render_to_body'
  actionpack (4.1.0) lib/action_controller/metal/rendering.rb:32:in `render_to_body' actionpack (4.1.0) lib/action_controller/metal/renderers.rb:32:in `render_to_body'
  actionpack (4.1.0) lib/abstract_controller/rendering.rb:25:in `render'
  actionpack (4.1.0) lib/action_controller/metal/rendering.rb:16:in `render'
  actionpack (4.1.0) lib/action controller/metal/instrumentation.rb:41:in `block (2 levels) in render'
  activesupport (4.1.0) lib/active_support/core_ext/benchmark.rb:12:in `block in ms'
  /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/benchmark.rb:295:in `realtime'
  activesupport (4.1.0) lib/active_support/core_ext/benchmark.rb:12:in `ms'
  actionpack (4.1.0) lib/action_controller/metal/instrumentation.rb:41:in `block in render'
  actionpack (4.1.0) lib/action_controller/metal/instrumentation.rb:84:in `cleanup_view_runtime'
  activerecord (4.1.0) lib/active_record/railties/controller_runtime.rb:25:in `cleanup_view_runtime'
  actionpack (4.1.0) lib/action_controller/metal/instrumentation.rb:40:in
  actionpack (4.1.0) lib/action_controller/metal/implicit_render.rb:10:in `default_render'
  actionpack (4.1.0) lib/action_controller/metal/implicit_render.rb:5:in `send_action'
  actionpack (4.1.0) lib/abstract_controller/base.rb:189:in `process_action'
  actionpack (4.1.0) lib/action_controller/metal/rendering.rb:10:in `process_action'
  actionpack (4.1.0) lib/abstract_controller/callbacks.rb:20:in `block in process_action'
  activesupport (4.1.0) lib/active_support/callbacks.rb:113:in `call'
```

```
activesupport (4.1.0) lib/active_support/callbacks.rb:113:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:229:in `block in halting'
activesupport (4.1.0) lib/active_support/callbacks.rb:229:in `call' activesupport (4.1.0) lib/active_support/callbacks.rb:229:in `block in halting' activesupport (4.1.0) lib/active_support/callbacks.rb:166:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:166:in `block in halting'
activesupport (4.1.0) lib/active_support/callbacks.rb:166:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:166:in `block in halting'
activesupport (4.1.0) lib/active support/callbacks.rb:166:in `call'
activesupport (4.1.0) lib/active support/callbacks.rb:166:in `block in halting'
activesupport (4.1.0) lib/active support/callbacks.rb:86:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:86:in `run_callbacks'
actionpack (4.1.0) lib/abstract_controller/callbacks.rb:19:in `process_action'
actionpack (4.1.0) lib/action_controller/metal/rescue.rb:29:in `process_action'
actionpack (4.1.0) lib/action_controller/metal/instrumentation.rb:31:in `block in process_action'
activesupport (4.1.0) lib/active support/notifications.rb:159:in `block in instrument'
activesupport (4.1.0) lib/active_support/notifications/instrumenter.rb:20:in `instrument'
activesupport (4.1.0) lib/active_support/notifications.rb:159:in `instrument'
actionpack (4.1.0) lib/action_controller/metal/instrumentation.rb:30:in `process_action' actionpack (4.1.0) lib/action_controller/metal/params_wrapper.rb:250:in `process_action'
activerecord (4.1.0) lib/active_record/railties/controller_runtime.rb:18:in `process_action'
actionpack (4.1.0) lib/abstract controller/base.rb:136:in `process'
actionview (4.1.0) lib/action_view/rendering.rb:30:in `process'
actionpack (4.1.0) lib/action_controller/metal.rb:195:in `dispatch'
actionpack (4.1.0) lib/action_controller/metal/rack_delegation.rb:13:in `dispatch'
actionpack (4.1.0) lib/action_controller/metal.rb:231:in `block in action'
actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:80:in `call' actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:80:in `dispatch'
actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:48:in `call'
actionpack (4.1.0) lib/action dispatch/journey/router.rb:71:in `block in call'
actionpack (4.1.0) lib/action_dispatch/journey/router.rb:59:in `each'
actionpack (4.1.0) lib/action_dispatch/journey/router.rb:59:in `call'
actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:676:in `call'
rack (1.5.2) lib/rack/etag.rb:23:in `call'
rack (1.5.2) lib/rack/conditionalget.rb:25:in `call'
rack (1.5.2) lib/rack/head.rb:11:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/params_parser.rb:27:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/flash.rb:254:in `call'
rack (1.5.2) lib/rack/session/abstract/id.rb:225:in `context'
rack (1.5.2) lib/rack/session/abstract/id.rb:220:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/cookies.rb:560:in `call'
activerecord (4.1.0) lib/active_record/query_cache.rb:36:in `call'
activerecord (4.1.0) lib/active_record/connection_adapters/abstract/connection_pool.rb:621:in `call'
activerecord (4.1.0) lib/active_record/migration.rb:380:in `call'
actionpack (4.1.0) lib/action dispatch/middleware/callbacks.rb:29:in `block in call'
activesupport (4.1.0) lib/active_support/callbacks.rb:82:in `run_callbacks'
actionpack (4.1.0) lib/action_dispatch/middleware/callbacks.rb:27:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/reloader.rb:73:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/remote_ip.rb:76:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/debug_exceptions.rb:17:in `call'
actionpack (4.1.0) lib/action dispatch/middleware/show exceptions.rb:30:in `call'
railties (4.1.0) lib/rails/rack/logger.rb:38:in `call_app' railties (4.1.0) lib/rails/rack/logger.rb:20:in `block in call'
activesupport (4.1.0) lib/active_support/tagged_logging.rb:68:in `block in tagged'
activesupport (4.1.0) lib/active_support/tagged_logging.rb:26:in `tagged'
activesupport (4.1.0) lib/active_support/tagged_logging.rb:68:in `tagged'
railties (4.1.0) lib/rails/rack/logger.rb:20:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/request_id.rb:21:in `call'
rack (1.5.2) lib/rack/methodoverride.rb:21:in `call'
rack (1.5.2) lib/rack/runtime.rb:17:in `call'
activesupport (4.1.0) lib/active support/cache/strategy/local cache middleware.rb:26:in `call'
rack (1.5.2) lib/rack/lock.rb:17:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/static.rb:64:in `call'
rack (1.5.2) lib/rack/sendfile.rb:112:in `call'
railties (4.1.0) lib/rails/engine.rb:514:in `call'
railties (4.1.0) lib/rails/application.rb:144:in `call'
rack (1.5.2) lib/rack/lock.rb:17:in `call'
rack (1.5.2) lib/rack/content length.rb:14:in `call'
rack (1.5.2) lib/rack/handler/webrick.rb:60:in `service'
/Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/httpserver.rb:138:in `service'
```

```
/Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/httpserver.rb:94:in `run'
   /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/server.rb:191:in `block in start_t
hread'
   Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/ac
tion_dispatch/middleware/templates/rescues/_source.erb (0.5ms)
   Rendered \ / Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionpack-4.1.0/lib/actionp
tion_dispatch/middleware/templates/rescues/_trace.html.erb (1.2ms)
   Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/ac
tion dispatch/middleware/templates/rescues/ request and response.html.erb (0.8ms)
   Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/ac
tion_dispatch/middleware/templates/rescues/diagnostics.erb within rescues/layout (17.1ms)
[2014-05-12 12:34:39] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks/209" for 127.0.0.1 at 2014-05-12 12:35:41 -0400
Processing by CookbooksController#show as HTML
   Parameters: {"id"=>"209"}
   Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = $1 LIMIT 1 [["i
d", 209]]
From: /Users/omardelarosa/Dropbox/Code/WDI/wdi-string/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly/app/
        8: def show
       9:
             # by default...
      10:
               # render :name of this method
      11:
      12:
              # define @cookbook
      13:
              @cookbook = Cookbook.find(params[:id])
      14:
               @recipes = @cookbook.recipes
 => 15: binding.pry
      16: end
[1] pry(#<CookbooksController>)> exit
   Rendered cookbooks/show.html.erb within layouts/application (4.8ms)
Completed 200 OK in 7183ms (Views: 32.8ms | ActiveRecord: 0.3ms)
Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-12 12:35:48 -0400
[2014-05-12 12:35:48] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-12 12:35:48 -0400
[2014-05-12 12:35:48] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-12 12:35:48 -0400
[2014-05-12 12:35:48] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-12 12:35:48 -0400
[2014-05-12 12:35:48] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-12 12:35:48 -0400
[2014-05-12 12:35:48] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks/209" for 127.0.0.1 at 2014-05-12 12:36:09 -0400
Processing by CookbooksController#show as HTML
   Parameters: {"id"=>"209"}
   Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = $1 LIMIT 1 [["i
d", 209]]
```

```
8: def show
     9
        # by default...
    10:
         # render :name of this method
    11:
   12:
         # define @cookbook
   13:
         @cookbook = Cookbook.find(params[:id])
   14:
         @recipes = @cookbook.recipes
 => 15:
         binding.pry
[1] pry(#<CookbooksController>)> @cookbook.recipes
  Recipe Load (1.6ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."cookbook_id" = $1 [["cookbook_
=> [#<Recipe id: 1081, title: "Aliquid esse magni iusto voluptas error non.", content: "Non unde qui volup
14-05-12 16:20:26">,
#<Recipe id: 1082, title: "Dolores ullam impedit qui qui veritatis omnis mole...", content: "Illo consequ</pre>
t: "2014-05-12 16:20:26">,
#<Recipe id: 1083, title: "Rerum error aliquid nihil et non cum.", content: "Molestiae quod magnam. Harum
#<Recipe id: 1084, title: "Ea sint eum dolorem ratione.", content: "Facere ut deleniti dolor rerum tenetu</pre>
#<Recipe id: 1085, title: "Culpa rem et est porro non quisquam praesentium.", content: "Harum molestias s</pre>
014-05-12 16:20:26">,
#<Recipe id: 1086, title: "Facilis eos in ea.", content: "Omnis explicabo sint quam quis minus. Possimus</pre>
qui...", cookbook_id: 209, created_at: "2014-05-12 16:20:26", updated_at: "2014-05-12 16:20:26">,
#<Recipe id: 1087, title: "Quo libero nam saepe error.", content: "Adipisci earum modi ipsam possimus mol
litia. Dolor...", cookbook_id: 209, created_at: "2014-05-12 16:20:26", updated_at: "2014-05-12 16:20:26">,
#<Recipe id: 1088, title: "Velit sed iusto et est mollitia nostrum molestiae.", content: "Eum veniam elig</pre>
"2014-05-12 16:20:26">,
#<Recipe id: 1089, title: "Itaque corrupti qui et.", content: "Quaerat explicabo sit enim quo. Ex ut exce</pre>
pturi se...", cookbook_id: 209, created_at: "2014-05-12 16:20:26", updated_at: "2014-05-12 16:20:26">,
#<Recipe id: 1090, title: "Consequatur perferendis sit sint.", content: "Dolor voluptate harum tempora.</pre>
[2] pry(#<CookbooksController>)> @cookbook.recipes.first.title
=> "Aliquid esse magni iusto voluptas error non."
[3] pry(#<CookbooksController>)> exit
 Rendered cookbooks/show.html.erb within layouts/application (0.2ms)
Completed 200 OK in 39856ms (Views: 5.1ms | ActiveRecord: 3.0ms)
[2014-05-12 12:36:49] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks/209" for 127.0.0.1 at 2014-05-12 12:36:49 -0400
Processing by CookbooksController#show as HTML
 Parameters: {"id"=>"209"}
  Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = $1 LIMIT 1 [["i
d", 209]]
 Rendered cookbooks/show.html.erb within layouts/application (9.7ms)
Completed 200 OK in 24ms (Views: 14.7ms | ActiveRecord: 3.3ms)
Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-12 12:36:49 -0400
[2014-05-12 12:36:49] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-12 12:36:49 -0400
[2014-05-12 12:36:49] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-12 12:36:49 -0400
[2014-05-12 12:36:49] WARN Could not determine content-length of response body. Set content-length of the
```

response or set Response#chunked = true

```
Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-12 12:36:49 -0400
[2014-05-12 12:36:49] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-12 12:36:49 -0400
[2014-05-12 12:36:49] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks/209" for 127.0.0.1 at 2014-05-12 12:36:50 -0400
Processing by CookbooksController#show as HTML
 Parameters: {"id"=>"209"}
  Cookbook Load (0.4ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = $1 LIMIT 1 [["i
d", 209]]
  Rendered cookbooks/show.html.erb within layouts/application (0.8ms)
Completed 200 OK in 7ms (Views: 4.8ms | ActiveRecord: 0.4ms)
[2014-05-12 12:36:50] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-12 12:36:50 -0400
[2014-05-12 12:36:50] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-12 12:36:50 -0400
[2014-05-12 12:36:50] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-12 12:36:50 -0400
[2014-05-12 12:36:50] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-12 12:36:50 -0400
[2014-05-12 12:36:50] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-12 12:36:50 -0400
[2014-05-12 12:36:50] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks/209" for 127.0.0.1 at 2014-05-12 12:36:51 -0400
Processing by CookbooksController#show as HTML
 Parameters: {"id"=>"209"}
  Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = $1 LIMIT 1 [["i
d", 209]]
 Rendered cookbooks/show.html.erb within layouts/application (0.3ms)
Completed 200 OK in 4ms (Views: 3.0ms | ActiveRecord: 0.2ms)
[2014-05-12 12:36:51] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-12 12:36:51 -0400
[2014-05-12 12:36:51] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-12 12:36:51 -0400
[2014-05-12 12:36:51] WARN Could not determine content-length of response body. Set content-length of the
```

```
Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-12 12:36:51 -0400
[2014-05-12 12:36:51] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-12 12:36:51 -0400
[2014-05-12 12:36:51] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-12 12:36:51 -0400
[2014-05-12 12:36:51] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks/209" for 127.0.0.1 at 2014-05-12 12:36:51 -0400
Processing by CookbooksController#show as HTML
 Parameters: {"id"=>"209"}
  Cookbook Load (0.1ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = $1 LIMIT 1 [["i
d", 209]]
  Rendered cookbooks/show.html.erb within layouts/application (0.3ms)
Completed 200 OK in 5ms (Views: 3.6ms | ActiveRecord: 0.1ms)
[2014-05-12 12:36:51] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-12 12:36:51 -0400
[2014-05-12 12:36:52] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-12 12:36:52 -0400
[2014-05-12 12:36:52] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-12 12:36:52 -0400
[2014-05-12 12:36:52] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-12 12:36:52 -0400
[2014-05-12 12:36:52] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-12 12:36:52 -0400
[2014-05-12 12:36:52] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks/209" for 127.0.0.1 at 2014-05-12 12:36:52 -0400
Processing by CookbooksController#show as HTML
 Parameters: {"id"=>"209"}
 Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = $1 LIMIT 1 [["i
d", 209]]
 Rendered cookbooks/show.html.erb within layouts/application (0.4ms)
Completed 200 OK in 6ms (Views: 4.7ms | ActiveRecord: 0.2ms)
[2014-05-12 12:36:52] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-12 12:36:52 -0400
[2014-05-12 12:36:52] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-12 12:36:52 -0400
```

[2014-05-12 12:36:52] WARN Could not determine content-length of response body. Set content-length of the

response or set Response#chunked = true

```
Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-12 12:36:52 -0400
[2014-05-12 12:36:52] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-12 12:36:52 -0400
[2014-05-12 12:36:52] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-12 12:36:52 -0400
[2014-05-12 12:36:52] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks" for 127.0.0.1 at 2014-05-12 12:36:56 -0400
Processing by CookbooksController#index as HTML
  Cookbook Load (0.5ms) SELECT "cookbooks".* FROM "cookbooks"
 Rendered cookbooks/index.html.erb within layouts/application (6.1ms)
Completed 200 OK in 11ms (Views: 9.4ms | ActiveRecord: 0.5ms)
[2014-05-12 12:36:56] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-12 12:36:56 -0400
[2014-05-12 12:36:56] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-12 12:36:56 -0400
[2014-05-12 12:36:56] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-12 12:36:56 -0400
[2014-05-12 12:36:56] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-12 12:36:56 -0400
[2014-05-12 12:36:56] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-12 12:36:56 -0400
[2014-05-12 12:36:56] WARN Could not determine content-length of response body. Set content-length of the
 response or set Response#chunked = true
Started GET "/cookbooks/210" for 127.0.0.1 at 2014-05-12 12:36:57 -0400
Processing by CookbooksController#show as HTML
 Parameters: {"id"=>"210"}
 Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = $1 LIMIT 1 [["i
d", 210]]
 Rendered cookbooks/show.html.erb within layouts/application (0.9ms)
Completed 200 OK in 7ms (Views: 5.4ms | ActiveRecord: 0.2ms)
Started GET "/cookbooks/210" for 127.0.0.1 at 2014-05-12 12:37:26 -0400
Processing by CookbooksController#show as HTML
  Parameters: {"id"=>"210"}
  Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = $1 LIMIT 1 [["i
d", 210]]
  Recipe Load (0.9ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."cookbook id" = $1 [["cookbook
id", 210]]
  Rendered cookbooks/show.html.erb within layouts/application (8.9ms)
Completed 200 OK in 15ms (Views: 11.5ms | ActiveRecord: 2.0ms)
```