```
Using sdoc 0.4.0
Using spring 1.1.2
Using sqlite3 1.3.9
Using turbolinks 2.2.2
Using uglifier 2.5.0
Your bundle is complete!
Use `bundle show [gemname]` to see where a bundled gem is installed.
         run  bundle exec spring binstub --all
* bin/rake: spring inserted
* bin/rails: spring inserted
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS on master[?$]
$
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS on master[?$]
$ rm -rf cookly/
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS on master[$]
$ rails new cookly -d postgresql -T
      create
      create  README.rdoc
      create  Rakefile
      create  config.ru
      create  .gitignore
      create  Gemfile
      create  app
      create  app/assets/javascripts/application.js
      create  app/assets/stylesheets/application.css
      create  app/controllers/application_controller.rb
      create  app/helpers/application_helper.rb
      create  app/views/layouts/application.html.erb
      create  app/assets/images/.keep
      create  app/mailers/.keep
      create  app/models/.keep
      create  app/controllers/concerns/.keep
      create  app/models/concerns/.keep
      create  bin
      create  bin/bundle
      create  bin/rails
      create  bin/rake
      create  config
      create  config/routes.rb
      create  config/application.rb
      create  config/environment.rb
      create  config/secrets.yml
      create  config/environments
      create  config/environments/development.rb
      create  config/environments/production.rb
      create  config/environments/test.rb
      create  config/initializers
      create  config/initializers/backtrace_silencers.rb
      create  config/initializers/cookies_serializer.rb
      create  config/initializers/filter_parameter_logging.rb
      create  config/initializers/inflections.rb
      create  config/initializers/mime_types.rb
      create  config/initializers/session_store.rb
      create  config/initializers/wrap_parameters.rb
      create  config/locales
      create  config/locales/en.yml
      create  config/boot.rb
      create  config/database.yml
      create  db
      create  db/seeds.rb
      create  lib
      create  lib/tasks
      create  lib/tasks/.keep
      create  lib/assets
      create  lib/assets/.keep
      create  log
      create  log/.keep
      create  public
      create  public/404.html
      create  public/422.html
```

```
      create  public/500.html
      create  public/favicon.ico
      create  public/robots.txt
      create  tmp/cache
      create  tmp/cache/assets
      create  vendor/assets/javascripts
      create  vendor/assets/javascripts/.keep
      create  vendor/assets/stylesheets
      create  vendor/assets/stylesheets/.keep
         run  bundle install
Fetching gem metadata from https://rubygems.org/...........
Fetching additional metadata from https://rubygems.org/..
Resolving dependencies...
Using rake 10.3.1
Using i18n 0.6.9
Using json 1.8.1
Using minitest 5.3.3
Using thread_safe 0.3.3
Using tzinfo 1.1.0
Using activesupport 4.1.0
Using builder 3.2.2
Using erubis 2.7.0
Using actionview 4.1.0
Using rack 1.5.2
Using rack-test 0.6.2
Using actionpack 4.1.0
Using mime-types 1.25.1
Using polyglot 0.3.4
Using treetop 1.4.15
Using mail 2.5.4
Using actionmailer 4.1.0
Using activemodel 4.1.0
Using arel 5.0.1.20140414130214
Using activerecord 4.1.0
Using bundler 1.6.2
Using coffee-script-source 1.7.0
Using execjs 2.0.2
Using coffee-script 2.2.0
Using thor 0.19.1
Using railties 4.1.0
Using coffee-rails 4.0.1
Using hike 1.2.3
Using multi_json 1.10.0
Using jbuilder 2.0.7
Using jquery-rails 3.1.0
Using pg 0.17.1
Using tilt 1.4.1
Using sprockets 2.11.0
Using sprockets-rails 2.1.3
Using rails 4.1.0
Using rdoc 4.1.1
Using sass 3.2.19
Using sass-rails 4.0.3
Using sdoc 0.4.0
Using spring 1.1.2
Using turbolinks 2.2.2
Using uglifier 2.5.0
Your bundle is complete!
Use `bundle show [gemname]` to see where a bundled gem is installed.
         run  bundle exec spring binstub --all
* bin/rake: spring inserted
* bin/rails: spring inserted
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS on master[?$]
$ ls
cookly/
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS on master[?$]
$ cd cookly/
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly on master[?$]
$ ls
Gemfile        README.rdoc    app/        config/        db/        log/        tmp/
```

```
Gemfile.lock  Rakefile      bin/         config.ru     lib/         public/       vendor/
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly on master[?$]
$ subl .
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly on master[?$]
$ ls
Gemfile       README.rdoc   app/         config/       db/          log/          tmp/
Gemfile.lock  Rakefile      bin/         config.ru     lib/         public/       vendor/
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly on master[?$]
$ bundle
Resolving dependencies...
Using rake 10.3.1
Using i18n 0.6.9
Using json 1.8.1
Using minitest 5.3.3
Using thread_safe 0.3.3
Using tzinfo 1.1.0
Using activesupport 4.1.0
Using builder 3.2.2
Using erubis 2.7.0
Using actionview 4.1.0
Using rack 1.5.2
Using rack-test 0.6.2
Using actionpack 4.1.0
Using mime-types 1.25.1
Using polyglot 0.3.4
Using treetop 1.4.15
Using mail 2.5.4
Using actionmailer 4.1.0
Using activemodel 4.1.0
Using arel 5.0.1.20140414130214
Using activerecord 4.1.0
Using bundler 1.6.2
Using coderay 1.1.0
Using coffee-script-source 1.7.0
Using execjs 2.0.2
Using coffee-script 2.2.0
Using thor 0.19.1
Using railties 4.1.0
Using coffee-rails 4.0.1
Using faker 1.3.0
Using hike 1.2.3
Using multi_json 1.10.0
Using jbuilder 2.0.7
Using jquery-rails 3.1.0
Using method_source 0.8.2
Using pg 0.17.1
Using slop 3.5.0
Using pry 0.9.12.6
Using pry-rails 0.3.2
Using tilt 1.4.1
Using sprockets 2.11.0
Using sprockets-rails 2.1.3
Using rails 4.1.0
Using rdoc 4.1.1
Using sass 3.2.19
Using sass-rails 4.0.3
Using sdoc 0.4.0
Using turbolinks 2.2.2
Using uglifier 2.5.0
Your bundle is complete!
Use `bundle show [gemname]` to see where a bundled gem is installed.
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly on master[?$]
$
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly on master[?$]
$
```

```
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly on master[?$]
$ rails g migration create_cookbooks
      invoke  active_record
      create    db/migrate/20140512151004_create_cookbooks.rb
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly on master[?$]
$ rails g migration create_recipes
      invoke  active_record
      create    db/migrate/20140512151011_create_recipes.rb
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly on master[?$]
$



omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly on master[?$]
$ rake db:create
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly on master[?$]
$ rake db:migrate
== 20140512151004 CreateCookbooks: migrating ================================
-- create_table(:cookbooks)
   -> 0.0268s
== 20140512151004 CreateCookbooks: migrated (0.0269s) =======================

== 20140512151011 CreateRecipes: migrating ==================================
-- create_table(:recipes)
   -> 0.0047s
== 20140512151011 CreateRecipes: migrated (0.0048s) =========================

omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly on master[?$]
$



omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly on master[?$]
$ git_sync "created basic cookbook schema, w4d1"
[master 5a253dc] git syncing created basic cookbook schema, w4d1
 53 files changed, 1034 insertions(+)
 create mode 100644 w04/d01/INSTRUCTORS/cookly/.gitignore
 create mode 100644 w04/d01/INSTRUCTORS/cookly/Gemfile
 create mode 100644 w04/d01/INSTRUCTORS/cookly/Gemfile.lock
 create mode 100644 w04/d01/INSTRUCTORS/cookly/README.rdoc
 create mode 100644 w04/d01/INSTRUCTORS/cookly/Rakefile
 create mode 100644 w04/d01/INSTRUCTORS/cookly/app/assets/images/.keep
 create mode 100644 w04/d01/INSTRUCTORS/cookly/app/assets/javascripts/application.js
 create mode 100644 w04/d01/INSTRUCTORS/cookly/app/assets/stylesheets/application.css
 create mode 100644 w04/d01/INSTRUCTORS/cookly/app/controllers/application_controller.rb
 create mode 100644 w04/d01/INSTRUCTORS/cookly/app/controllers/concerns/.keep
 create mode 100644 w04/d01/INSTRUCTORS/cookly/app/helpers/application_helper.rb
 create mode 100644 w04/d01/INSTRUCTORS/cookly/app/mailers/.keep
 create mode 100644 w04/d01/INSTRUCTORS/cookly/app/models/.keep
 create mode 100644 w04/d01/INSTRUCTORS/cookly/app/models/concerns/.keep
 create mode 100644 w04/d01/INSTRUCTORS/cookly/app/models/cookbook.rb
 create mode 100644 w04/d01/INSTRUCTORS/cookly/app/models/recipe.rb
 create mode 100644 w04/d01/INSTRUCTORS/cookly/app/views/layouts/application.html.erb
 create mode 100755 w04/d01/INSTRUCTORS/cookly/bin/bundle
 create mode 100755 w04/d01/INSTRUCTORS/cookly/bin/rails
```

```
  create mode 100755 w04/d01/INSTRUCTORS/cookly/bin/rake
  create mode 100755 w04/d01/INSTRUCTORS/cookly/bin/spring
  create mode 100644 w04/d01/INSTRUCTORS/cookly/config.ru
  create mode 100644 w04/d01/INSTRUCTORS/cookly/config/application.rb
  create mode 100644 w04/d01/INSTRUCTORS/cookly/config/boot.rb
  create mode 100644 w04/d01/INSTRUCTORS/cookly/config/database.yml
  create mode 100644 w04/d01/INSTRUCTORS/cookly/config/environment.rb
  create mode 100644 w04/d01/INSTRUCTORS/cookly/config/environments/development.rb
  create mode 100644 w04/d01/INSTRUCTORS/cookly/config/environments/production.rb
  create mode 100644 w04/d01/INSTRUCTORS/cookly/config/environments/test.rb
  create mode 100644 w04/d01/INSTRUCTORS/cookly/config/initializers/backtrace_silencers.rb
  create mode 100644 w04/d01/INSTRUCTORS/cookly/config/initializers/cookies_serializer.rb
  create mode 100644 w04/d01/INSTRUCTORS/cookly/config/initializers/filter_parameter_logging.rb
  create mode 100644 w04/d01/INSTRUCTORS/cookly/config/initializers/inflections.rb
  create mode 100644 w04/d01/INSTRUCTORS/cookly/config/initializers/mime_types.rb
  create mode 100644 w04/d01/INSTRUCTORS/cookly/config/initializers/session_store.rb
  create mode 100644 w04/d01/INSTRUCTORS/cookly/config/initializers/wrap_parameters.rb
  create mode 100644 w04/d01/INSTRUCTORS/cookly/config/locales/en.yml
  create mode 100644 w04/d01/INSTRUCTORS/cookly/config/routes.rb
  create mode 100644 w04/d01/INSTRUCTORS/cookly/config/secrets.yml
  create mode 100644 w04/d01/INSTRUCTORS/cookly/db/migrate/20140512151004_create_cookbooks.rb
  create mode 100644 w04/d01/INSTRUCTORS/cookly/db/migrate/20140512151011_create_recipes.rb
  create mode 100644 w04/d01/INSTRUCTORS/cookly/db/schema.rb
  create mode 100644 w04/d01/INSTRUCTORS/cookly/db/seeds.rb
  create mode 100644 w04/d01/INSTRUCTORS/cookly/lib/assets/.keep
  create mode 100644 w04/d01/INSTRUCTORS/cookly/lib/tasks/.keep
  create mode 100644 w04/d01/INSTRUCTORS/cookly/log/.keep
  create mode 100644 w04/d01/INSTRUCTORS/cookly/public/404.html
  create mode 100644 w04/d01/INSTRUCTORS/cookly/public/422.html
  create mode 100644 w04/d01/INSTRUCTORS/cookly/public/500.html
  create mode 100644 w04/d01/INSTRUCTORS/cookly/public/favicon.ico
  create mode 100644 w04/d01/INSTRUCTORS/cookly/public/robots.txt
  create mode 100644 w04/d01/INSTRUCTORS/cookly/vendor/assets/javascripts/.keep
  create mode 100644 w04/d01/INSTRUCTORS/cookly/vendor/assets/stylesheets/.keep
To git@github.com:ga-students/WDI_NYC_Apr14_String.git
 ! [rejected]        master -> master (fetch first)
error: failed to push some refs to 'git@github.com:ga-students/WDI_NYC_Apr14_String.git'
hint: Updates were rejected because the remote contains work that you do
hint: not have locally. This is usually caused by another repository pushing
hint: to the same ref. You may want to first integrate the remote changes
hint: (e.g., 'git pull ...') before pushing again.
hint: See the 'Note about fast-forwards' in 'git push --help' for details.
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly on master[$]
$
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly on master[$]
$ git pull origin master
remote: Counting objects: 60, done.
remote: Compressing objects: 100% (52/52), done.
remote: Total 60 (delta 11), reused 0 (delta 0)
Unpacking objects: 100% (60/60), done.
From github.com:ga-students/WDI_NYC_Apr14_String
 * branch            master     -> FETCH_HEAD
   4b23004..d96e6d9  master     -> origin/master
Merge made by the 'recursive' strategy.
 w03/d05/Readme.md                 |   6 +-
 .../cookie_jar/Gemfile            |  43 ++++
 .../cookie_jar/Gemfile.lock       | 123 ++++++++++++
 .../cookie_jar/README.rdoc        |  28 +++
 .../cookie_jar/Rakefile           |   6 +
 .../app/assets/images/.keep       |   0
 .../javascripts/application.js     |  16 ++
 .../stylesheets/application.css    |  36 +++
 .../application_controller.rb      |   5 +
 .../controllers/concerns/.keep     |   0
 .../cookie_watchers_controller.rb  |  21 ++
 .../helpers/application_helper.rb  |   2 +
 .../cookie_jar/app/mailers/.keep   |   0
 .../cookie_jar/app/models/.keep    |   0
 .../app/models/concerns/.keep      |   0
 .../app/models/cookie_watcher.rb   |   2 +
```

```
.../index.html.erb              |  16 ++
.../layouts/application.html.erb |  14 ++
.../views/layouts/index.html.erb |  14 ++
.../cookie_jar/bin/bundle        |   3 +
.../cookie_jar/bin/rails         |   8 +
.../cookie_jar/bin/rake          |   8 +
.../cookie_jar/bin/spring        |  18 ++
.../cookie_jar/config.ru         |   4 +
.../config/application.rb        |  23 ++
.../cookie_jar/config/boot.rb    |   4 +
.../config/database.yml          |  25 ++
.../config/environment.rb        |   5 +
.../environments/development.rb  |  37 +++
.../environments/production.rb   |  83 +++++++
.../config/environments/test.rb  |  39 +++
.../backtrace_silencers.rb       |   7 +
.../cookies_serializer.rb        |   3 +
.../filter_parameter_logging.rb  |   4 +
.../initializers/inflections.rb  |  16 ++
.../initializers/mime_types.rb   |   4 +
.../initializers/session_store.rb |   3 +
.../wrap_parameters.rb           |  14 ++
.../config/locales/en.yml        |  23 ++
.../cookie_jar/config/routes.rb  |   5 +
.../cookie_jar/config/secrets.yml |  22 ++
...2209_create_cookie_watchers.rb |  10 +
.../cookie_jar/db/schema.rb      |  26 ++
.../cookie_jar/db/seeds.rb       |  10 +
.../cookie_jar/lib/assets/.keep  |   0
.../cookie_jar/lib/tasks/.keep   |   0
.../cookie_jar/log/.keep         |   0
.../cookie_jar/public/404.html   |  67 +++++
.../cookie_jar/public/422.html   |  67 +++++
.../cookie_jar/public/500.html   |  66 +++++
.../cookie_jar/public/favicon.ico |   0
.../cookie_jar/public/robots.txt |   5 +
.../test/controllers/.keep       |   0
.../test/fixtures/.keep          |   0
.../fixtures/cookie_watchers.yml |   9 +
.../cookie_jar/test/helpers/.keep |   0
.../test/integration/.keep       |   0
.../cookie_jar/test/mailers/.keep |   0
.../cookie_jar/test/models/.keep |   0
.../models/cookie_watcher_test.rb |   7 +
.../test/test_helper.rb          |  13 +
...fe41fee1fe35b49d145bcc06610705 | Bin 0 -> 933 bytes
...ae71a2d8b2a61c33a5285604db27eb | Bin 0 -> 283423 bytes
...5173deea6c795b8fdde723bb4b63af | Bin 0 -> 318397 bytes
...7df978ec42def6d8c1f0191afb1a8c | Bin 0 -> 16059 bytes
...7970feca3ac29060c1e3861e2c0953 | Bin 0 -> 933 bytes
...9934c62c4092fac5c0b1886164fb16 | Bin 0 -> 19370 bytes
...d20b7d178e5cf09c7edb68e4d624f7 | Bin 0 -> 16059 bytes
...e280a2c4c832914b28f8a335e13efc | Bin 0 -> 283822 bytes
...66d11c482378eb02a8b9e4b8cf3e7a | Bin 0 -> 283423 bytes
...076cdb8a25028c81f06ba10f45cfc1 | Bin 0 -> 16466 bytes
...d0e7cc7ce9ce892484b540bd5b7ae1 | Bin 0 -> 19783 bytes
...10d5d89ff8f803cdf6e69db9b681cc | Bin 0 -> 19370 bytes
...fd775d018f68ce5dba1ee0d951a994 | Bin 0 -> 318397 bytes
...71ace226fc8215a3572e0aa35bb0d6 | Bin 0 -> 1184 bytes
...cbd26ba1d28d48de824f0e94586655 | Bin 0 -> 2464 bytes
.../assets/javascripts/.keep     |   0
.../assets/stylesheets/.keep     |   0
w04/d01/Readme.md                |  46 +++-
79 files changed, 1010 insertions(+), 6 deletions(-)
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/Gemfile
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/Gemfile.lock
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/README.rdoc
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/Rakefile
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/app/assets/images/.keep
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/app/assets/javascripts/application.js
```

```
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/app/assets/stylesheets/application.css
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/app/controllers/application_controller.rb
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/app/controllers/concerns/.keep
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/app/controllers/cookie_watchers_controller.rb
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/app/helpers/application_helper.rb
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/app/mailers/.keep
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/app/models/.keep
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/app/models/concerns/.keep
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/app/models/cookie_watcher.rb
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/app/views/cookie_watchers/index.html.erb
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/app/views/layouts/application.html.erb
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/app/views/layouts/index.html.erb
create mode 100755 w04/d01/INSTRUCTORS/cookie_jar/bin/bundle
create mode 100755 w04/d01/INSTRUCTORS/cookie_jar/bin/rails
create mode 100755 w04/d01/INSTRUCTORS/cookie_jar/bin/rake
create mode 100755 w04/d01/INSTRUCTORS/cookie_jar/bin/spring
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/config.ru
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/config/application.rb
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/config/boot.rb
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/config/database.yml
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/config/environment.rb
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/config/environments/development.rb
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/config/environments/production.rb
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/config/environments/test.rb
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/config/initializers/backtrace_silencers.rb
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/config/initializers/cookies_serializer.rb
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/config/initializers/filter_parameter_logging.rb
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/config/initializers/inflections.rb
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/config/initializers/mime_types.rb
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/config/initializers/session_store.rb
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/config/initializers/wrap_parameters.rb
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/config/locales/en.yml
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/config/routes.rb
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/config/secrets.yml
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/db/migrate/20140512042209_create_cookie_watchers.rb
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/db/schema.rb
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/db/seeds.rb
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/lib/assets/.keep
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/lib/tasks/.keep
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/log/.keep
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/public/404.html
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/public/422.html
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/public/500.html
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/public/favicon.ico
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/public/robots.txt
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/test/controllers/.keep
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/test/fixtures/.keep
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/test/fixtures/cookie_watchers.yml
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/test/helpers/.keep
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/test/integration/.keep
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/test/mailers/.keep
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/test/models/.keep
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/test/models/cookie_watcher_test.rb
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/test/test_helper.rb
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/tmp/cache/assets/development/sprockets/13fe41fee1fe35b4
9d145bcc06610705
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/tmp/cache/assets/development/sprockets/27ae71a2d8b2a61c
33a5285604db27eb
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/tmp/cache/assets/development/sprockets/2f5173deea6c795b
8fdde723bb4b63af
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/tmp/cache/assets/development/sprockets/317df978ec42def6
d8c1f0191afb1a8c
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/tmp/cache/assets/development/sprockets/357970feca3ac290
60c1e3861e2c0953
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/tmp/cache/assets/development/sprockets/419934c62c4092fa
c5c0b1886164fb16
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/tmp/cache/assets/development/sprockets/5fd20b7d178e5cf0
9c7edb68e4d624f7
create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/tmp/cache/assets/development/sprockets/75e280a2c4c83291
4b28f8a335e13efc
```

```
 create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/tmp/cache/assets/development/sprockets/9566d11c482378eb
02a8b9e4b8cf3e7a
 create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/tmp/cache/assets/development/sprockets/b4076cdb8a25028c
81f06ba10f45cfc1
 create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/tmp/cache/assets/development/sprockets/c9d0e7cc7ce9ce89
2484b540bd5b7ae1
 create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/tmp/cache/assets/development/sprockets/cc10d5d89ff8f803
cdf6e69db9b681cc
 create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/tmp/cache/assets/development/sprockets/cffd775d018f68ce
5dba1ee0d951a994
 create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/tmp/cache/assets/development/sprockets/d771ace226fc8215
a3572e0aa35bb0d6
 create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/tmp/cache/assets/development/sprockets/f7cbd26ba1d28d48
de824f0e94586655
 create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/vendor/assets/javascripts/.keep
 create mode 100644 w04/d01/INSTRUCTORS/cookie_jar/vendor/assets/stylesheets/.keep
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly on master[$]
$ git_sync "created basic cookbook schema, w4d1"
On branch master
nothing to commit, working directory clean
Counting objects: 38, done.
Delta compression using up to 4 threads.
Compressing objects: 100% (24/24), done.
Writing objects: 100% (30/30), 7.00 KiB | 0 bytes/s, done.
Total 30 (delta 4), reused 0 (delta 0)
To git@github.com:ga-students/WDI_NYC_Apr14_String.git
   d96e6d9..3056595  master -> master
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly on master[$]
$
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly on master[$]
$ ls
Gemfile        bin/         log/
Gemfile.lock   config/      public/
README.rdoc    config.ru    tmp/
Rakefile       db/          vendor/
app/           lib/
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly on master[$]
$
```

```
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly on master[$]
$ rake db:seed
rake aborted!
TypeError: can't cast Array to text
/Users/omardelarosa/Dropbox/Code/WDI/wdi-string/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly/db/seeds.r
b:4:in `block in <top (required)>'
/Users/omardelarosa/Dropbox/Code/WDI/wdi-string/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly/db/seeds.r
b:2:in `times'
/Users/omardelarosa/Dropbox/Code/WDI/wdi-string/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly/db/seeds.r
b:2:in `<top (required)>'
Tasks: TOP => db:seed
(See full trace by running task with --trace)
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly on master[!?$]
$ rake db:seed
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly on master[!?$]
$ rake db:seed
```

```
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly on master[!?$]
$


omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly on master[!?$]
$ git_sync "created basic index page for cookbooks w4d1"
[master d15087c] git syncing created basic index page for cookbooks w4d1
 4 files changed, 30 insertions(+), 63 deletions(-)
 create mode 100644 w04/d01/INSTRUCTORS/cookly/app/controllers/cookbooks_controller.rb
 create mode 100644 w04/d01/INSTRUCTORS/cookly/app/views/cookbooks/index.html.erb
 rewrite w04/d01/INSTRUCTORS/cookly/config/routes.rb (97%)
Counting objects: 28, done.
Delta compression using up to 4 threads.
Compressing objects: 100% (14/14), done.
Writing objects: 100% (16/16), 1.44 KiB | 0 bytes/s, done.
Total 16 (delta 7), reused 0 (delta 0)
To git@github.com:ga-students/WDI_NYC_Apr14_String.git
   3056595..d15087c  master -> master
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly on master[$]
$


omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly on master[$]
$
```

```
$
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly on master[$]
$ rails c
Loading development environment (Rails 4.1.0)
ap gem not found.  Try typing 'gem install awesome_print' to get super-fancy output.
[1] pry(main)> c1 = Cookbook.first
  Cookbook Load (0.6ms)  SELECT  "cookbooks".* FROM "cookbooks"   ORDER BY "cookbooks"."id" ASC LIMIT 1
=> #<Cookbook id: 101, title: "Vel accusamus sunt est.", description: "Eos voluptatem voluptas rerum at ex
. Et placeat en...", created_at: "2014-05-12 15:30:30", updated_at: "2014-05-12 15:30:30">
[2] pry(main)> c1.recipes
NoMethodError: undefined method `recipes' for #<Cookbook:0x007ffe15eead98>
from /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/activemodel-4.1.0/lib/active_
model/attribute_methods.rb:435:in `method_missing'
[3] pry(main)> exit
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly on master[!?$]
$ rails c
Loading development environment (Rails 4.1.0)
ap gem not found.  Try typing 'gem install awesome_print' to get super-fancy output.
[1] pry(main)> c1 = Cookbook.first
  Cookbook Load (0.6ms)  SELECT  "cookbooks".* FROM "cookbooks"   ORDER BY "cookbooks"."id" ASC LIMIT 1
=> #<Cookbook id: 101, title: "Vel accusamus sunt est.", description: "Eos voluptatem voluptas rerum at ex
. Et placeat en...", created_at: "2014-05-12 15:30:30", updated_at: "2014-05-12 15:30:30">
[2] pry(main)> c1.recipes
```

```
  Recipe Load (1.4ms)  SELECT "recipes".* FROM "recipes"  WHERE (cookbook_id='101')
=> []
[3] pry(main)> exit
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly on master[!?$]
$ rails c
Loading development environment (Rails 4.1.0)
ap gem not found.  Try typing 'gem install awesome_print' to get super-fancy output.
[1] pry(main)> exit
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly on master[!?$]
$ rake db:seed
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly on master[!?$]
$ rails c
Loading development environment (Rails 4.1.0)
ap gem not found.  Try typing 'gem install awesome_print' to get super-fancy output.
[1] pry(main)> Recipe.all
  Recipe Load (2.6ms)  SELECT "recipes".* FROM "recipes"
=> [#<Recipe id: 1, title: "Fugit alias dolorum deserunt nihil rem facilis.", content: "Non minima dolorem
 #<Recipe id: 2, title: "Et sed nisi recusandae vitae.", content: "Itaque expedita quas dolor. Eveniet lab
 #<Recipe id: 3, title: "Commodi et autem culpa.", content: "Reprehenderit qui et ratione iste aut. Ut dol
 #<Recipe id: 4, title: "Quos provident laudantium similique.", content: "Aut autem ut in officiis et non.
 #<Recipe id: 5, title: "Facilis quaerat qui non.", content: "Consectetur facere error esse ut officia nul
 #<Recipe id: 6, title: "Aut magni quaerat quos non deleniti perferendis.", content: "Ipsa voluptatum sit
 #<Recipe id: 7, title: "Dolor ipsum fugit et.", content: "Sunt reiciendis omnis vel blanditiis fugiat ass
 #<Recipe id: 8, title: "Iusto ipsam eos soluta laboriosam.", content: "Consequatur dicta perferendis assu
 #<Recipe id: 9, title: "Pariatur delectus deserunt.", content: "Ipsa magnam reprehenderit tempora nulla a
 #<Recipe id: 10, title: "Consequatur est consequatur et distinctio harum.", content: "Est voluptas rerum
 #<Recipe id: 11, title: "Iusto quo impedit rerum.", content: "Asperiores pariatur accusantium. Asperiores
[2] pry(main)> recipe.first
NameError: undefined local variable or method `recipe' for main:Object
from (pry):2:in `__pry__'
[3] pry(main)> Recipe.first
  Recipe Load (1.0ms)  SELECT  "recipes".* FROM "recipes"   ORDER BY "recipes"."id" ASC LIMIT 1
=> #<Recipe id: 1, title: "Fugit alias dolorum deserunt nihil rem facilis.", content: "Non minima dolorem
voluptas facilis. Ipsam volupta...", cookbook_id: nil, created_at: "2014-05-12 16:17:25", updated_at: "201
4-05-12 16:17:25">
[4] pry(main)> exit
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly on master[!?$]
$ rails c
Loading development environment (Rails 4.1.0)
ap gem not found.  Try typing 'gem install awesome_print' to get super-fancy output.
[1] pry(main)> Cookbook.first
  Cookbook Load (0.6ms)  SELECT  "cookbooks".* FROM "cookbooks"   ORDER BY "cookbooks"."id" ASC LIMIT 1
=> nil
[2] pry(main)> exit
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly on master[!?$]
$ rake db:seed
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly on master[!?$]
$ rails c
Loading development environment (Rails 4.1.0)
ap gem not found.  Try typing 'gem install awesome_print' to get super-fancy output.
[1] pry(main)> Recipe.first
  Recipe Load (0.6ms)  SELECT  "recipes".* FROM "recipes"   ORDER BY "recipes"."id" ASC LIMIT 1
=> #<Recipe id: 1001, title: "Et deserunt explicabo facilis dignissimos temporib...", content: "Eligendi i
llo omnis. Dolor ut odit repudiandae min...", cookbook_id: 201, created_at: "2014-05-12 16:20:26", updated
_at: "2014-05-12 16:20:26">
[2] pry(main)> exit
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly on master[!?$]
$ rails c
Loading development environment (Rails 4.1.0)
ap gem not found.  Try typing 'gem install awesome_print' to get super-fancy output.
[1] pry(main)> c1 = Cookbook.first
  Cookbook Load (1.4ms)  SELECT  "cookbooks".* FROM "cookbooks"   ORDER BY "cookbooks"."id" ASC LIMIT 1
=> #<Cookbook id: 201, title: "Et dignissimos provident aperiam excepturi ratione...", description: "Unde
debitis excepturi animi. Et deserunt ipsa. Cu...", created_at: "2014-05-12 16:20:26", updated_at: "2014-05
-12 16:20:26">
[2] pry(main)> c1.recipes
  Recipe Load (2.3ms)  SELECT "recipes".* FROM "recipes"  WHERE "recipes"."cookbook_id" = $1  [["cookbook_
id", 201]]
=> [#<Recipe id: 1001, title: "Et deserunt explicabo facilis dignissimos temporib...", content: "Eligendi
illo omnis. Dolor ut odit repudiandae min...", cookbook_id: 201, created_at: "2014-05-12 16:20:26", update
```

```
d_at: "2014-05-12 16:20:26">,
 #<Recipe id: 1002, title: "Ea non voluptatibus ipsam aut earum consequatur.", content: "Dolores consequun
tur sint. Est exercitationem omni...", cookbook_id: 201, created_at: "2014-05-12 16:20:26", updated_at: "2
014-05-12 16:20:26">,
 #<Recipe id: 1003, title: "Accusamus accusantium est.", content: "Non optio et quod debitis. Quasi nulla
 blanditiis ...", cookbook_id: 201, created_at: "2014-05-12 16:20:26", updated_at: "2014-05-12 16:20:26">,
 #<Recipe id: 1004, title: "Omnis rerum suscipit est consectetur et alias.", content: "Perferendis volupta
tem voluptate consequatur repre...", cookbook_id: 201, created_at: "2014-05-12 16:20:26", updated_at: "201
4-05-12 16:20:26">,
 #<Recipe id: 1005, title: "Saepe nostrum ipsa minima dolor.", content: "Est et aperiam dolor non a expedi
ta. Qui rerum num...", cookbook_id: 201, created_at: "2014-05-12 16:20:26", updated_at: "2014-05-12 16:20:
26">,
 #<Recipe id: 1006, title: "Voluptatem animi sit est voluptatibus ea eligendi.", content: "Et ullam accusa
mus ipsam eos omnis voluptas. Ipsum...", cookbook_id: 201, created_at: "2014-05-12 16:20:26", updated_at:
"2014-05-12 16:20:26">,
 #<Recipe id: 1007, title: "Id impedit itaque officia sint atque.", content: "Cum accusamus qui ipsa magna
m accusantium. Aliquid...", cookbook_id: 201, created_at: "2014-05-12 16:20:26", updated_at: "2014-05-12 1
6:20:26">,
 #<Recipe id: 1008, title: "Qui molestias accusamus nostrum quasi ut nihil et.", content: "Nisi dolorem es
t vel. Ut maiores ea ex aliquam rep...", cookbook_id: 201, created_at: "2014-05-12 16:20:26", updated_at:
"2014-05-12 16:20:26">,
 #<Recipe id: 1009, title: "Voluptatem numquam et voluptatem sed aut voluptate...", content: "Dolor ration
e quia minus vero omnis beatae fugiat....", cookbook_id: 201, created_at: "2014-05-12 16:20:26", updated_a
t: "2014-05-12 16:20:26">,
 #<Recipe id: 1010, title: "Omnis similique delectus voluptates rem rerum aliq...", content: "Quia volupta
tum nihil facilis cumque ad. Tempora n...", cookbook_id: 201, created_at: "2014-05-12 16:20:26", updated_a
t: "2014-05-12 16:20:26">]
[3] pry(main)> c1.recipes.class
=> Recipe::ActiveRecord_Associations_CollectionProxy
[4] pry(main)> c1.recipes
=> [#<Recipe id: 1001, title: "Et deserunt explicabo facilis dignissimos temporib...", content: "Eligendi
illo omnis. Dolor ut odit repudiandae min...", cookbook_id: 201, created_at: "2014-05-12 16:20:26", update
d_at: "2014-05-12 16:20:26">,
 #<Recipe id: 1002, title: "Ea non voluptatibus ipsam aut earum consequatur.", content: "Dolores consequun
tur sint. Est exercitationem omni...", cookbook_id: 201, created_at: "2014-05-12 16:20:26", updated_at: "2
014-05-12 16:20:26">,
 #<Recipe id: 1003, title: "Accusamus accusantium est.", content: "Non optio et quod debitis. Quasi nulla
 blanditiis ...", cookbook_id: 201, created_at: "2014-05-12 16:20:26", updated_at: "2014-05-12 16:20:26">,
 #<Recipe id: 1004, title: "Omnis rerum suscipit est consectetur et alias.", content: "Perferendis volupta
tem voluptate consequatur repre...", cookbook_id: 201, created_at: "2014-05-12 16:20:26", updated_at: "201
4-05-12 16:20:26">,
 #<Recipe id: 1005, title: "Saepe nostrum ipsa minima dolor.", content: "Est et aperiam dolor non a expedi
ta. Qui rerum num...", cookbook_id: 201, created_at: "2014-05-12 16:20:26", updated_at: "2014-05-12 16:20:
26">,
 #<Recipe id: 1006, title: "Voluptatem animi sit est voluptatibus ea eligendi.", content: "Et ullam accusa
mus ipsam eos omnis voluptas. Ipsum...", cookbook_id: 201, created_at: "2014-05-12 16:20:26", updated_at:
"2014-05-12 16:20:26">,
 #<Recipe id: 1007, title: "Id impedit itaque officia sint atque.", content: "Cum accusamus qui ipsa magna
m accusantium. Aliquid...", cookbook_id: 201, created_at: "2014-05-12 16:20:26", updated_at: "2014-05-12 1
6:20:26">,
 #<Recipe id: 1008, title: "Qui molestias accusamus nostrum quasi ut nihil et.", content: "Nisi dolorem es
t vel. Ut maiores ea ex aliquam rep...", cookbook_id: 201, created_at: "2014-05-12 16:20:26", updated_at:
"2014-05-12 16:20:26">,
 #<Recipe id: 1009, title: "Voluptatem numquam et voluptatem sed aut voluptate...", content: "Dolor ration
e quia minus vero omnis beatae fugiat....", cookbook_id: 201, created_at: "2014-05-12 16:20:26", updated_a
t: "2014-05-12 16:20:26">,
 #<Recipe id: 1010, title: "Omnis similique delectus voluptates rem rerum aliq...", content: "Quia volupta
tum nihil facilis cumque ad. Tempora n...", cookbook_id: 201, created_at: "2014-05-12 16:20:26", updated_a
t: "2014-05-12 16:20:26">]
[5] pry(main)> c1.recipes[0]
=> #<Recipe id: 1001, title: "Et deserunt explicabo facilis dignissimos temporib...", content: "Eligendi i
llo omnis. Dolor ut odit repudiandae min...", cookbook_id: 201, created_at: "2014-05-12 16:20:26", updated
_at: "2014-05-12 16:20:26">
[6] pry(main)> c1.recipes[1]
=> #<Recipe id: 1002, title: "Ea non voluptatibus ipsam aut earum consequatur.", content: "Dolores consequ
untur sint. Est exercitationem omni...", cookbook_id: 201, created_at: "2014-05-12 16:20:26", updated_at:
"2014-05-12 16:20:26">
[7] pry(main)> c1.recipes.pop
NoMethodError: undefined method `pop' for #<Recipe::ActiveRecord_Associations_CollectionProxy:0x007f9703d4
6650>
```