

```

omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02 on master[!$]
$ ls
ASSIGNMENT_FILES/   Dara_Mao/           Joe_Park/            Liz_Goldstein/       Victor_Rodriguez/
Andrew_Wallace/     David_Montricher/   Joel_Rosenblatt/     Mason_Tang/          Wilson_Chan/
Artem_Murga/        Declan_Van_Welie/   John_Randall/        Nancy_Ko/            Zack_Levine/
Ben_Ticsay/         Emmanuel_Tucker/    Jonathan_Milgrom/     Nelson_Schubart/
Christopher_Bajorin/ INSTRUCTORS/        Keyan_Bagheri/       Readme.md
Christopher_Lee/     Jane_Shin/          Kyle_Sweet/          Sophie_Laffont/
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02 on master[!$]
$ cd INSTRUCTORS/
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS on master[!$]
$
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS on master[!$]
$ ls
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS on master[!$]
$ cp
usage: cp [-R [-H | -L | -P]] [-fi | -n] [-apvX] source_file target_file
       cp [-R [-H | -L | -P]] [-fi | -n] [-apvX] source_file ... target_directory
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS on master[!$]
$ cp -R /Users/omardelarosa/code/wdi/WDI_NYC_Apr14_String/w04/d01/INSTRUCTORS/cookly .
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS on master[!?$]
$ ls
cookly/
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS on master[!?$]
$ mv cookly/ cookly2
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS on master[!?$]
$ ls
cookly2/
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS on master[!?$]
$ cd cookly2/
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$ subl .
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$

```

```

omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$ rails s
=> Booting WEBrick
=> Rails 4.1.0 application starting in development on http://0.0.0.0:3000
=> Run `rails server -h` for more startup options
=> Notice: server is listening on all interfaces (0.0.0.0). Consider using 127.0.0.1 (--binding option)
=> Ctrl-C to shutdown server
[2014-05-13 11:48:27] INFO  WEBrick 1.3.1
[2014-05-13 11:48:27] INFO  ruby 1.9.3 (2013-06-27) [x86_64-darwin13.1.0]
[2014-05-13 11:48:27] INFO  WEBrick::HTTPServer#start: pid=65227 port=3000

```

Started GET "/" for 127.0.0.1 at 2014-05-13 11:48:36 -0400

```

ActiveRecord::NoDatabaseError (FATAL: database "cookly2_development" does not exist
Run `bin/rake db:create db:migrate` to create your database):
activerecord (4.1.0) lib/active_record/connection_adapters/postgresql_adapter.rb:891:in `rescue in connect'
activerecord (4.1.0) lib/active_record/connection_adapters/postgresql_adapter.rb:881:in `connect'
activerecord (4.1.0) lib/active_record/connection_adapters/postgresql_adapter.rb:568:in `initialize'
activerecord (4.1.0) lib/active_record/connection_adapters/postgresql_adapter.rb:41:in `new'
activerecord (4.1.0) lib/active_record/connection_adapters/postgresql_adapter.rb:41:in `postgresql_connection'
activerecord (4.1.0) lib/active_record/connection_adapters/abstract/connection_pool.rb:435:in `new_connection'
activerecord (4.1.0) lib/active_record/connection_adapters/abstract/connection_pool.rb:445:in `checkout_new_connection'
activerecord (4.1.0) lib/active_record/connection_adapters/abstract/connection_pool.rb:416:in `acquire_connection'
activerecord (4.1.0) lib/active_record/connection_adapters/abstract/connection_pool.rb:351:in `block in checkout'

```

```

/Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/monitor.rb:211:in `mon_synchronize'
activerecord (4.1.0) lib/active_record/connection_adapters/abstract/connection_pool.rb:350:in `checkout'
activerecord (4.1.0) lib/active_record/connection_adapters/abstract/connection_pool.rb:265:in `block in
connection'
/Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/monitor.rb:211:in `mon_synchronize'
activerecord (4.1.0) lib/active_record/connection_adapters/abstract/connection_pool.rb:264:in `connecti
on'
activerecord (4.1.0) lib/active_record/connection_adapters/abstract/connection_pool.rb:541:in `retrieve
_connection'
activerecord (4.1.0) lib/active_record/connection_handling.rb:113:in `retrieve_connection'
activerecord (4.1.0) lib/active_record/connection_handling.rb:87:in `connection'
activerecord (4.1.0) lib/active_record/migration.rb:388:in `check_pending!'
activerecord (4.1.0) lib/active_record/migration.rb:377:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/callbacks.rb:29:in `block in call'
activesupport (4.1.0) lib/active_support/callbacks.rb:82:in `run_callbacks'
actionpack (4.1.0) lib/action_dispatch/middleware/callbacks.rb:27:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/reloader.rb:73:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/remote_ip.rb:76:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/debug_exceptions.rb:17:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/show_exceptions.rb:30:in `call'
railties (4.1.0) lib/rails/rack/logger.rb:38:in `call_app'
railties (4.1.0) lib/rails/rack/logger.rb:20:in `block in call'
activesupport (4.1.0) lib/active_support/tagged_logging.rb:68:in `block in tagged'
activesupport (4.1.0) lib/active_support/tagged_logging.rb:26:in `tagged'
activesupport (4.1.0) lib/active_support/tagged_logging.rb:68:in `tagged'
railties (4.1.0) lib/rails/rack/logger.rb:20:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/request_id.rb:21:in `call'
rack (1.5.2) lib/rack/methodoverride.rb:21:in `call'
rack (1.5.2) lib/rack/runtime.rb:17:in `call'
activesupport (4.1.0) lib/active_support/cache/strategy/local_cache_middleware.rb:26:in `call'
rack (1.5.2) lib/rack/lock.rb:17:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/static.rb:64:in `call'
rack (1.5.2) lib/rack/sendfile.rb:112:in `call'
railties (4.1.0) lib/rails/engine.rb:514:in `call'
railties (4.1.0) lib/rails/application.rb:144:in `call'
rack (1.5.2) lib/rack/lock.rb:17:in `call'
rack (1.5.2) lib/rack/content_length.rb:14:in `call'
rack (1.5.2) lib/rack/handler/webrick.rb:60:in `service'
/Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/httpserver.rb:138:in `service'
/Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/httpserver.rb:94:in `run'
/Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/server.rb:191:in `block in start_
thread'

```

```

Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/a
ction_dispatch/middleware/templates/rescues/_source.erb (0.5ms)

```

```

Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/a
ction_dispatch/middleware/templates/rescues/_trace.html.erb (0.9ms)

```

```

Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/a
ction_dispatch/middleware/templates/rescues/_request_and_response.html.erb (0.9ms)

```

```

Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/a
ction_dispatch/middleware/templates/rescues/diagnostics.erb within rescues/layout (23.8ms)

```

```

^C[2014-05-13 11:48:45] INFO going to shutdown ...

```

```

[2014-05-13 11:48:45] INFO WEBrick::HTTPServer#start done.

```

```

Exiting

```

```

omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]

```

```

$
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]

```

```

$ rake db:create

```

```

omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]

```

```

$ rake db:migrate

```

```

== 20140512151004 CreateCookbooks: migrating =====

```

```

-- create_table(:cookbooks)

```

```

-> 0.0267s

```

```

== 20140512151004 CreateCookbooks: migrated (0.0268s) =====

```

```

== 20140512151011 CreateRecipes: migrating =====

```

```

-- create_table(:recipes)

```

```

-> 0.0045s

```

== 20140512151011 CreateRecipes: migrated (0.0046s) =====

```
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$ rails s
=> Booting WEBrick
=> Rails 4.1.0 application starting in development on http://0.0.0.0:3000
=> Run `rails server -h` for more startup options
=> Notice: server is listening on all interfaces (0.0.0.0). Consider using 127.0.0.1 (--binding option)
=> Ctrl-C to shutdown server
[2014-05-13 11:50:16] INFO WEBrick 1.3.1
[2014-05-13 11:50:16] INFO ruby 1.9.3 (2013-06-27) [x86_64-darwin13.1.0]
[2014-05-13 11:50:16] INFO WEBrick::HTTPServer#start: pid=65372 port=3000
```

Started GET "/" for 127.0.0.1 at 2014-05-13 11:50:20 -0400

```
ActiveRecord::SchemaMigration Load (0.3ms) SELECT "schema_migrations".* FROM "schema_migrations"
Processing by CookbooksController#index as HTML
  Rendered cookbooks/_cookbookform.html.erb (1166.4ms)
  Cookbook Load (0.8ms) SELECT "cookbooks".* FROM "cookbooks" ORDER BY "cookbooks"."id" DESC
  Rendered cookbooks/index.html.erb within layouts/application (1174.2ms)
Completed 200 OK in 1256ms (Views: 1220.9ms | ActiveRecord: 2.2ms)
```

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 11:50:22 -0400

[2014-05-13 11:50:22] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 11:50:22 -0400

[2014-05-13 11:50:22] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 11:50:22 -0400

[2014-05-13 11:50:22] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery\_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 11:50:22 -0400

[2014-05-13 11:50:22] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 11:50:22 -0400

[2014-05-13 11:50:22] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true  
[2014-05-13 11:50:22] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started POST "/cookbooks" for 127.0.0.1 at 2014-05-13 11:50:28 -0400

```
Processing by CookbooksController#create as HTML
  Parameters: {"utf8"=>"✓", "authenticity_token"=>"hL6sYdpinC10cl1xICsSsz25LtpSMk85tAFG6QL8spM=", "cookbook"=>{"title"=>"asdfasdf", "description"=>"asdfasdf"}, "commit"=>"Create Cookbook"}
    (0.2ms) BEGIN
  SQL (6.7ms) INSERT INTO "cookbooks" ("created_at", "description", "title", "updated_at") VALUES ($1, $2, $3, $4) RETURNING "id" [{"created_at", "2014-05-13 15:50:28.082803"}, {"description", "asdfasdf"}, {"title", "asdfasdf"}, {"updated_at", "2014-05-13 15:50:28.082803"}]
    (5.9ms) COMMIT
Redirected to
Completed 500 Internal Server Error in 22ms
```

AbstractController::DoubleRenderError (Render and/or redirect were called multiple times in this action. Please note that you may only call render OR redirect, and at most once per action. Also note that neither redirect nor render terminate execution of the action, so if you want to exit an action after redirecting, you need to do something like "redirect\_to(...)" and return.):  
app/controllers/cookbooks\_controller.rb:39:in `create'

Rendered /Users/omardelarosa/.rvm/rubies/ruby-1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/a

```
ction_dispatch/middleware/templates/rescues/_source.erb (0.5ms)
  Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/a
ction_dispatch/middleware/templates/rescues/_trace.html.erb (1.8ms)
  Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/a
ction_dispatch/middleware/templates/rescues/_request_and_response.html.erb (1.3ms)
  Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/a
ction_dispatch/middleware/templates/rescues/diagnostics.erb within rescues/layout (17.4ms)
```

```
Started GET "/cookbooks" for 127.0.0.1 at 2014-05-13 11:50:37 -0400
Processing by CookbooksController#index as HTML
  Rendered cookbooks/_cookbookform.html.erb (1.4ms)
  Cookbook Load (0.5ms)  SELECT "cookbooks".* FROM "cookbooks"  ORDER BY "cookbooks"."id" DESC
  Rendered cookbooks/index.html.erb within layouts/application (3.3ms)
Completed 200 OK in 8ms (Views: 6.7ms | ActiveRecord: 0.5ms)
```

```
Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 11:50:37 -0400
[2014-05-13 11:50:37] WARN Could not determine content-length of response body. Set content-length of th
e response or set Response#chunked = true
```

```
Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 11:50:37 -0400
[2014-05-13 11:50:37] WARN Could not determine content-length of response body. Set content-length of th
e response or set Response#chunked = true
```

```
Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 11:50:37 -0400
[2014-05-13 11:50:37] WARN Could not determine content-length of response body. Set content-length of th
e response or set Response#chunked = true
```

```
Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 11:50:37 -0400
[2014-05-13 11:50:37] WARN Could not determine content-length of response body. Set content-length of th
e response or set Response#chunked = true
```

```
Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 11:50:37 -0400
[2014-05-13 11:50:37] WARN Could not determine content-length of response body. Set content-length of th
e response or set Response#chunked = true
```

```
Started GET "/cookbooks/1" for 127.0.0.1 at 2014-05-13 11:50:38 -0400
Processing by CookbooksController#show as HTML
  Parameters: {"id"=>"1"}
  Cookbook Load (0.3ms)  SELECT "cookbooks".* FROM "cookbooks"  WHERE "cookbooks"."id" = $1 LIMIT 1  [{"
id", 1}]
  Rendered recipes/_recipeform.html.erb (48.0ms)
  Recipe Load (0.3ms)  SELECT "recipes".* FROM "recipes"  WHERE "recipes"."cookbook_id" = $1  ORDER BY "r
ecipes"."id" DESC  [{"cookbook_id", 1}]
  Rendered cookbooks/show.html.erb within layouts/application (71.3ms)
Completed 200 OK in 92ms (Views: 76.3ms | ActiveRecord: 2.5ms)
[2014-05-13 11:50:39] WARN Could not determine content-length of response body. Set content-length of th
e response or set Response#chunked = true
```

```
Started GET "/cookbooks/1/edit" for 127.0.0.1 at 2014-05-13 11:50:40 -0400
Processing by CookbooksController#edit as HTML
  Parameters: {"id"=>"1"}
  Cookbook Load (0.4ms)  SELECT "cookbooks".* FROM "cookbooks"  WHERE "cookbooks"."id" = $1 LIMIT 1  [{"
id", 1}]
  Rendered cookbooks/_cookbookform.html.erb (2.8ms)
Completed 200 OK in 6ms (Views: 4.3ms | ActiveRecord: 0.4ms)
```

```
Started GET "/cookbooks/1/edit" for 127.0.0.1 at 2014-05-13 11:50:40 -0400
Processing by CookbooksController#edit as HTML
  Parameters: {"id"=>"1"}
  Cookbook Load (0.4ms)  SELECT "cookbooks".* FROM "cookbooks"  WHERE "cookbooks"."id" = $1 LIMIT 1  [{"
id", 1}]
```

Rendered cookbooks/\_cookbookform.html.erb (1.8ms)  
Completed 200 OK in 6ms (Views: 3.3ms | ActiveRecord: 0.4ms)  
[2014-05-13 11:50:40] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started PATCH "/cookbooks/1" for 127.0.0.1 at 2014-05-13 11:50:42 -0400  
Processing by CookbooksController#update as HTML  
Parameters: {"utf8"=>"✓", "authenticity\_token"=>"hL6sYdpinC10cl1xICsSsz25LtpSMk85tAFG6QL8spM=", "cookbook"={"title"=>"asdfasdf", "description"=>"asdfasdfasdf"}, "commit"=>"Update Cookbook", "id"=>"1"}  
**Cookbook Load (0.2ms)** SELECT "cookbooks".\* FROM "cookbooks" WHERE "cookbooks"."id" = \$1 LIMIT 1 [{"id", 1}]  
**(0.1ms)** BEGIN  
**SQL (0.2ms)** UPDATE "cookbooks" SET "description" = \$1, "updated\_at" = \$2 WHERE "cookbooks"."id" = 1 [{"description", "asdfasdfasdf"}, {"updated\_at", "2014-05-13 15:50:42.298322"}]  
**(5.6ms)** COMMIT  
Redirected to http://localhost:3000/cookbooks/1  
Completed 302 Found in 10ms (ActiveRecord: 6.2ms)

Started GET "/cookbooks/1" for 127.0.0.1 at 2014-05-13 11:50:42 -0400  
Processing by CookbooksController#show as HTML  
Parameters: {"id"=>"1"}  
**Cookbook Load (0.2ms)** SELECT "cookbooks".\* FROM "cookbooks" WHERE "cookbooks"."id" = \$1 LIMIT 1 [{"id", 1}]  
Rendered recipes/\_recipeform.html.erb (1.6ms)  
**Recipe Load (0.3ms)** SELECT "recipes".\* FROM "recipes" WHERE "recipes"."cookbook\_id" = \$1 ORDER BY "recipes"."id" DESC [{"cookbook\_id", 1}]  
Rendered cookbooks/show.html.erb within layouts/application (4.7ms)  
Completed 200 OK in 11ms (Views: 9.3ms | ActiveRecord: 0.6ms)

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 11:50:42 -0400  
[2014-05-13 11:50:42] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 11:50:42 -0400  
[2014-05-13 11:50:42] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery\_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 11:50:42 -0400  
[2014-05-13 11:50:42] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 11:50:42 -0400  
[2014-05-13 11:50:42] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 11:50:42 -0400  
[2014-05-13 11:50:42] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started POST "/recipes" for 127.0.0.1 at 2014-05-13 11:50:45 -0400  
Processing by RecipesController#create as HTML  
Parameters: {"utf8"=>"✓", "authenticity\_token"=>"hL6sYdpinC10cl1xICsSsz25LtpSMk85tAFG6QL8spM=", "recipe"={"title"=>"asdfasdf", "content"=>"asdfasdf", "cookbook\_id"=>"1"}, "commit"=>"Create Recipe"}  
**(0.1ms)** BEGIN  
**SQL (6.2ms)** INSERT INTO "recipes" ("content", "cookbook\_id", "created\_at", "title", "updated\_at") VALUES (\$1, \$2, \$3, \$4, \$5) RETURNING "id" [{"content", "asdfasdf"}, {"cookbook\_id", 1}, {"created\_at", "2014-05-13 15:50:45.764782"}, {"title", "asdfasdf"}, {"updated\_at", "2014-05-13 15:50:45.764782"}]  
**(5.8ms)** COMMIT  
Redirected to http://localhost:3000/cookbooks/1  
Completed 302 Found in 16ms (ActiveRecord: 12.2ms)

Started GET "/cookbooks/1" for 127.0.0.1 at 2014-05-13 11:50:45 -0400  
Processing by CookbooksController#show as HTML  
Parameters: {"id"=>"1"}  
**Cookbook Load (0.3ms)** SELECT "cookbooks".\* FROM "cookbooks" WHERE "cookbooks"."id" = \$1 LIMIT 1 [["id", 1]]  
Rendered recipes/\_recipeform.html.erb (1.8ms)  
**Recipe Load (0.4ms)** SELECT "recipes".\* FROM "recipes" WHERE "recipes"."cookbook\_id" = \$1 ORDER BY "recipes"."id" DESC [["cookbook\_id", 1]]  
Rendered cookbooks/show.html.erb within layouts/application (8.8ms)  
Completed 200 OK in 15ms (Views: 12.5ms | ActiveRecord: 0.6ms)

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 11:50:45 -0400  
[2014-05-13 11:50:45] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery\_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 11:50:45 -0400  
[2014-05-13 11:50:45] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 11:50:45 -0400  
[2014-05-13 11:50:45] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 11:50:45 -0400  
[2014-05-13 11:50:45] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 11:50:45 -0400  
[2014-05-13 11:50:45] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/recipes/1/edit" for 127.0.0.1 at 2014-05-13 11:50:47 -0400  
Processing by RecipesController#edit as HTML  
Parameters: {"id"=>"1"}  
**Recipe Load (0.3ms)** SELECT "recipes".\* FROM "recipes" WHERE "recipes"."id" = \$1 LIMIT 1 [["id", 1]]  
**Cookbook Load (0.2ms)** SELECT "cookbooks".\* FROM "cookbooks" WHERE "cookbooks"."id" = \$1 LIMIT 1 [["id", 1]]  
Rendered recipes/\_recipeform.html.erb (2.1ms)  
Completed 200 OK in 45ms (Views: 3.5ms | ActiveRecord: 0.5ms)

Started GET "/recipes/1/edit" for 127.0.0.1 at 2014-05-13 11:50:47 -0400  
Processing by RecipesController#edit as HTML  
Parameters: {"id"=>"1"}  
**Recipe Load (0.3ms)** SELECT "recipes".\* FROM "recipes" WHERE "recipes"."id" = \$1 LIMIT 1 [["id", 1]]  
**Cookbook Load (0.2ms)** SELECT "cookbooks".\* FROM "cookbooks" WHERE "cookbooks"."id" = \$1 LIMIT 1 [["id", 1]]  
Rendered recipes/\_recipeform.html.erb (1.3ms)  
Completed 200 OK in 7ms (Views: 2.1ms | ActiveRecord: 0.5ms)  
[2014-05-13 11:50:47] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started PATCH "/recipes/1" for 127.0.0.1 at 2014-05-13 11:50:50 -0400  
Processing by RecipesController#update as HTML  
Parameters: {"utf8"=>"✓", "authenticity\_token"=>"hL6sYdpinC10cl1xICsSsz25LtpSMk85tAFG6QL8spM=", "recipe"=>{"title"=>"asdfasfdffffff", "content"=>"asdfasdf", "cookbook\_id"=>"1"}, "commit"=>"Update Recipe", "id"=>"1"}  
**Recipe Load (0.2ms)** SELECT "recipes".\* FROM "recipes" WHERE "recipes"."id" = \$1 LIMIT 1 [["id", 1]]  
**(0.1ms) BEGIN**  
**SQL (0.3ms)** UPDATE "recipes" SET "title" = \$1, "updated\_at" = \$2 WHERE "recipes"."id" = 1 [["title", "asdfasfdffffff", ["updated\_at", "2014-05-13 15:50:50.594241"]]  
**(6.0ms) COMMIT**  
**Cookbook Load (0.2ms)** SELECT "cookbooks".\* FROM "cookbooks" WHERE "cookbooks"."id" = \$1 LIMIT 1 [["



```

id", 1]]
Redirected to http://localhost:3000/cookbooks/1
Completed 302 Found in 10ms (ActiveRecord: 6.7ms)

Started GET "/cookbooks/1" for 127.0.0.1 at 2014-05-13 11:50:50 -0400
Processing by CookbooksController#show as HTML
  Parameters: {"id"=>"1"}
  Cookbook Load (0.3ms)  SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = $1 LIMIT 1 [{"id", 1]]
  Rendered recipes/_recipeform.html.erb (1.1ms)
  Recipe Load (0.3ms)  SELECT "recipes".* FROM "recipes" WHERE "recipes"."cookbook_id" = $1 ORDER BY "recipes"."id" DESC [{"cookbook_id", 1]]
  Rendered cookbooks/show.html.erb within layouts/application (3.1ms)
Completed 200 OK in 10ms (Views: 7.8ms | ActiveRecord: 0.6ms)

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 11:50:50 -0400
[2014-05-13 11:50:50] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 11:50:50 -0400
[2014-05-13 11:50:50] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 11:50:50 -0400
[2014-05-13 11:50:50] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 11:50:50 -0400
[2014-05-13 11:50:50] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 11:50:50 -0400
[2014-05-13 11:50:50] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/cookbooks" for 127.0.0.1 at 2014-05-13 11:50:51 -0400
Processing by CookbooksController#index as HTML
  Rendered cookbooks/_cookbookform.html.erb (1.5ms)
  Cookbook Load (0.3ms)  SELECT "cookbooks".* FROM "cookbooks" ORDER BY "cookbooks"."id" DESC
  Rendered cookbooks/index.html.erb within layouts/application (4.1ms)
Completed 200 OK in 11ms (Views: 9.2ms | ActiveRecord: 0.3ms)
[2014-05-13 11:50:51] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true
^C[2014-05-13 11:50:56] INFO going to shutdown ...
[2014-05-13 11:50:56] INFO WEBrick::HTTPServer#start done.
Exiting
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$ rake db:seed
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$ rails g migration create_chefs
  invoke active_record
    create db/migrate/20140513155456_create_chefs.rb
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$ rake db:migrate
== 20140513155456 CreateChefs: migrating =====
-- create_table(:chefs)
   -> 0.0254s
== 20140513155456 CreateChefs: migrated (0.0255s) =====
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$ rails c

```

```
Loading development environment (Rails 4.1.0)
ap gem not found. Try typing 'gem install awesome_print' to get super-fancy output.
[1] pry(main)>
```

```
[1] pry(main)> charlie = Chef.create(name: "charlie")
NameError: uninitialized constant Chef
from (pry):1:in `__pry__'
[2] pry(main)> exit
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$ rails c
Loading development environment (Rails 4.1.0)
ap gem not found. Try typing 'gem install awesome_print' to get super-fancy output.
[1] pry(main)> charlie = Chef.create(name: "charlie")
(0.1ms) BEGIN
SQL (13.7ms) INSERT INTO "chefs" ("name") VALUES ($1) RETURNING "id" [{"name", "charlie"}]
(6.0ms) COMMIT
=> #<Chef id: 1, name: "charlie", bio: nil>
[2] pry(main)> charlie
=> #<Chef id: 1, name: "charlie", bio: nil>
[3] pry(main)> exit
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$
```

```
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$ rails c
Loading development environment (Rails 4.1.0)
ap gem not found. Try typing 'gem install awesome_print' to get super-fancy output.
[1] pry(main)> c1 = Cookbook.first
Cookbook Load (0.6ms) SELECT "cookbooks".* FROM "cookbooks" ORDER BY "cookbooks"."id" ASC LIMIT 1
=> #<Cookbook id: 2, title: "Placeat ea nesciunt perferendis quidem ipsa.", description: "Vel tenetur qui id dolor libero. Dolor a architect...", created_at: "2014-05-13 15:51:13", updated_at: "2014-05-13 15:51:13">
[2] pry(main)> c1.chef
=> nil
[3] pry(main)> c1.chef = Chef.first
Chef Load (0.3ms) SELECT "chefs".* FROM "chefs" ORDER BY "chefs"."id" ASC LIMIT 1
ActiveModel::MissingAttributeError: can't write unknown attribute `chef_id'
from /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/activerecord-4.1.0/lib/active_record/attribute_methods/write.rb:72:in `write_attribute'
[4] pry(main)> exit
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$
```

```
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$ rails g migration add_chef_id_column
  invoke active_record
  create db/migrate/20140513160351_add_chef_id_column.rb
```



```

omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$ rake db:migrate
== 20140513160351 AddChefIdColumn: migrating =====
-- add_column(:cookbooks, :chef_id, :integer)
   -> 0.0027s
== 20140513160351 AddChefIdColumn: migrated (0.0028s) =====

omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$ rails c
Loading development environment (Rails 4.1.0)
ap gem not found. Try typing 'gem install awesome_print' to get super-fancy output.
[1] pry(main)> c1 = Cookbook.first
   Cookbook Load (0.9ms)  SELECT "cookbooks".* FROM "cookbooks" ORDER BY "cookbooks"."id" ASC LIMIT 1
=> #<Cookbook id: 2, title: "Placeat ea nesciunt perferendis quidem ipsa.", description: "Vel tenetur qui
id dolor libero. Dolor a architect...", created_at: "2014-05-13 15:51:13", updated_at: "2014-05-13 15:51
:13", chef_id: nil>
[2] pry(main)>

[2] pry(main)> c1.chef = Chef.first
   Chef Load (0.3ms)  SELECT "chefs".* FROM "chefs" ORDER BY "chefs"."id" ASC LIMIT 1
=> #<Chef id: 1, name: "charlie", bio: nil>
[3] pry(main)> c1
=> #<Cookbook id: 2, title: "Placeat ea nesciunt perferendis quidem ipsa.", description: "Vel tenetur qui
id dolor libero. Dolor a architect...", created_at: "2014-05-13 15:51:13", updated_at: "2014-05-13 15:51
:13", chef_id: 1>
[4] pry(main)> c1.chef
=> #<Chef id: 1, name: "charlie", bio: nil>
[5] pry(main)> charlie = Chef.first
   Chef Load (0.4ms)  SELECT "chefs".* FROM "chefs" ORDER BY "chefs"."id" ASC LIMIT 1
=> #<Chef id: 1, name: "charlie", bio: nil>
[6] pry(main)> charlie.cookbooks
NoMethodError: undefined method `cookbooks' for #<Chef id: 1, name: "charlie", bio: nil>
from /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/activemodel-4.1.0/lib/active
_model/attribute_methods.rb:435:in `method_missing'
[7] pry(main)> reload
NameError: undefined local variable or method `reload' for main:Object
from (pry):7:in `__pry__'
[8] pry(main)> exit
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$ rails c
Loading development environment (Rails 4.1.0)
ap gem not found. Try typing 'gem install awesome_print' to get super-fancy output.
[1] pry(main)>

[1] pry(main)> charlie = Chef.first
   Chef Load (0.5ms)  SELECT "chefs".* FROM "chefs" ORDER BY "chefs"."id" ASC LIMIT 1
=> #<Chef id: 1, name: "charlie", bio: nil>
[2] pry(main)> charlie.cookbooks
   Cookbook Load (0.5ms)  SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [["chef
_id", 1]]
=> []
[3] pry(main)> c1 = Cookbook.first
   Cookbook Load (0.3ms)  SELECT "cookbooks".* FROM "cookbooks" ORDER BY "cookbooks"."id" ASC LIMIT 1
=> #<Cookbook id: 2, title: "Placeat ea nesciunt perferendis quidem ipsa.", description: "Vel tenetur qui
id dolor libero. Dolor a architect...", created_at: "2014-05-13 15:51:13", updated_at: "2014-05-13 15:51
:13", chef_id: nil>
[4] pry(main)> c1.chef = charlie
=> #<Chef id: 1, name: "charlie", bio: nil>
[5] pry(main)> c1.save
   (0.2ms)  BEGIN
   SQL (0.3ms)  UPDATE "cookbooks" SET "chef_id" = $1, "updated_at" = $2 WHERE "cookbooks"."id" = 2 [["ch
ef_id", 1], ["updated_at", "2014-05-13 16:06:52.574235"]]
   (0.9ms)  COMMIT
=> true

```

```
[6] pry(main)>
```

```
[6] pry(main)> charlie.cookbooks
```

```
=> []
```

```
[7] pry(main)> exit
```

```
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
```

```
$ rails c
```

```
Loading development environment (Rails 4.1.0)
```

```
ap gem not found. Try typing 'gem install awesome_print' to get super-fancy output.
```

```
[1] pry(main)> Cookbook.first
```

```
 Cookbook Load (1.6ms) SELECT "cookbooks".* FROM "cookbooks" ORDER BY "cookbooks"."id" ASC LIMIT 1
```

```
=> #<Cookbook id: 2, title: "Placeat ea nesciunt perferendis quidem ipsa.", description: "Vel tenetur qui  
id dolor libero. Dolor a architect...", created_at: "2014-05-13 15:51:13", updated_at: "2014-05-13 16:06  
:52", chef_id: 1>
```

```
[2] pry(main)> c1 = _
```

```
=> #<Cookbook id: 2, title: "Placeat ea nesciunt perferendis quidem ipsa.", description: "Vel tenetur qui  
id dolor libero. Dolor a architect...", created_at: "2014-05-13 15:51:13", updated_at: "2014-05-13 16:06  
:52", chef_id: 1>
```

```
[3] pry(main)> c1.chef
```

```
 Chef Load (0.4ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 1]]
```

```
=> #<Chef id: 1, name: "charlie", bio: nil>
```

```
[4] pry(main)> c1.chef.name
```

```
=> "charlie"
```

```
[5] pry(main)> exit
```

```
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
```

```
$
```

```
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
```

```
$ rails c
```

```
Loading development environment (Rails 4.1.0)
```

```
ap gem not found. Try typing 'gem install awesome_print' to get super-fancy output.
```

```
[1] pry(main)> Cookbook.first
```

```
 Cookbook Load (0.6ms) SELECT "cookbooks".* FROM "cookbooks" ORDER BY "cookbooks"."id" ASC LIMIT 1
```

```
=> #<Cookbook id: 2, title: "Placeat ea nesciunt perferendis quidem ipsa.", description: "Vel tenetur qui  
id dolor libero. Dolor a architect...", created_at: "2014-05-13 15:51:13", updated_at: "2014-05-13 16:06  
:52", chef_id: 1>
```

```
[2] pry(main)> charlie = Chef.first
```

```
 Chef Load (0.3ms) SELECT "chefs".* FROM "chefs" ORDER BY "chefs"."id" ASC LIMIT 1
```

```
=> #<Chef id: 1, name: "charlie", bio: nil>
```

```
[3] pry(main)> charlie
```

```
=> #<Chef id: 1, name: "charlie", bio: nil>
```

```
[4] pry(main)> charlie.cookbooks
```

```
 Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [["chef  
_id", 1]]
```

```
=> [#<Cookbook id: 2, title: "Placeat ea nesciunt perferendis quidem ipsa.", description: "Vel tenetur qu  
i id dolor libero. Dolor a architect...", created_at: "2014-05-13 15:51:13", updated_at: "2014-05-13 16:0  
6:52", chef_id: 1>]
```

```
[5] pry(main)> exit
```

```
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
```

```
$
```

```
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
```

```
$ rake db:seed
```

```
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
```

```
$ rails c
```

```
Loading development environment (Rails 4.1.0)
```

```
ap gem not found. Try typing 'gem install awesome_print' to get super-fancy output.
```

```
[1] pry(main)> Cookbook.all.sample
```

```
 Cookbook Load (1.7ms) SELECT "cookbooks".* FROM "cookbooks"
```

```
=> #<Cookbook id: 151, title: "Quam in et architecto.", description: "Molestiae dolore ut quisquam autem
```

```
fugit. Sed atqu...", created_at: "2014-05-13 16:11:03", updated_at: "2014-05-13 16:11:03", chef_id: 10>
[2] pry(main)> c1 = _
=> #<Cookbook id: 151, title: "Quam in et architecto.", description: "Molestiae dolore ut quisquam autem
fugit. Sed atqu...", created_at: "2014-05-13 16:11:03", updated_at: "2014-05-13 16:11:03", chef_id: 10>
[3] pry(main)> c1.chef
  Chef Load (0.3ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 10]]
=> #<Chef id: 10, name: "Janie Lehner", bio: nil>
[4] pry(main)>
```

```
[4] pry(main)> c1.chef.cookbooks
  Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [["chef_id", 10]]
=> [#<Cookbook id: 195, title: "Odit dolorem dicta.", description: "Quo minima rerum ipsa ut vero. Suscipit at ab qui ...", created_at: "2014-05-13 16:11:05", updated_at: "2014-05-13 16:11:05", chef_id: 10>,
  #<Cookbook id: 107, title: "Voluptas consequatur aut officia.", description: "Non consequatur debitis totam quasi unde. Tenetur ...", created_at: "2014-05-13 16:11:01", updated_at: "2014-05-13 16:11:01", chef_id: 10>,
  #<Cookbook id: 119, title: "Aut et at nulla.", description: "Officiis neque delectus. Quia omnis quia possimus ...", created_at: "2014-05-13 16:11:02", updated_at: "2014-05-13 16:11:02", chef_id: 10>,
  #<Cookbook id: 120, title: "Voluptas illum sint est dolorem.", description: "Rerum quisquam error odit laboriosam. Dolores reic...", created_at: "2014-05-13 16:11:02", updated_at: "2014-05-13 16:11:02", chef_id: 10>,
  #<Cookbook id: 142, title: "Totam qui iste error dolores possimus a.", description: "Voluptatem quia ea dignissimos nesciunt. Consequat...", created_at: "2014-05-13 16:11:03", updated_at: "2014-05-13 16:11:03", chef_id: 10>,
  #<Cookbook id: 151, title: "Quam in et architecto.", description: "Molestiae dolore ut quisquam autem fugit. Sed atqu...", created_at: "2014-05-13 16:11:03", updated_at: "2014-05-13 16:11:03", chef_id: 10>,
  #<Cookbook id: 159, title: "Doloribus repellat consequuntur at accusamus.", description: "Voluptatem aut ut id dolore temporibus quis itaque...", created_at: "2014-05-13 16:11:03", updated_at: "2014-05-13 16:11:03", chef_id: 10>]
[5] pry(main)> exit
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$
```

```
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$ rake db:seed
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$ git pull origin master
From github.com:ga-students/WDI_NYC_Apr14_String
* branch master -> FETCH_HEAD
Already up-to-date.
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$ rails g migration create_ingredients
  invoke active_record
  create db/migrate/20140513191120_create_ingredients.rb
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$ rake db:migrate
== 20140513191120 CreateIngredients: migrating =====
-- create_table(:ingredients)
--> 0.0102s
== 20140513191120 CreateIngredients: migrated (0.0103s) =====

omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$
```

```

omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$ rake db:seed
rake aborted!
NameError: uninitialized constant Ingredient
/Users/omardelarosa/Dropbox/Code/WDI/wdi-string/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2/db/seeds
.rb:26:in `block in <top (required)>':
/Users/omardelarosa/Dropbox/Code/WDI/wdi-string/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2/db/seeds
.rb:25:in `each'
/Users/omardelarosa/Dropbox/Code/WDI/wdi-string/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2/db/seeds
.rb:25:in `<top (required)>'
Tasks: TOP => db:seed
(See full trace by running task with --trace)
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$ rake db:seed
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$

```

```

omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$ rails c
Loading development environment (Rails 4.1.0)
ap gem not found. Try typing 'gem install awesome_print' to get super-fancy output.
[1] pry(main)> Ingredient.all
Ingredient Load (0.5ms) SELECT "ingredients".* FROM "ingredients"
=> [#<Ingredient id: 1, name: "eggs">,
#<Ingredient id: 2, name: "water">,
#<Ingredient id: 3, name: "noodles">,
#<Ingredient id: 4, name: "bread">,
#<Ingredient id: 5, name: "tomato sauce">,
#<Ingredient id: 6, name: "bacon">]
[2] pry(main)> Recipe.first
Recipe Load (6.8ms) SELECT "recipes".* FROM "recipes" ORDER BY "recipes"."id" ASC LIMIT 1
=> #<Recipe id: 3002, title: "Delectus quis sit.", content: "Qui at fugiat. Et eum pariatur omnis numquam
ea qu...", cookbook_id: 303, created_at: "2014-05-13 19:15:13", updated_at: "2014-05-13 19:15:13">
[3] pry(main)> r1 = _
=> #<Recipe id: 3002, title: "Delectus quis sit.", content: "Qui at fugiat. Et eum pariatur omnis numquam
ea qu...", cookbook_id: 303, created_at: "2014-05-13 19:15:13", updated_at: "2014-05-13 19:15:13">
[4] pry(main)>

```

```

[4] pry(main)> r1
=> #<Recipe id: 3002, title: "Delectus quis sit.", content: "Qui at fugiat. Et eum pariatur omnis numquam
ea qu...", cookbook_id: 303, created_at: "2014-05-13 19:15:13", updated_at: "2014-05-13 19:15:13">
[5] pry(main)> r1.ingredients
NoMethodError: undefined method `ingredients' for #<Recipe:0x007f9a1bc08908>
from /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/activemodel-4.1.0/lib/active
_model/attribute_methods.rb:435:in `method_missing'
[6] pry(main)>

```

```
[6] pry(main)> exit
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$ echo "yo i'm making a join table"
yo i'm making a join table
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$ rails g migration create_portions
    invoke active_record
    create db/migrate/20140513191727_create_portions.rb
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$ rake db:migrate
== 20140513191727 CreatePortions: migrating =====
-- create_table(:portions)
   -> 0.0220s
== 20140513191727 CreatePortions: migrated (0.0221s) =====

omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$
```

```
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$ rails db
psql (9.3.4)
Type "help" for help.
```

```
cookly2_development=# \d
               List of relations
 Schema |      Name      |  Type   | Owner
-----+-----+-----+-----
 public | chefs           | table    | omardelarosa
 public | chefs_id_seq    | sequence | omardelarosa
 public | cookbooks       | table    | omardelarosa
 public | cookbooks_id_seq | sequence | omardelarosa
 public | ingredients      | table    | omardelarosa
 public | ingredients_id_seq | sequence | omardelarosa
 public | portions        | table    | omardelarosa
 public | portions_id_seq  | sequence | omardelarosa
 public | recipes         | table    | omardelarosa
 public | recipes_id_seq   | sequence | omardelarosa
a
(11 rows)
```

```
cookly2_development=#
cookly2_development=# select * from portions;
 id | recipe_id | ingredient_id | quantity
-----+-----+-----+-----
(0 rows)
```

```
cookly2_development=# \q
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$
```

```

$
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$ rails c
Loading development environment (Rails 4.1.0)
ap gem not found. Try typing 'gem install awesome_print' to get super-fancy output.
[1] pry(main)> r1 = Recipe.first
Recipe Load (0.6ms) SELECT "recipes".* FROM "recipes" ORDER BY "recipes"."id" ASC LIMIT 1
=> #<Recipe id: 3002, title: "Delectus quis sit.", content: "Qui at fugiat. Et eum pariatur omnis numquam
ea qu...", cookbook_id: 303, created_at: "2014-05-13 19:15:13", updated_at: "2014-05-13 19:15:13">
[2] pry(main)> r1.portions
Portion Load (0.3ms) SELECT "portions".* FROM "portions" WHERE "portions"."recipe_id" = $1 [["recipe
_id", 3002]]
=> []
[3] pry(main)> r1.ingredients
Ingredient Load (0.4ms) SELECT "ingredients".* FROM "ingredients" INNER JOIN "portions" ON "ingredient
s"."id" = "portions"."ingredient_id" WHERE "portions"."recipe_id" = $1 [["recipe_id", 3002]]
=> []
[4] pry(main)> r1.ingredients << Ingredient.first
Ingredient Load (0.3ms) SELECT "ingredients".* FROM "ingredients" ORDER BY "ingredients"."id" ASC L
IMIT 1
(0.1ms) BEGIN
SQL (6.5ms) INSERT INTO "portions" ("ingredient_id", "recipe_id") VALUES ($1, $2) RETURNING "id" [{"i
ngredient_id", 1}, {"recipe_id", 3002}]
(5.8ms) COMMIT
=> [#<Ingredient id: 1, name: "eggs">]
[5] pry(main)> r1.ingredients
=> [#<Ingredient id: 1, name: "eggs">]
[6] pry(main)> r1.ingredients << Ingredient.last
Ingredient Load (0.4ms) SELECT "ingredients".* FROM "ingredients" ORDER BY "ingredients"."id" DESC
LIMIT 1
(0.1ms) BEGIN
SQL (0.2ms) INSERT INTO "portions" ("ingredient_id", "recipe_id") VALUES ($1, $2) RETURNING "id" [{"i
ngredient_id", 6}, {"recipe_id", 3002}]
(0.9ms) COMMIT
=> [#<Ingredient id: 1, name: "eggs">, #<Ingredient id: 6, name: "bacon">]
[7] pry(main)> r1.save
(0.2ms) BEGIN
(0.2ms) COMMIT
=> true
[8] pry(main)> exit
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$ rails c
Loading development environment (Rails 4.1.0)
ap gem not found. Try typing 'gem install awesome_print' to get super-fancy output.
[1] pry(main)> r1 = Recipe.first
Recipe Load (0.6ms) SELECT "recipes".* FROM "recipes" ORDER BY "recipes"."id" ASC LIMIT 1
=> #<Recipe id: 3002, title: "Delectus quis sit.", content: "Qui at fugiat. Et eum pariatur omnis numquam
ea qu...", cookbook_id: 303, created_at: "2014-05-13 19:15:13", updated_at: "2014-05-13 19:15:13">
[2] pry(main)> r1.ingredients
Ingredient Load (0.5ms) SELECT "ingredients".* FROM "ingredients" INNER JOIN "portions" ON "ingredient
s"."id" = "portions"."ingredient_id" WHERE "portions"."recipe_id" = $1 [["recipe_id", 3002]]
=> [#<Ingredient id: 1, name: "eggs">, #<Ingredient id: 6, name: "bacon">]
[3] pry(main)> Portion.all
Portion Load (0.4ms) SELECT "portions".* FROM "portions"

```



```
=> [#<Portion id: 1, recipe_id: 3002, ingredient_id: 1, quantity: nil>,
#<Portion id: 2, recipe_id: 3002, ingredient_id: 6, quantity: nil>]
[4] pry(main)>
[4] pry(main)> Ingredient.first
Ingredient Load (0.5ms) SELECT "ingredients".* FROM "ingredients" ORDER BY "ingredients"."id" ASC L
IMIT 1
=> #<Ingredient id: 1, name: "eggs">
[5] pry(main)> eggs = _
=> #<Ingredient id: 1, name: "eggs">
[6] pry(main)> eggs.recipes
NoMethodError: undefined method `recipes' for #<Ingredient id: 1, name: "eggs">
from /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/activemodel-4.1.0/lib/active
_model/attribute_methods.rb:435:in `method_missing'
[7] pry(main)> exit
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$ rails c
Loading development environment (Rails 4.1.0)
ap gem not found. Try typing 'gem install awesome_print' to get super-fancy output.
[1] pry(main)> eggs = Ingredient.first
Ingredient Load (0.5ms) SELECT "ingredients".* FROM "ingredients" ORDER BY "ingredients"."id" ASC L
IMIT 1
=> #<Ingredient id: 1, name: "eggs">
[2] pry(main)>
```

```
[2] pry(main)> eggs.recipes
ActiveRecord::HasManyThroughAssociationNotFoundError: Could not find the association :portions in model I
ngredient
from /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/activerecord-4.1.0/lib/activ
e_record/reflection.rb:658:in `check_validity!'
[3] pry(main)> exit
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$ rails c
Loading development environment (Rails 4.1.0)
ap gem not found. Try typing 'gem install awesome_print' to get super-fancy output.
[1] pry(main)> eggs = Ingredient.first
Ingredient Load (1.1ms) SELECT "ingredients".* FROM "ingredients" ORDER BY "ingredients"."id" ASC L
IMIT 1
=> #<Ingredient id: 1, name: "eggs">
[2] pry(main)> eggs.recipes
Recipe Load (0.6ms) SELECT "recipes".* FROM "recipes" INNER JOIN "portions" ON "recipes"."id" = "porti
ons"."recipe_id" WHERE "portions"."ingredient_id" = $1 [["ingredient_id", 1]]
=> [#<Recipe id: 3002, title: "Delectus quis sit.", content: "Qui at fugiat. Et eum pariatum omnis numqua
m ea qu...", cookbook_id: 303, created_at: "2014-05-13 19:15:13", updated_at: "2014-05-13 19:15:13">]
[3] pry(main)> exit
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$
```

```
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$ rails c
Loading development environment (Rails 4.1.0)
ap gem not found. Try typing 'gem install awesome_print' to get super-fancy output.
[1] pry(main)> r1 = Recipe.first
Recipe Load (0.6ms) SELECT "recipes".* FROM "recipes" ORDER BY "recipes"."id" ASC LIMIT 1
=> #<Recipe id: 3002, title: "Delectus quis sit.", content: "Qui at fugiat. Et eum pariatum omnis numquam
ea qu...", cookbook_id: 303, created_at: "2014-05-13 19:15:13", updated_at: "2014-05-13 19:15:13">
[2] pry(main)> r1.ingredients
ActiveRecord::HasManyThroughSourceAssociationNotFoundError: Could not find the source association(s) :ing
redient or :ingredients in model Portion. Try 'has_many :ingredients, :through => :portions, :source => <
name>'. Is it one of ?
from /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/activerecord-4.1.0/lib/activ
```

```

e_record/reflection.rb:666:in `check_validity!'
[3] pry(main)> exit
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$ rails c
Loading development environment (Rails 4.1.0)
ap gem not found. Try typing 'gem install awesome_print' to get super-fancy output.
[1] pry(main)> r1 = Recipe.first
Recipe Load (0.6ms) SELECT "recipes".* FROM "recipes" ORDER BY "recipes"."id" ASC LIMIT 1
=> #<Recipe id: 3002, title: "Delectus quis sit.", content: "Qui at fugiat. Et eum pariatur omnis numquam
ea qu...", cookbook_id: 303, created_at: "2014-05-13 19:15:13", updated_at: "2014-05-13 19:15:13">
[2] pry(main)> r1.ingredients
Ingredient Load (0.5ms) SELECT "ingredients".* FROM "ingredients" INNER JOIN "portions" ON "ingredient
s"."id" = "portions"."ingredient_id" WHERE "portions"."recipe_id" = $1 [["recipe_id", 3002]]
=> [#<Ingredient id: 1, name: "eggs">, #<Ingredient id: 6, name: "bacon">]
[3] pry(main)>
[3] pry(main)> exit
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$ git_sync "implemented the portions join table and ingredient model"
[master 6cb318c] git syncing implemented the portions join table and ingredient model
73 files changed, 1367 insertions(+)
create mode 100644 w04/d02/INSTRUCTORS/cookly2/.gitignore
create mode 100644 w04/d02/INSTRUCTORS/cookly2/Gemfile
create mode 100644 w04/d02/INSTRUCTORS/cookly2/Gemfile.lock
create mode 100644 w04/d02/INSTRUCTORS/cookly2/README.rdoc
create mode 100644 w04/d02/INSTRUCTORS/cookly2/Rakefile
create mode 100644 w04/d02/INSTRUCTORS/cookly2/app/assets/images/.keep
create mode 100644 w04/d02/INSTRUCTORS/cookly2/app/assets/javascripts/application.js
create mode 100644 w04/d02/INSTRUCTORS/cookly2/app/assets/stylesheets/application.css
create mode 100644 w04/d02/INSTRUCTORS/cookly2/app/controllers/application_controller.rb
create mode 100644 w04/d02/INSTRUCTORS/cookly2/app/controllers/chefs_controller.rb
create mode 100644 w04/d02/INSTRUCTORS/cookly2/app/controllers/concerns/.keep
create mode 100644 w04/d02/INSTRUCTORS/cookly2/app/controllers/cookbooks_controller.rb
create mode 100644 w04/d02/INSTRUCTORS/cookly2/app/controllers/recipes_controller.rb
create mode 100644 w04/d02/INSTRUCTORS/cookly2/app/helpers/application_helper.rb
create mode 100644 w04/d02/INSTRUCTORS/cookly2/app/mailers/.keep
create mode 100644 w04/d02/INSTRUCTORS/cookly2/app/models/.keep
create mode 100644 w04/d02/INSTRUCTORS/cookly2/app/models/chef.rb
create mode 100644 w04/d02/INSTRUCTORS/cookly2/app/models/concerns/.keep
create mode 100644 w04/d02/INSTRUCTORS/cookly2/app/models/cookbook.rb
create mode 100644 w04/d02/INSTRUCTORS/cookly2/app/models/ingredient.rb
create mode 100644 w04/d02/INSTRUCTORS/cookly2/app/models/portion.rb
create mode 100644 w04/d02/INSTRUCTORS/cookly2/app/models/recipe.rb
create mode 100644 w04/d02/INSTRUCTORS/cookly2/app/views/chefs/index.html.erb
create mode 100644 w04/d02/INSTRUCTORS/cookly2/app/views/chefs/show.html.erb
create mode 100644 w04/d02/INSTRUCTORS/cookly2/app/views/cookbooks/_cookbookform.html.erb
create mode 100644 w04/d02/INSTRUCTORS/cookly2/app/views/cookbooks/edit.html.erb
create mode 100644 w04/d02/INSTRUCTORS/cookly2/app/views/cookbooks/index.html.erb
create mode 100644 w04/d02/INSTRUCTORS/cookly2/app/views/cookbooks/new.html.erb
create mode 100644 w04/d02/INSTRUCTORS/cookly2/app/views/cookbooks/show.html.erb
create mode 100644 w04/d02/INSTRUCTORS/cookly2/app/views/layouts/application.html.erb
create mode 100644 w04/d02/INSTRUCTORS/cookly2/app/views/recipes/_recipeform.html.erb
create mode 100755 w04/d02/INSTRUCTORS/cookly2/bin/bundle
create mode 100755 w04/d02/INSTRUCTORS/cookly2/bin/rails
create mode 100755 w04/d02/INSTRUCTORS/cookly2/bin/rake
create mode 100755 w04/d02/INSTRUCTORS/cookly2/bin/spring
create mode 100644 w04/d02/INSTRUCTORS/cookly2/config.ru
create mode 100644 w04/d02/INSTRUCTORS/cookly2/config/application.rb
create mode 100644 w04/d02/INSTRUCTORS/cookly2/config/boot.rb
create mode 100644 w04/d02/INSTRUCTORS/cookly2/config/database.yml
create mode 100644 w04/d02/INSTRUCTORS/cookly2/config/environment.rb
create mode 100644 w04/d02/INSTRUCTORS/cookly2/config/environments/development.rb
create mode 100644 w04/d02/INSTRUCTORS/cookly2/config/environments/production.rb
create mode 100644 w04/d02/INSTRUCTORS/cookly2/config/environments/test.rb
create mode 100644 w04/d02/INSTRUCTORS/cookly2/config/initializers/backtrace_silencers.rb
create mode 100644 w04/d02/INSTRUCTORS/cookly2/config/initializers/cookies_serializer.rb
create mode 100644 w04/d02/INSTRUCTORS/cookly2/config/initializers/filter_parameter_logging.rb
create mode 100644 w04/d02/INSTRUCTORS/cookly2/config/initializers/inflexions.rb
create mode 100644 w04/d02/INSTRUCTORS/cookly2/config/initializers/mime_types.rb
create mode 100644 w04/d02/INSTRUCTORS/cookly2/config/initializers/session_store.rb
create mode 100644 w04/d02/INSTRUCTORS/cookly2/config/initializers/wrap_parameters.rb

```

```

create mode 100644 w04/d02/INSTRUCTORS/cookly2/config/locales/en.yml
create mode 100644 w04/d02/INSTRUCTORS/cookly2/config/routes.rb
create mode 100644 w04/d02/INSTRUCTORS/cookly2/config/secrets.yml
create mode 100644 w04/d02/INSTRUCTORS/cookly2/db/migrate/20140512151004_create_cookbooks.rb
create mode 100644 w04/d02/INSTRUCTORS/cookly2/db/migrate/20140512151011_create_recipes.rb
create mode 100644 w04/d02/INSTRUCTORS/cookly2/db/migrate/20140513155456_create_chefs.rb
create mode 100644 w04/d02/INSTRUCTORS/cookly2/db/migrate/20140513160351_add_chef_id_column.rb
create mode 100644 w04/d02/INSTRUCTORS/cookly2/db/migrate/20140513191120_create_ingredients.rb
create mode 100644 w04/d02/INSTRUCTORS/cookly2/db/migrate/20140513191727_create_portions.rb
create mode 100644 w04/d02/INSTRUCTORS/cookly2/db/schema.rb
create mode 100644 w04/d02/INSTRUCTORS/cookly2/db/seeds.rb
create mode 100644 w04/d02/INSTRUCTORS/cookly2/lib/assets/.keep
create mode 100644 w04/d02/INSTRUCTORS/cookly2/lib/tasks/.keep
create mode 100644 w04/d02/INSTRUCTORS/cookly2/log/.keep
create mode 100644 w04/d02/INSTRUCTORS/cookly2/public/404.html
create mode 100644 w04/d02/INSTRUCTORS/cookly2/public/422.html
create mode 100644 w04/d02/INSTRUCTORS/cookly2/public/500.html
create mode 100644 w04/d02/INSTRUCTORS/cookly2/public/favicon.ico
create mode 100644 w04/d02/INSTRUCTORS/cookly2/public/robots.txt
create mode 100644 w04/d02/INSTRUCTORS/cookly2/terminal/CooklyTerminal.pdf
create mode 100644 w04/d02/INSTRUCTORS/cookly2/terminal/ServerLogMorning.pdf
create mode 100644 w04/d02/INSTRUCTORS/cookly2/vendor/assets/javascripts/.keep
create mode 100644 w04/d02/INSTRUCTORS/cookly2/vendor/assets/stylesheets/.keep

```

To git@github.com:ga-students/WDI\_NYC\_Apr14\_String.git

! [rejected] master -> master (fetch first)

error: failed to push some refs to 'git@github.com:ga-students/WDI\_NYC\_Apr14\_String.git'

hint: Updates were rejected because the remote contains work that you do  
hint: not have locally. This is usually caused by another repository pushing  
hint: to the same ref. You may want to first integrate the remote changes  
hint: (e.g., 'git pull ...') before pushing again.  
hint: See the 'Note about fast-forwards' in 'git push --help' for details.

omardelarosa ~/code/wdi/WDI\_NYC\_Apr14\_String/w04/d02/INSTRUCTORS/cookly2 on master[!\$]

\$ git pull origin master

remote: Counting objects: 427, done.

remote: Compressing objects: 100% (351/351), done.

remote: Total 427 (delta 183), reused 125 (delta 40)

Receiving objects: 100% (427/427), 132.75 KiB | 0 bytes/s, done.

Resolving deltas: 100% (183/183), done.

From github.com:ga-students/WDI\_NYC\_Apr14\_String

```

* branch      master      -> FETCH_HEAD
   ffd54e7..c7c78c8 master -> origin/master

```

^[AMerge made by the 'recursive' strategy.

.../planets_on_rails/app/assets/javascripts/fontdeck.js	13	++
w04/d01/Andrew_Wallace/cookie_jar/.gitignore	16	++
w04/d01/Andrew_Wallace/cookie_jar/Gemfile	40	+++++
w04/d01/Andrew_Wallace/cookie_jar/Gemfile.lock	125	+++++
w04/d01/Andrew_Wallace/cookie_jar/README.rdoc	28	+++
w04/d01/Andrew_Wallace/cookie_jar/Rakefile	6	+
w04/d01/Andrew_Wallace/cookie_jar/app/assets/images/.keep	0	
.../cookie_jar/app/assets/javascripts/application.js	16	++
.../cookie_jar/app/assets/stylesheets/application.css	15	++
.../cookie_jar/app/controllers/application_controller.rb	5	+
w04/d01/Andrew_Wallace/cookie_jar/app/controllers/concerns/.keep	0	
.../cookie_jar/app/controllers/cookie_watchers_controller.rb	12	++
.../Andrew_Wallace/cookie_jar/app/helpers/application_helper.rb	2	+
w04/d01/Andrew_Wallace/cookie_jar/app/mailers/.keep	0	
w04/d01/Andrew_Wallace/cookie_jar/app/models/.keep	0	
w04/d01/Andrew_Wallace/cookie_jar/app/models/concerns/.keep	0	
w04/d01/Andrew_Wallace/cookie_jar/app/models/cookie_watcher.rb	2	+
.../cookie_jar/app/views/layouts/application.html.erb	14	++
w04/d01/Andrew_Wallace/cookie_jar/bin/bundle	3	+
w04/d01/Andrew_Wallace/cookie_jar/bin/rails	8	+
w04/d01/Andrew_Wallace/cookie_jar/bin/rake	8	+
w04/d01/Andrew_Wallace/cookie_jar/bin/spring	18	++
w04/d01/Andrew_Wallace/cookie_jar/config.ru	4	+
w04/d01/Andrew_Wallace/cookie_jar/config/application.rb	23	+++
w04/d01/Andrew_Wallace/cookie_jar/config/boot.rb	4	+
w04/d01/Andrew_Wallace/cookie_jar/config/database.yml	85	+++++
w04/d01/Andrew_Wallace/cookie_jar/config/environment.rb	5	+
.../Andrew_Wallace/cookie_jar/config/environments/development.rb	37	++++

.../Andrew_Wallace/cookie_jar/config/environments/production.rb	83	+++++++
w04/d01/Andrew_Wallace/cookie_jar/config/environments/test.rb	39	+++++
.../cookie_jar/config/initializers/backtrace_silencers.rb	7	+
.../cookie_jar/config/initializers/cookies_serializer.rb	3	+
.../cookie_jar/config/initializers/filter_parameter_logging.rb	4	+
.../Andrew_Wallace/cookie_jar/config/initializers/inflections.rb	16	++
.../Andrew_Wallace/cookie_jar/config/initializers/mime_types.rb	4	+
.../Andrew_Wallace/cookie_jar/config/initializers/session_store.rb	3	+
.../cookie_jar/config/initializers/wrap_parameters.rb	14	++
w04/d01/Andrew_Wallace/cookie_jar/config/locales/en.yml	23	+++
w04/d01/Andrew_Wallace/cookie_jar/config/routes.rb	56	++++++
w04/d01/Andrew_Wallace/cookie_jar/config/secrets.yml	22	+++
.../cookie_jar/db/migrate/20140512132223_create_cookie_watchers.rb	10	++
w04/d01/Andrew_Wallace/cookie_jar/db/schema.rb	26	+++
w04/d01/Andrew_Wallace/cookie_jar/db/seeds.rb	11	++
w04/d01/Andrew_Wallace/cookie_jar/lib/assets/.keep	0	
w04/d01/Andrew_Wallace/cookie_jar/lib/tasks/.keep	0	
w04/d01/Andrew_Wallace/cookie_jar/log/.keep	0	
w04/d01/Andrew_Wallace/cookie_jar/public/404.html	67	+++++++
w04/d01/Andrew_Wallace/cookie_jar/public/422.html	67	+++++++
w04/d01/Andrew_Wallace/cookie_jar/public/500.html	66	+++++++
w04/d01/Andrew_Wallace/cookie_jar/public/favicon.ico	0	
w04/d01/Andrew_Wallace/cookie_jar/public/robots.txt	5	+
w04/d01/Andrew_Wallace/cookie_jar/test/controllers/.keep	0	
w04/d01/Andrew_Wallace/cookie_jar/test/fixtures/.keep	0	
.../Andrew_Wallace/cookie_jar/test/fixtures/cookie_watchers.yml	9	+
w04/d01/Andrew_Wallace/cookie_jar/test/helpers/.keep	0	
w04/d01/Andrew_Wallace/cookie_jar/test/integration/.keep	0	
w04/d01/Andrew_Wallace/cookie_jar/test/mailers/.keep	0	
w04/d01/Andrew_Wallace/cookie_jar/test/models/.keep	0	
.../Andrew_Wallace/cookie_jar/test/models/cookie_watcher_test.rb	7	+
w04/d01/Andrew_Wallace/cookie_jar/test/test_helper.rb	13	++
w04/d01/Andrew_Wallace/cookie_jar/vendor/assets/javascripts/.keep	0	
w04/d01/Andrew_Wallace/cookie_jar/vendor/assets/stylesheets/.keep	0	
w04/d01/Andrew_Wallace/cookly/.gitignore	16	++
w04/d01/Andrew_Wallace/cookly/Gemfile	41	+++++
w04/d01/Andrew_Wallace/cookly/Gemfile.lock	137	+++++
w04/d01/Andrew_Wallace/cookly/README.rdoc	28	+++
w04/d01/Andrew_Wallace/cookly/Rakefile	6	+
w04/d01/Andrew_Wallace/cookly/app/assets/images/.keep	0	
.../Andrew_Wallace/cookly/app/assets/javascripts/application.js	16	++
.../Andrew_Wallace/cookly/app/assets/stylesheets/application.css	15	++
.../cookly/app/controllers/application_controller.rb	5	+
w04/d01/Andrew_Wallace/cookly/app/controllers/concerns/.keep	0	
.../Andrew_Wallace/cookly/app/controllers/cookbooks_controller.rb	66	+++++++
.../Andrew_Wallace/cookly/app/controllers/recipes_controller.rb	31	+++++
w04/d01/Andrew_Wallace/cookly/app/helpers/application_helper.rb	2	+
w04/d01/Andrew_Wallace/cookly/app/mailers/.keep	0	
w04/d01/Andrew_Wallace/cookly/app/models/.keep	0	
w04/d01/Andrew_Wallace/cookly/app/models/concerns/.keep	0	
w04/d01/Andrew_Wallace/cookly/app/models/cookbook.rb	13	++
w04/d01/Andrew_Wallace/cookly/app/models/recipe.rb	3	+
.../cookly/app/views/cookbooks/_cookbookform.html.erb	5	+
w04/d01/Andrew_Wallace/cookly/app/views/cookbooks/edit.html.erb	6	+
w04/d01/Andrew_Wallace/cookly/app/views/cookbooks/index.html.erb	9	+
w04/d01/Andrew_Wallace/cookly/app/views/cookbooks/new.html.erb	6	+
w04/d01/Andrew_Wallace/cookly/app/views/cookbooks/show.html.erb	20	+++
.../Andrew_Wallace/cookly/app/views/layouts/application.html.erb	17	++
.../Andrew_Wallace/cookly/app/views/recipes/_recipeform.html.erb	6	+
w04/d01/Andrew_Wallace/cookly/bin/bundle	3	+
w04/d01/Andrew_Wallace/cookly/bin/rails	8	+
w04/d01/Andrew_Wallace/cookly/bin/rake	8	+
w04/d01/Andrew_Wallace/cookly/bin/spring	18	++
w04/d01/Andrew_Wallace/cookly/config.ru	4	+
w04/d01/Andrew_Wallace/cookly/config/application.rb	30	++++
w04/d01/Andrew_Wallace/cookly/config/boot.rb	4	+
w04/d01/Andrew_Wallace/cookly/config/database.yml	85	+++++
w04/d01/Andrew_Wallace/cookly/config/environment.rb	5	+
w04/d01/Andrew_Wallace/cookly/config/environments/development.rb	37	++++
w04/d01/Andrew_Wallace/cookly/config/environments/production.rb	83	+++++++



w04/d01/Andrew_Wallace/cookly/config/environments/test.rb	39	+++++
.../cookly/config/initializers/backtrace_silencers.rb	7	+
.../cookly/config/initializers/cookies_serializer.rb	3	+
.../cookly/config/initializers/filter_parameter_logging.rb	4	+
w04/d01/Andrew_Wallace/cookly/config/initializers/inflections.rb	16	++
w04/d01/Andrew_Wallace/cookly/config/initializers/mime_types.rb	4	+
w04/d01/Andrew_Wallace/cookly/config/initializers/session_store.rb	3	+
.../Andrew_Wallace/cookly/config/initializers/wrap_parameters.rb	14	++
w04/d01/Andrew_Wallace/cookly/config/locales/en.yml	23	+++
w04/d01/Andrew_Wallace/cookly/config/routes.rb	39	+++++
w04/d01/Andrew_Wallace/cookly/config/secrets.yml	22	+++
.../cookly/db/migrate/20140512151004_create_cookbooks.rb	12	++
.../cookly/db/migrate/20140512151011_create_recipes.rb	14	++
w04/d01/Andrew_Wallace/cookly/db/schema.rb	34	++++
w04/d01/Andrew_Wallace/cookly/db/seeds.rb	36	++++
w04/d01/Andrew_Wallace/cookly/lib/assets/.keep	0	
w04/d01/Andrew_Wallace/cookly/lib/tasks/.keep	0	
w04/d01/Andrew_Wallace/cookly/log/.keep	0	
w04/d01/Andrew_Wallace/cookly/public/404.html	67	+++++++
w04/d01/Andrew_Wallace/cookly/public/422.html	67	+++++++
w04/d01/Andrew_Wallace/cookly/public/500.html	66	+++++++
w04/d01/Andrew_Wallace/cookly/public/favicon.ico	0	
w04/d01/Andrew_Wallace/cookly/public/robots.txt	5	+
w04/d01/Andrew_Wallace/cookly/terminal/CooklyTerminal.pdf	Bin 0	-> 56004 bytes
w04/d01/Andrew_Wallace/cookly/terminal/ServerLogMorning.pdf	Bin 0	-> 98751 bytes
w04/d01/Andrew_Wallace/cookly/vendor/assets/javascripts/.keep	0	
w04/d01/Andrew_Wallace/cookly/vendor/assets/stylesheets/.keep	0	
w04/d01/Andrew_Wallace/devicr/.gitignore	16	++
w04/d01/Andrew_Wallace/devicr/Gemfile	41	+++++
w04/d01/Andrew_Wallace/devicr/Gemfile.lock	133	+++++
w04/d01/Andrew_Wallace/devicr/README.rdoc	28	+++
w04/d01/Andrew_Wallace/devicr/Rakefile	6	+
w04/d01/Andrew_Wallace/devicr/app/assets/images/.keep	0	
.../Andrew_Wallace/devicr/app/assets/javascripts/application.js	16	++
.../Andrew_Wallace/devicr/app/assets/stylesheets/application.css	15	++
.../devicr/app/controllers/application_controller.rb	5	+
w04/d01/Andrew_Wallace/devicr/app/controllers/concerns/.keep	0	
w04/d01/Andrew_Wallace/devicr/app/controllers/users_controller.rb	64	+++++++
w04/d01/Andrew_Wallace/devicr/app/helpers/application_helper.rb	2	+
w04/d01/Andrew_Wallace/devicr/app/mailers/.keep	0	
w04/d01/Andrew_Wallace/devicr/app/models/.keep	0	
w04/d01/Andrew_Wallace/devicr/app/models/concerns/.keep	0	
w04/d01/Andrew_Wallace/devicr/app/models/device.rb	2	+
w04/d01/Andrew_Wallace/devicr/app/models/user.rb	2	+
.../Andrew_Wallace/devicr/app/views/layouts/application.html.erb	14	++
w04/d01/Andrew_Wallace/devicr/app/views/users/index.html.erb	13	++
w04/d01/Andrew_Wallace/devicr/app/views/users/show.html.erb	0	
w04/d01/Andrew_Wallace/devicr/bin/bundle	3	+
w04/d01/Andrew_Wallace/devicr/bin/rails	8	+
w04/d01/Andrew_Wallace/devicr/bin/rake	8	+
w04/d01/Andrew_Wallace/devicr/bin/spring	18	++
w04/d01/Andrew_Wallace/devicr/config.ru	4	+
w04/d01/Andrew_Wallace/devicr/config/application.rb	23	+++
w04/d01/Andrew_Wallace/devicr/config/boot.rb	4	+
w04/d01/Andrew_Wallace/devicr/config/database.yml	85	+++++
w04/d01/Andrew_Wallace/devicr/config/environment.rb	5	+
w04/d01/Andrew_Wallace/devicr/config/environments/development.rb	37	++++
w04/d01/Andrew_Wallace/devicr/config/environments/production.rb	83	+++++
w04/d01/Andrew_Wallace/devicr/config/environments/test.rb	39	+++++
.../devicr/config/initializers/backtrace_silencers.rb	7	+
.../devicr/config/initializers/cookies_serializer.rb	3	+
.../devicr/config/initializers/filter_parameter_logging.rb	4	+
w04/d01/Andrew_Wallace/devicr/config/initializers/inflections.rb	16	++
w04/d01/Andrew_Wallace/devicr/config/initializers/mime_types.rb	4	+
w04/d01/Andrew_Wallace/devicr/config/initializers/session_store.rb	3	+
.../Andrew_Wallace/devicr/config/initializers/wrap_parameters.rb	14	++
w04/d01/Andrew_Wallace/devicr/config/locales/en.yml	23	+++
w04/d01/Andrew_Wallace/devicr/config/routes.rb	45	+++++
w04/d01/Andrew_Wallace/devicr/config/secrets.yml	22	+++
.../devicr/db/migrate/20140513031012_create_users.rb	9	+

.../devicr/db/migrate/20140513031211_create_devices.rb	14 ++
w04/d01/Andrew_Wallace/devicr/db/schema.rb	36 ++++
w04/d01/Andrew_Wallace/devicr/db/seeds.rb	14 ++
w04/d01/Andrew_Wallace/devicr/lib/assets/.keep	0
w04/d01/Andrew_Wallace/devicr/lib/tasks/.keep	0
w04/d01/Andrew_Wallace/devicr/log/.keep	0
w04/d01/Andrew_Wallace/devicr/public/404.html	67 ++++++
w04/d01/Andrew_Wallace/devicr/public/422.html	67 ++++++
w04/d01/Andrew_Wallace/devicr/public/500.html	66 ++++++
w04/d01/Andrew_Wallace/devicr/public/favicon.ico	0
w04/d01/Andrew_Wallace/devicr/public/robots.txt	5 +
w04/d01/Andrew_Wallace/devicr/test/controllers/.keep	0
w04/d01/Andrew_Wallace/devicr/test/fixtures/.keep	0
w04/d01/Andrew_Wallace/devicr/test/fixtures/devices.yml	17 ++
w04/d01/Andrew_Wallace/devicr/test/fixtures/users.yml	7 +
w04/d01/Andrew_Wallace/devicr/test/helpers/.keep	0
w04/d01/Andrew_Wallace/devicr/test/integration/.keep	0
w04/d01/Andrew_Wallace/devicr/test/mailers/.keep	0
w04/d01/Andrew_Wallace/devicr/test/models/.keep	0
w04/d01/Andrew_Wallace/devicr/test/models/device_test.rb	7 +
w04/d01/Andrew_Wallace/devicr/test/models/user_test.rb	7 +
w04/d01/Andrew_Wallace/devicr/test/test_helper.rb	13 ++
w04/d01/Andrew_Wallace/devicr/vendor/assets/javascripts/.keep	0
w04/d01/Andrew_Wallace/devicr/vendor/assets/stylesheets/.keep	0
w04/d01/Andrew_Wallace/devman/.gitignore	16 ++
w04/d01/Andrew_Wallace/devman/Gemfile	43 +++++
w04/d01/Andrew_Wallace/devman/Gemfile.lock	133 ++++++
w04/d01/Andrew_Wallace/devman/README.rdoc	28 ++
w04/d01/Andrew_Wallace/devman/Rakefile	6 +
w04/d01/Andrew_Wallace/devman/app/assets/images/.keep	0
.../Andrew_Wallace/devman/app/assets/javascripts/application.js	16 ++
.../Andrew_Wallace/devman/app/assets/stylesheets/application.css	15 ++
.../devman/app/controllers/application_controller.rb	5 +
w04/d01/Andrew_Wallace/devman/app/controllers/concerns/.keep	0
.../Andrew_Wallace/devman/app/controllers/devices_controller.rb	31 ++++
w04/d01/Andrew_Wallace/devman/app/controllers/users_controller.rb	63 ++++++
w04/d01/Andrew_Wallace/devman/app/helpers/application_helper.rb	2 +
w04/d01/Andrew_Wallace/devman/app/mailers/.keep	0
w04/d01/Andrew_Wallace/devman/app/models/.keep	0
w04/d01/Andrew_Wallace/devman/app/models/concerns/.keep	0
w04/d01/Andrew_Wallace/devman/app/models/device.rb	5 +
w04/d01/Andrew_Wallace/devman/app/models/user.rb	6 +
w04/d01/Andrew_Wallace/devman/app/views/index.html.erb	0
.../Andrew_Wallace/devman/app/views/layouts/application.html.erb	14 ++
w04/d01/Andrew_Wallace/devman/app/views/new.html.erb	1 +
w04/d01/Andrew_Wallace/devman/app/views/users/edit.html.erb	4 +
w04/d01/Andrew_Wallace/devman/app/views/users/index.html.erb	6 +
w04/d01/Andrew_Wallace/devman/app/views/users/new.html.erb	9 +
w04/d01/Andrew_Wallace/devman/app/views/users/show.html.erb	16 ++
w04/d01/Andrew_Wallace/devman/bin/bundle	3 +
w04/d01/Andrew_Wallace/devman/bin/rails	8 +
w04/d01/Andrew_Wallace/devman/bin/rake	8 +
w04/d01/Andrew_Wallace/devman/bin/spring	18 ++
w04/d01/Andrew_Wallace/devman/config.ru	4 +
w04/d01/Andrew_Wallace/devman/config/application.rb	23 +++
w04/d01/Andrew_Wallace/devman/config/boot.rb	4 +
w04/d01/Andrew_Wallace/devman/config/database.yml	85 ++++++
w04/d01/Andrew_Wallace/devman/config/environment.rb	5 +
w04/d01/Andrew_Wallace/devman/config/environments/development.rb	37 ++++
w04/d01/Andrew_Wallace/devman/config/environments/production.rb	83 ++++++
w04/d01/Andrew_Wallace/devman/config/environments/test.rb	39 +++++
.../devman/config/initializers/backtrace_silencers.rb	7 +
.../devman/config/initializers/cookies_serializer.rb	3 +
.../devman/config/initializers/filter_parameter_logging.rb	4 +
w04/d01/Andrew_Wallace/devman/config/initializers/inflections.rb	16 ++
w04/d01/Andrew_Wallace/devman/config/initializers/mime_types.rb	4 +
w04/d01/Andrew_Wallace/devman/config/initializers/session_store.rb	3 +
.../Andrew_Wallace/devman/config/initializers/wrap_parameters.rb	14 ++
w04/d01/Andrew_Wallace/devman/config/locales/en.yml	23 +++
w04/d01/Andrew_Wallace/devman/config/routes.rb	39 +++++



w04/d01/Andrew_Wallace/devman/config/secrets.yml	22	+++
.../devman/db/migrate/20140512222335_create_users.rb	9	+
.../devman/db/migrate/20140512222425_create_devices.rb	14	++
w04/d01/Andrew_Wallace/devman/db/schema.rb	36	++++
w04/d01/Andrew_Wallace/devman/db/seeds.rb	23	+++
w04/d01/Andrew_Wallace/devman/lib/assets/.keep	0	
w04/d01/Andrew_Wallace/devman/lib/tasks/.keep	0	
w04/d01/Andrew_Wallace/devman/log/.keep	0	
w04/d01/Andrew_Wallace/devman/public/404.html	67	++++++
w04/d01/Andrew_Wallace/devman/public/422.html	67	++++++
w04/d01/Andrew_Wallace/devman/public/500.html	66	++++++
w04/d01/Andrew_Wallace/devman/public/favicon.ico	0	
w04/d01/Andrew_Wallace/devman/public/robots.txt	5	+
w04/d01/Andrew_Wallace/devman/test/controllers/.keep	0	
w04/d01/Andrew_Wallace/devman/test/fixtures/.keep	0	
w04/d01/Andrew_Wallace/devman/test/fixtures/devices.yml	17	++
w04/d01/Andrew_Wallace/devman/test/fixtures/users.yml	7	+
w04/d01/Andrew_Wallace/devman/test/helpers/.keep	0	
w04/d01/Andrew_Wallace/devman/test/integration/.keep	0	
w04/d01/Andrew_Wallace/devman/test/mailers/.keep	0	
w04/d01/Andrew_Wallace/devman/test/models/.keep	0	
w04/d01/Andrew_Wallace/devman/test/models/device_test.rb	7	+
w04/d01/Andrew_Wallace/devman/test/models/user_test.rb	7	+
w04/d01/Andrew_Wallace/devman/test/test_helper.rb	13	++
w04/d01/Andrew_Wallace/devman/vendor/assets/javascripts/.keep	0	
w04/d01/Andrew_Wallace/devman/vendor/assets/stylesheets/.keep	0	
w04/d01/Christopher_Lee/company_app/.gitignore	16	++
w04/d01/Christopher_Lee/company_app/Chris_Lee_ERD.png	Bin 0	-> 61353 bytes
w04/d01/Christopher_Lee/company_app/Gemfile	44	+++++
w04/d01/Christopher_Lee/company_app/Gemfile.lock	137	+++++
w04/d01/Christopher_Lee/company_app/README.rdoc	28	+++
w04/d01/Christopher_Lee/company_app/Rakefile	6	+
w04/d01/Christopher_Lee/company_app/app/assets/images/.keep	0	
.../company_app/app/assets/javascripts/application.js	16	++
.../company_app/app/assets/stylesheets/application.css	279	+++++
.../company_app/app/controllers/application_controller.rb	5	+
.../company_app/app/controllers/companies_controller.rb	45	+++++
w04/d01/Christopher_Lee/company_app/app/controllers/concerns/.keep	0	
.../company_app/app/controllers/products_controller.rb	33	++++
.../Christopher_Lee/company_app/app/helpers/application_helper.rb	2	+
w04/d01/Christopher_Lee/company_app/app/mailers/.keep	0	
w04/d01/Christopher_Lee/company_app/app/models/.keep	0	
w04/d01/Christopher_Lee/company_app/app/models/company.rb	3	+
w04/d01/Christopher_Lee/company_app/app/models/concerns/.keep	0	
w04/d01/Christopher_Lee/company_app/app/models/product.rb	3	+
.../Christopher_Lee/company_app/app/views/companies/edit.html.erb	7	+
.../Christopher_Lee/company_app/app/views/companies/index.html.erb	86	+++++
.../Christopher_Lee/company_app/app/views/companies/show.html.erb	22	+++
.../company_app/app/views/layouts/application.html.erb	35	++++
.../company_app/app/views/products/_productform.html.erb	7	+
.../Christopher_Lee/company_app/app/views/products/edit.html.erb	7	+
.../Christopher_Lee/company_app/app/views/products/new.html.erb	8	+
w04/d01/Christopher_Lee/company_app/bin/bundle	3	+
w04/d01/Christopher_Lee/company_app/bin/rails	8	+
w04/d01/Christopher_Lee/company_app/bin/rake	8	+
w04/d01/Christopher_Lee/company_app/bin/spring	18	++
w04/d01/Christopher_Lee/company_app/config.ru	4	+
w04/d01/Christopher_Lee/company_app/config/application.rb	23	+++
w04/d01/Christopher_Lee/company_app/config/boot.rb	4	+
w04/d01/Christopher_Lee/company_app/config/database.yml	85	+++++
w04/d01/Christopher_Lee/company_app/config/environment.rb	5	+
.../Christopher_Lee/company_app/config/environments/development.rb	37	++++
.../Christopher_Lee/company_app/config/environments/production.rb	83	+++++
w04/d01/Christopher_Lee/company_app/config/environments/test.rb	39	++++
.../company_app/config/initializers/backtrace_silencers.rb	7	+
.../company_app/config/initializers/cookies_serializer.rb	3	+
.../company_app/config/initializers/filter_parameter_logging.rb	4	+
.../Christopher_Lee/company_app/config/initializers/inflections.rb	16	++
.../Christopher_Lee/company_app/config/initializers/mime_types.rb	4	+
.../company_app/config/initializers/session_store.rb	3	+

.../company_app/config/initializers/wrap_parameters.rb	14	++
w04/d01/Christopher_Lee/company_app/config/locales/en.yml	23	+++
w04/d01/Christopher_Lee/company_app/config/routes.rb	27	+++
w04/d01/Christopher_Lee/company_app/config/secrets.yml	22	+++
.../company_app/db/migrate/20140512232803_create_companies.rb	12	++
.../company_app/db/migrate/20140512232831_create_products.rb	12	++
w04/d01/Christopher_Lee/company_app/db/schema.rb	37	++++
w04/d01/Christopher_Lee/company_app/db/seeds.rb	7	+
w04/d01/Christopher_Lee/company_app/lib/assets/.keep	0	
w04/d01/Christopher_Lee/company_app/lib/tasks/.keep	0	
w04/d01/Christopher_Lee/company_app/log/.keep	0	
w04/d01/Christopher_Lee/company_app/public/404.html	67	+++++++
w04/d01/Christopher_Lee/company_app/public/422.html	67	+++++++
w04/d01/Christopher_Lee/company_app/public/500.html	66	+++++++
w04/d01/Christopher_Lee/company_app/public/favicon.ico	0	
w04/d01/Christopher_Lee/company_app/public/robots.txt	5	+
w04/d01/Christopher_Lee/company_app/test/controllers/.keep	0	
w04/d01/Christopher_Lee/company_app/test/fixtures/.keep	0	
w04/d01/Christopher_Lee/company_app/test/fixtures/companies.yml	13	++
w04/d01/Christopher_Lee/company_app/test/fixtures/products.yml	13	++
w04/d01/Christopher_Lee/company_app/test/helpers/.keep	0	
w04/d01/Christopher_Lee/company_app/test/integration/.keep	0	
w04/d01/Christopher_Lee/company_app/test/mailers/.keep	0	
w04/d01/Christopher_Lee/company_app/test/models/.keep	0	
w04/d01/Christopher_Lee/company_app/test/models/company_test.rb	7	+
w04/d01/Christopher_Lee/company_app/test/models/product_test.rb	7	+
w04/d01/Christopher_Lee/company_app/test/test_helper.rb	13	++
.../Christopher_Lee/company_app/vendor/assets/javascripts/.keep	0	
.../Christopher_Lee/company_app/vendor/assets/stylesheets/.keep	0	
w04/d01/Christopher_Lee/cookie_jar/.gitignore	16	++
w04/d01/Christopher_Lee/cookie_jar/Gemfile	42	+++++
w04/d01/Christopher_Lee/cookie_jar/Gemfile.lock	133	+++++
w04/d01/Christopher_Lee/cookie_jar/README.rdoc	28	+++
w04/d01/Christopher_Lee/cookie_jar/Rakefile	6	+
w04/d01/Christopher_Lee/cookie_jar/app/assets/images/.keep	0	
.../cookie_jar/app/assets/javascripts/application.js	16	++
.../cookie_jar/app/assets/javascripts/cookie_watchers.js.coffee	3	+
.../cookie_jar/app/assets/stylesheets/application.css	15	++
.../cookie_jar/app/assets/stylesheets/cookie_watchers.css.scss	3	+
.../cookie_jar/app/controllers/application_controller.rb	5	+
w04/d01/Christopher_Lee/cookie_jar/app/controllers/concerns/.keep	0	
.../cookie_jar/app/controllers/cookie_watchers_controller.rb	12	++
.../Christopher_Lee/cookie_jar/app/helpers/application_helper.rb	2	+
.../cookie_jar/app/helpers/cookie_watchers_helper.rb	2	+
w04/d01/Christopher_Lee/cookie_jar/app/mailers/.keep	0	
w04/d01/Christopher_Lee/cookie_jar/app/models/.keep	0	
w04/d01/Christopher_Lee/cookie_jar/app/models/concerns/.keep	0	
w04/d01/Christopher_Lee/cookie_jar/app/models/cookie_watcher.rb	2	+
.../cookie_jar/app/views/cookie_watchers/index.html.erb	13	++
.../cookie_jar/app/views/layouts/application.html.erb	14	++
w04/d01/Christopher_Lee/cookie_jar/bin/bundle	3	+
w04/d01/Christopher_Lee/cookie_jar/bin/rails	8	+
w04/d01/Christopher_Lee/cookie_jar/bin/rake	8	+
w04/d01/Christopher_Lee/cookie_jar/bin/spring	18	++
w04/d01/Christopher_Lee/cookie_jar/config.ru	4	+
w04/d01/Christopher_Lee/cookie_jar/config/application.rb	23	+++
w04/d01/Christopher_Lee/cookie_jar/config/boot.rb	4	+
w04/d01/Christopher_Lee/cookie_jar/config/database.yml	85	+++++++
w04/d01/Christopher_Lee/cookie_jar/config/environment.rb	5	+
.../Christopher_Lee/cookie_jar/config/environments/development.rb	37	++++
.../Christopher_Lee/cookie_jar/config/environments/production.rb	83	+++++++
w04/d01/Christopher_Lee/cookie_jar/config/environments/test.rb	39	+++++
.../cookie_jar/config/initializers/backtrace_silencers.rb	7	+
.../cookie_jar/config/initializers/cookies_serializer.rb	3	+
.../cookie_jar/config/initializers/filter_parameter_logging.rb	4	+
.../Christopher_Lee/cookie_jar/config/initializers/inflections.rb	16	++
.../Christopher_Lee/cookie_jar/config/initializers/mime_types.rb	4	+
.../cookie_jar/config/initializers/session_store.rb	3	+
.../cookie_jar/config/initializers/wrap_parameters.rb	14	++
w04/d01/Christopher_Lee/cookie_jar/config/locales/en.yml	23	+++

w04/d01/Christopher_Lee/cookie_jar/config/routes.rb	62	++++++
w04/d01/Christopher_Lee/cookie_jar/config/secrets.yml	22	+++
.../cookie_jar/db/migrate/20140512131053_create_cookie_watchers.rb	10	++
w04/d01/Christopher_Lee/cookie_jar/db/schema.rb	26	+++
w04/d01/Christopher_Lee/cookie_jar/db/seeds.rb	18	++
w04/d01/Christopher_Lee/cookie_jar/lib/assets/.keep	0	
w04/d01/Christopher_Lee/cookie_jar/lib/tasks/.keep	0	
w04/d01/Christopher_Lee/cookie_jar/log/.keep	0	
w04/d01/Christopher_Lee/cookie_jar/public/404.html	67	++++++
w04/d01/Christopher_Lee/cookie_jar/public/422.html	67	++++++
w04/d01/Christopher_Lee/cookie_jar/public/500.html	66	++++++
w04/d01/Christopher_Lee/cookie_jar/public/favicon.ico	0	
w04/d01/Christopher_Lee/cookie_jar/public/robots.txt	5	+
w04/d01/Christopher_Lee/cookie_jar/test/controllers/.keep	0	
.../cookie_jar/test/controllers/cookie_watchers_controller_test.rb	9	+
w04/d01/Christopher_Lee/cookie_jar/test/fixtures/.keep	0	
.../Christopher_Lee/cookie_jar/test/fixtures/cookie_watchers.yml	9	+
w04/d01/Christopher_Lee/cookie_jar/test/helpers/.keep	0	
.../cookie_jar/test/helpers/cookie_watchers_helper_test.rb	4	+
w04/d01/Christopher_Lee/cookie_jar/test/integration/.keep	0	
w04/d01/Christopher_Lee/cookie_jar/test/mailers/.keep	0	
w04/d01/Christopher_Lee/cookie_jar/test/models/.keep	0	
.../Christopher_Lee/cookie_jar/test/models/cookie_watcher_test.rb	7	+
w04/d01/Christopher_Lee/cookie_jar/test/test_helper.rb	13	++
w04/d01/Christopher_Lee/cookie_jar/vendor/assets/javascripts/.keep	0	
w04/d01/Christopher_Lee/cookie_jar/vendor/assets/stylesheets/.keep	0	
w04/d01/Christopher_Lee/cookly/.gitignore	16	++
w04/d01/Christopher_Lee/cookly/Gemfile	41	+++++
w04/d01/Christopher_Lee/cookly/Gemfile.lock	137	+++++
w04/d01/Christopher_Lee/cookly/README.rdoc	28	+++
w04/d01/Christopher_Lee/cookly/Rakefile	6	+
w04/d01/Christopher_Lee/cookly/app/assets/images/.keep	0	
.../Christopher_Lee/cookly/app/assets/javascripts/application.js	16	++
.../Christopher_Lee/cookly/app/assets/stylesheets/application.css	15	++
.../cookly/app/controllers/application_controller.rb	5	+
w04/d01/Christopher_Lee/cookly/app/controllers/concerns/.keep	0	
.../Christopher_Lee/cookly/app/controllers/cookbooks_controller.rb	50	+++++
.../Christopher_Lee/cookly/app/controllers/recipes_controller.rb	17	++
w04/d01/Christopher_Lee/cookly/app/helpers/application_helper.rb	2	+
w04/d01/Christopher_Lee/cookly/app/mailers/.keep	0	
w04/d01/Christopher_Lee/cookly/app/models/.keep	0	
w04/d01/Christopher_Lee/cookly/app/models/concerns/.keep	0	
w04/d01/Christopher_Lee/cookly/app/models/cookbook.rb	13	++
w04/d01/Christopher_Lee/cookly/app/models/recipe.rb	3	+
w04/d01/Christopher_Lee/cookly/app/views/cookbooks/index.html.erb	13	++
w04/d01/Christopher_Lee/cookly/app/views/cookbooks/new.html.erb	6	+
w04/d01/Christopher_Lee/cookly/app/views/cookbooks/show.html.erb	19	++
.../Christopher_Lee/cookly/app/views/layouts/application.html.erb	14	++
w04/d01/Christopher_Lee/cookly/bin/bundle	3	+
w04/d01/Christopher_Lee/cookly/bin/rails	8	+
w04/d01/Christopher_Lee/cookly/bin/rake	8	+
w04/d01/Christopher_Lee/cookly/bin/spring	18	++
w04/d01/Christopher_Lee/cookly/config.ru	4	+
w04/d01/Christopher_Lee/cookly/config/application.rb	30	++++
w04/d01/Christopher_Lee/cookly/config/boot.rb	4	+
w04/d01/Christopher_Lee/cookly/config/database.yml	85	+++++
w04/d01/Christopher_Lee/cookly/config/environment.rb	5	+
w04/d01/Christopher_Lee/cookly/config/environments/development.rb	37	++++
w04/d01/Christopher_Lee/cookly/config/environments/production.rb	83	+++++
w04/d01/Christopher_Lee/cookly/config/environments/test.rb	39	+++++
.../cookly/config/initializers/backtrace_silencers.rb	7	+
.../cookly/config/initializers/cookies_serializer.rb	3	+
.../cookly/config/initializers/filter_parameter_logging.rb	4	+
w04/d01/Christopher_Lee/cookly/config/initializers/inflections.rb	16	++
w04/d01/Christopher_Lee/cookly/config/initializers/mime_types.rb	4	+
.../Christopher_Lee/cookly/config/initializers/session_store.rb	3	+
.../Christopher_Lee/cookly/config/initializers/wrap_parameters.rb	14	++
w04/d01/Christopher_Lee/cookly/config/locales/en.yml	23	+++
w04/d01/Christopher_Lee/cookly/config/routes.rb	20	+++
w04/d01/Christopher_Lee/cookly/config/secrets.yml	22	+++

.../cookly/db/migrate/20140512151004_create_cookbooks.rb	12	++
.../cookly/db/migrate/20140512151011_create_recipes.rb	14	++
w04/d01/Christopher_Lee/cookly/db/schema.rb	34	++++
w04/d01/Christopher_Lee/cookly/db/seeds.rb	36	++++
w04/d01/Christopher_Lee/cookly/lib/assets/.keep	0	
w04/d01/Christopher_Lee/cookly/lib/tasks/.keep	0	
w04/d01/Christopher_Lee/cookly/log/.keep	0	
w04/d01/Christopher_Lee/cookly/public/404.html	67	++++++
w04/d01/Christopher_Lee/cookly/public/422.html	67	++++++
w04/d01/Christopher_Lee/cookly/public/500.html	66	++++++
w04/d01/Christopher_Lee/cookly/public/favicon.ico	0	
w04/d01/Christopher_Lee/cookly/public/robots.txt	5	+
w04/d01/Christopher_Lee/cookly/terminal/CooklyTerminal.pdf	Bin 0	-> 56004 bytes
w04/d01/Christopher_Lee/cookly/terminal/ServerLogMorning.pdf	Bin 0	-> 98751 bytes
w04/d01/Christopher_Lee/cookly/vendor/assets/javascripts/.keep	0	
w04/d01/Christopher_Lee/cookly/vendor/assets/stylesheets/.keep	0	
w04/d01/Keyan_Bagheri/cookie_jar/.gitignore	16	++
w04/d01/Keyan_Bagheri/cookie_jar/Gemfile	39	+++++
w04/d01/Keyan_Bagheri/cookie_jar/Gemfile.lock	134	+++++
w04/d01/Keyan_Bagheri/cookie_jar/README.rdoc	28	+++
w04/d01/Keyan_Bagheri/cookie_jar/Rakefile	6	+
w04/d01/Keyan_Bagheri/cookie_jar/app/assets/images/.keep	0	
.../Keyan_Bagheri/cookie_jar/app/assets/javascripts/application.js	16	++
.../cookie_jar/app/assets/stylesheets/application.css	15	++
w04/d01/Keyan_Bagheri/cookie_jar/app/assets/stylesheets/styles.css	43	+++++
.../cookie_jar/app/controllers/application_controller.rb	5	+
w04/d01/Keyan_Bagheri/cookie_jar/app/controllers/concerns/.keep	0	
.../Keyan_Bagheri/cookie_jar/app/controllers/cookies_controller.rb	24	+++
w04/d01/Keyan_Bagheri/cookie_jar/app/helpers/application_helper.rb	2	+
w04/d01/Keyan_Bagheri/cookie_jar/app/mailers/.keep	0	
w04/d01/Keyan_Bagheri/cookie_jar/app/models/.keep	0	
w04/d01/Keyan_Bagheri/cookie_jar/app/models/concerns/.keep	0	
w04/d01/Keyan_Bagheri/cookie_jar/app/models/cookie_watcher.rb	2	+
w04/d01/Keyan_Bagheri/cookie_jar/app/views/cookies/index.html.erb	10	++
.../cookie_jar/app/views/layouts/application.html.erb	14	++
w04/d01/Keyan_Bagheri/cookie_jar/bin/bundle	3	+
w04/d01/Keyan_Bagheri/cookie_jar/bin/rails	8	+
w04/d01/Keyan_Bagheri/cookie_jar/bin/rake	8	+
w04/d01/Keyan_Bagheri/cookie_jar/bin/spring	18	++
w04/d01/Keyan_Bagheri/cookie_jar/config.ru	4	+
w04/d01/Keyan_Bagheri/cookie_jar/config/application.rb	23	+++
w04/d01/Keyan_Bagheri/cookie_jar/config/boot.rb	4	+
w04/d01/Keyan_Bagheri/cookie_jar/config/database.yml	85	+++++
w04/d01/Keyan_Bagheri/cookie_jar/config/environment.rb	5	+
.../Keyan_Bagheri/cookie_jar/config/environments/development.rb	37	++++
w04/d01/Keyan_Bagheri/cookie_jar/config/environments/production.rb	83	+++++
w04/d01/Keyan_Bagheri/cookie_jar/config/environments/test.rb	39	+++++
.../cookie_jar/config/initializers/backtrace_silencers.rb	7	+
.../cookie_jar/config/initializers/cookies_serializer.rb	3	+
.../cookie_jar/config/initializers/filter_parameter_logging.rb	4	+
.../Keyan_Bagheri/cookie_jar/config/initializers/inflections.rb	16	++
w04/d01/Keyan_Bagheri/cookie_jar/config/initializers/mime_types.rb	4	+
.../Keyan_Bagheri/cookie_jar/config/initializers/session_store.rb	3	+
.../cookie_jar/config/initializers/wrap_parameters.rb	14	++
w04/d01/Keyan_Bagheri/cookie_jar/config/locales/en.yml	23	+++
w04/d01/Keyan_Bagheri/cookie_jar/config/routes.rb	58	++++++
w04/d01/Keyan_Bagheri/cookie_jar/config/secrets.yml	22	+++
.../cookie_jar/db/migrate/20140512131319_create_cookie_watchers.rb	10	++
w04/d01/Keyan_Bagheri/cookie_jar/db/schema.rb	26	+++
w04/d01/Keyan_Bagheri/cookie_jar/db/seeds.rb	13	++
w04/d01/Keyan_Bagheri/cookie_jar/lib/assets/.keep	0	
w04/d01/Keyan_Bagheri/cookie_jar/lib/tasks/.keep	0	
w04/d01/Keyan_Bagheri/cookie_jar/log/.keep	0	
w04/d01/Keyan_Bagheri/cookie_jar/public/404.html	67	++++++
w04/d01/Keyan_Bagheri/cookie_jar/public/422.html	67	++++++
w04/d01/Keyan_Bagheri/cookie_jar/public/500.html	66	++++++
w04/d01/Keyan_Bagheri/cookie_jar/public/favicon.ico	0	
w04/d01/Keyan_Bagheri/cookie_jar/public/robots.txt	5	+
w04/d01/Keyan_Bagheri/cookie_jar/test/controllers/.keep	0	
w04/d01/Keyan_Bagheri/cookie_jar/test/fixtures/.keep	0	



w04/d01/Keyan_Bagheri/cookie_jar/test/fixtures/cookie_watchers.yml	9	+
w04/d01/Keyan_Bagheri/cookie_jar/test/helpers/.keep	0	
w04/d01/Keyan_Bagheri/cookie_jar/test/integration/.keep	0	
w04/d01/Keyan_Bagheri/cookie_jar/test/mailers/.keep	0	
w04/d01/Keyan_Bagheri/cookie_jar/test/models/.keep	0	
.../Keyan_Bagheri/cookie_jar/test/models/cookie_watcher_test.rb	7	+
w04/d01/Keyan_Bagheri/cookie_jar/test/test_helper.rb	13	++
w04/d01/Keyan_Bagheri/cookie_jar/vendor/assets/javascripts/.keep	0	
w04/d01/Keyan_Bagheri/cookie_jar/vendor/assets/stylesheets/.keep	0	
w04/d01/Keyan_Bagheri/cookly/.gitignore	16	++
w04/d01/Keyan_Bagheri/cookly/Gemfile	41	+++++
w04/d01/Keyan_Bagheri/cookly/Gemfile.lock	137	+++++
w04/d01/Keyan_Bagheri/cookly/README.rdoc	28	+++
w04/d01/Keyan_Bagheri/cookly/Rakefile	6	+
w04/d01/Keyan_Bagheri/cookly/app/assets/images/.keep	0	
w04/d01/Keyan_Bagheri/cookly/app/assets/javascripts/application.js	16	++
.../Keyan_Bagheri/cookly/app/assets/stylesheets/application.css	15	++
.../Keyan_Bagheri/cookly/app/controllers/application_controller.rb	5	+
w04/d01/Keyan_Bagheri/cookly/app/controllers/concerns/.keep	0	
.../Keyan_Bagheri/cookly/app/controllers/cookbooks_controller.rb	65	+++++
w04/d01/Keyan_Bagheri/cookly/app/controllers/recipes_controller.rb	17	++
w04/d01/Keyan_Bagheri/cookly/app/helpers/application_helper.rb	2	+
w04/d01/Keyan_Bagheri/cookly/app/mailers/.keep	0	
w04/d01/Keyan_Bagheri/cookly/app/models/.keep	0	
w04/d01/Keyan_Bagheri/cookly/app/models/concerns/.keep	0	
w04/d01/Keyan_Bagheri/cookly/app/models/cookbook.rb	13	++
w04/d01/Keyan_Bagheri/cookly/app/models/recipe.rb	3	+
w04/d01/Keyan_Bagheri/cookly/app/views/cookbooks/edit.html.erb	6	+
w04/d01/Keyan_Bagheri/cookly/app/views/cookbooks/index.html.erb	13	++
w04/d01/Keyan_Bagheri/cookly/app/views/cookbooks/new.html.erb	6	+
w04/d01/Keyan_Bagheri/cookly/app/views/cookbooks/show.html.erb	22	+++
.../Keyan_Bagheri/cookly/app/views/layouts/application.html.erb	17	++
w04/d01/Keyan_Bagheri/cookly/bin/bundle	3	+
w04/d01/Keyan_Bagheri/cookly/bin/rails	8	+
w04/d01/Keyan_Bagheri/cookly/bin/rake	8	+
w04/d01/Keyan_Bagheri/cookly/bin/spring	18	++
w04/d01/Keyan_Bagheri/cookly/config.ru	4	+
w04/d01/Keyan_Bagheri/cookly/config/application.rb	30	++++
w04/d01/Keyan_Bagheri/cookly/config/boot.rb	4	+
w04/d01/Keyan_Bagheri/cookly/config/database.yml	85	+++++
w04/d01/Keyan_Bagheri/cookly/config/environment.rb	5	+
w04/d01/Keyan_Bagheri/cookly/config/environments/development.rb	37	++++
w04/d01/Keyan_Bagheri/cookly/config/environments/production.rb	83	+++++
w04/d01/Keyan_Bagheri/cookly/config/environments/test.rb	39	+++++
.../cookly/config/initializers/backtrace_silencers.rb	7	+
.../Keyan_Bagheri/cookly/config/initializers/cookies_serializer.rb	3	+
.../cookly/config/initializers/filter_parameter_logging.rb	4	+
w04/d01/Keyan_Bagheri/cookly/config/initializers/inflections.rb	16	++
w04/d01/Keyan_Bagheri/cookly/config/initializers/mime_types.rb	4	+
w04/d01/Keyan_Bagheri/cookly/config/initializers/session_store.rb	3	+
.../Keyan_Bagheri/cookly/config/initializers/wrap_parameters.rb	14	++
w04/d01/Keyan_Bagheri/cookly/config/locales/en.yml	23	+++
w04/d01/Keyan_Bagheri/cookly/config/routes.rb	24	+++
w04/d01/Keyan_Bagheri/cookly/config/secrets.yml	22	+++
.../cookly/db/migrate/20140512151004_create_cookbooks.rb	12	++
.../cookly/db/migrate/20140512151011_create_recipes.rb	14	++
w04/d01/Keyan_Bagheri/cookly/db/schema.rb	34	++++
w04/d01/Keyan_Bagheri/cookly/db/seeds.rb	36	++++
w04/d01/Keyan_Bagheri/cookly/lib/assets/.keep	0	
w04/d01/Keyan_Bagheri/cookly/lib/tasks/.keep	0	
w04/d01/Keyan_Bagheri/cookly/log/.keep	0	
w04/d01/Keyan_Bagheri/cookly/public/404.html	67	+++++
w04/d01/Keyan_Bagheri/cookly/public/422.html	67	+++++
w04/d01/Keyan_Bagheri/cookly/public/500.html	66	+++++
w04/d01/Keyan_Bagheri/cookly/public/favicon.ico	0	
w04/d01/Keyan_Bagheri/cookly/public/robots.txt	5	+
w04/d01/Keyan_Bagheri/cookly/terminal/CooklyTerminal.pdf	Bin 0	-> 56004 bytes
w04/d01/Keyan_Bagheri/cookly/terminal/ServerLogMorning.pdf	Bin 0	-> 98751 bytes
w04/d01/Keyan_Bagheri/cookly/vendor/assets/javascripts/.keep	0	
w04/d01/Keyan_Bagheri/cookly/vendor/assets/stylesheets/.keep	0	

w04/d01/Keyan_Bagheri/vertebrate/.gitignore	16	++
w04/d01/Keyan_Bagheri/vertebrate/Gemfile	43	+++++
w04/d01/Keyan_Bagheri/vertebrate/Gemfile.lock	138	+++++
w04/d01/Keyan_Bagheri/vertebrate/README.rdoc	28	+++
w04/d01/Keyan_Bagheri/vertebrate/Rakefile	6	+
w04/d01/Keyan_Bagheri/vertebrate/app/assets/images/.keep	0	
.../Keyan_Bagheri/vertebrate/app/assets/images/gliffy_graph.png	Bin 0	-> 30810 bytes
.../Keyan_Bagheri/vertebrate/app/assets/javascripts/application.js	16	++
.../vertebrate/app/assets/stylesheets/application.css	15	++
w04/d01/Keyan_Bagheri/vertebrate/app/assets/stylesheets/styles.css	51	+++++
.../Keyan_Bagheri/vertebrate/app/controllers/animals_controller.rb	53	+++++
.../vertebrate/app/controllers/application_controller.rb	5	+
w04/d01/Keyan_Bagheri/vertebrate/app/controllers/concerns/.keep	0	
.../vertebrate/app/controllers/vertebraes_controller.rb	66	+++++
w04/d01/Keyan_Bagheri/vertebrate/app/helpers/application_helper.rb	2	+
w04/d01/Keyan_Bagheri/vertebrate/app/mailers/.keep	0	
w04/d01/Keyan_Bagheri/vertebrate/app/models/.keep	0	
w04/d01/Keyan_Bagheri/vertebrate/app/models/animal.rb	27	+++
w04/d01/Keyan_Bagheri/vertebrate/app/models/concerns/.keep	0	
w04/d01/Keyan_Bagheri/vertebrate/app/models/vertebrae.rb	28	+++
w04/d01/Keyan_Bagheri/vertebrate/app/views/animals/index.html.erb	11	++
w04/d01/Keyan_Bagheri/vertebrate/app/views/animals/new.html.erb	11	++
w04/d01/Keyan_Bagheri/vertebrate/app/views/animals/show.html.erb	22	+++
w04/d01/Keyan_Bagheri/vertebrate/app/views/animals/update.html.erb	12	++
.../vertebrate/app/views/layouts/application.html.erb	25	+++
.../vertebrate/app/views/vertebraes/_vertebraeform.html.erb	6	+
.../Keyan_Bagheri/vertebrate/app/views/vertebraes/index.html.erb	8	+
w04/d01/Keyan_Bagheri/vertebrate/app/views/vertebraes/new.html.erb	8	+
.../Keyan_Bagheri/vertebrate/app/views/vertebraes/show.html.erb	26	+++
.../Keyan_Bagheri/vertebrate/app/views/vertebraes/update.html.erb	15	++
w04/d01/Keyan_Bagheri/vertebrate/bin/bundle	3	+
w04/d01/Keyan_Bagheri/vertebrate/bin/rails	8	+
w04/d01/Keyan_Bagheri/vertebrate/bin/rake	8	+
w04/d01/Keyan_Bagheri/vertebrate/bin/spring	18	++
w04/d01/Keyan_Bagheri/vertebrate/config.ru	4	+
w04/d01/Keyan_Bagheri/vertebrate/config/application.rb	23	+++
w04/d01/Keyan_Bagheri/vertebrate/config/boot.rb	4	+
w04/d01/Keyan_Bagheri/vertebrate/config/database.yml	26	+++
w04/d01/Keyan_Bagheri/vertebrate/config/environment.rb	5	+
.../Keyan_Bagheri/vertebrate/config/environments/development.rb	37	++++
w04/d01/Keyan_Bagheri/vertebrate/config/environments/production.rb	83	+++++
w04/d01/Keyan_Bagheri/vertebrate/config/environments/test.rb	39	++++
.../vertebrate/config/initializers/backtrace_silencers.rb	7	+
.../vertebrate/config/initializers/cookies_serializer.rb	3	+
.../vertebrate/config/initializers/filter_parameter_logging.rb	4	+
.../Keyan_Bagheri/vertebrate/config/initializers/inflections.rb	16	++
w04/d01/Keyan_Bagheri/vertebrate/config/initializers/mime_types.rb	4	+
.../Keyan_Bagheri/vertebrate/config/initializers/session_store.rb	3	+
.../vertebrate/config/initializers/wrap_parameters.rb	14	++
w04/d01/Keyan_Bagheri/vertebrate/config/locales/en.yml	23	+++
w04/d01/Keyan_Bagheri/vertebrate/config/routes.rb	35	++++
w04/d01/Keyan_Bagheri/vertebrate/config/secrets.yml	22	+++
.../vertebrate/db/migrate/20140512220414_create_vertebraes.rb	11	++
.../vertebrate/db/migrate/20140512220634_create_animals.rb	12	++
w04/d01/Keyan_Bagheri/vertebrate/db/schema.rb	36	++++
w04/d01/Keyan_Bagheri/vertebrate/db/seeds.rb	36	++++
w04/d01/Keyan_Bagheri/vertebrate/lib/assets/.keep	0	
w04/d01/Keyan_Bagheri/vertebrate/lib/tasks/.keep	0	
w04/d01/Keyan_Bagheri/vertebrate/log/.keep	0	
w04/d01/Keyan_Bagheri/vertebrate/public/404.html	67	+++++
w04/d01/Keyan_Bagheri/vertebrate/public/422.html	67	+++++
w04/d01/Keyan_Bagheri/vertebrate/public/500.html	66	+++++
w04/d01/Keyan_Bagheri/vertebrate/public/favicon.ico	0	
w04/d01/Keyan_Bagheri/vertebrate/public/robots.txt	5	+
w04/d01/Keyan_Bagheri/vertebrate/test/controllers/.keep	0	
w04/d01/Keyan_Bagheri/vertebrate/test/fixtures/.keep	0	
w04/d01/Keyan_Bagheri/vertebrate/test/fixtures/animals.yml	13	++
w04/d01/Keyan_Bagheri/vertebrate/test/fixtures/vertebraes.yml	11	++
w04/d01/Keyan_Bagheri/vertebrate/test/fixtures/vertebrata.yml	11	++
w04/d01/Keyan_Bagheri/vertebrate/test/helpers/.keep	0	



w04/d01/Keyan_Bagheri/vertebrate/test/integration/.keep		0
w04/d01/Keyan_Bagheri/vertebrate/test/mailers/.keep		0
w04/d01/Keyan_Bagheri/vertebrate/test/models/.keep		0
w04/d01/Keyan_Bagheri/vertebrate/test/models/animal_test.rb		7 +
w04/d01/Keyan_Bagheri/vertebrate/test/models/vertebrae_test.rb		7 +
w04/d01/Keyan_Bagheri/vertebrate/test/models/vertebrata_test.rb		7 +
w04/d01/Keyan_Bagheri/vertebrate/test/test_helper.rb		13 ++
w04/d01/Keyan_Bagheri/vertebrate/vendor/assets/javascripts/.keep		0
w04/d01/Keyan_Bagheri/vertebrate/vendor/assets/stylesheets/.keep		0
w04/d01/Keyan_Bagheri/vertebrate/vertebrae_controller.rb		0

668 files changed, 12067 insertions(+)

```

create mode 100644 w03/d05/Christopher_Lee/planets_on_rails/app/assets/javascripts/fontdeck.js
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/.gitignore
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/Gemfile
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/Gemfile.lock
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/README.rdoc
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/Rakefile
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/app/assets/images/.keep
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/app/assets/javascripts/application.js
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/app/assets/stylesheets/application.css
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/app/controllers/application_controller.rb
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/app/controllers/concerns/.keep
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/app/controllers/cookie_watchers_controller.rb
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/app/helpers/application_helper.rb
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/app/mailers/.keep
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/app/models/.keep
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/app/models/concerns/.keep
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/app/models/cookie_watcher.rb
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/app/views/layouts/application.html.erb
create mode 100755 w04/d01/Andrew_Wallace/cookie_jar/bin/bundle
create mode 100755 w04/d01/Andrew_Wallace/cookie_jar/bin/rails
create mode 100755 w04/d01/Andrew_Wallace/cookie_jar/bin/rake
create mode 100755 w04/d01/Andrew_Wallace/cookie_jar/bin/spring
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/config.ru
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/config/application.rb
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/config/boot.rb
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/config/database.yml
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/config/environment.rb
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/config/environments/development.rb
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/config/environments/production.rb
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/config/environments/test.rb
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/config/initializers/backtrace_silencers.rb
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/config/initializers/cookies_serializer.rb
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/config/initializers/filter_parameter_logging.rb
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/config/initializers/inflexions.rb
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/config/initializers/mime_types.rb
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/config/initializers/session_store.rb
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/config/initializers/wrap_parameters.rb
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/config/locales/en.yml
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/config/routes.rb
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/config/secrets.yml
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/db/migrate/20140512132223_create_cookie_watchers.rb
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/db/schema.rb
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/db/seeds.rb
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/lib/assets/.keep
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/lib/tasks/.keep
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/log/.keep
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/public/404.html
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/public/422.html
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/public/500.html
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/public/favicon.ico
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/public/robots.txt
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/test/controllers/.keep
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/test/fixtures/.keep
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/test/fixtures/cookie_watchers.yml
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/test/helpers/.keep
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/test/integration/.keep
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/test/mailers/.keep
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/test/models/.keep
create mode 100644 w04/d01/Andrew_Wallace/cookie_jar/test/models/cookie_watcher_test.rb

```

create mode 100644 w04/d01/Andrew\_Wallace/cookie\_jar/test/test\_helper.rb  
create mode 100644 w04/d01/Andrew\_Wallace/cookie\_jar/vendor/assets/javascripts/.keep  
create mode 100644 w04/d01/Andrew\_Wallace/cookie\_jar/vendor/assets/stylesheets/.keep  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/.gitignore  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/Gemfile  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/Gemfile.lock  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/README.rdoc  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/Rakefile  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/app/assets/images/.keep  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/app/assets/javascripts/application.js  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/app/assets/stylesheets/application.css  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/app/controllers/application\_controller.rb  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/app/controllers/concerns/.keep  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/app/controllers/cookbooks\_controller.rb  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/app/controllers/recipes\_controller.rb  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/app/helpers/application\_helper.rb  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/app/mailers/.keep  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/app/models/.keep  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/app/models/concerns/.keep  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/app/models/cookbook.rb  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/app/models/recipe.rb  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/app/views/cookbooks/\_cookbookform.html.erb  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/app/views/cookbooks/edit.html.erb  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/app/views/cookbooks/index.html.erb  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/app/views/cookbooks/new.html.erb  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/app/views/cookbooks/show.html.erb  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/app/views/layouts/application.html.erb  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/app/views/recipes/\_recipeform.html.erb  
create mode 100755 w04/d01/Andrew\_Wallace/cookly/bin/bundle  
create mode 100755 w04/d01/Andrew\_Wallace/cookly/bin/rails  
create mode 100755 w04/d01/Andrew\_Wallace/cookly/bin/rake  
create mode 100755 w04/d01/Andrew\_Wallace/cookly/bin/spring  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/config.ru  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/config/application.rb  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/config/boot.rb  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/config/database.yml  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/config/environment.rb  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/config/environments/development.rb  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/config/environments/production.rb  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/config/environments/test.rb  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/config/initializers/backtrace\_silencers.rb  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/config/initializers/cookies\_serializer.rb  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/config/initializers/filter\_parameter\_logging.rb  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/config/initializers/inflections.rb  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/config/initializers/mime\_types.rb  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/config/initializers/session\_store.rb  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/config/initializers/wrap\_parameters.rb  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/config/locales/en.yml  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/config/routes.rb  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/config/secrets.yml  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/db/migrate/20140512151004\_create\_cookbooks.rb  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/db/migrate/20140512151011\_create\_recipes.rb  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/db/schema.rb  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/db/seeds.rb  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/lib/assets/.keep  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/lib/tasks/.keep  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/log/.keep  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/public/404.html  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/public/422.html  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/public/500.html  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/public/favicon.ico  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/public/robots.txt  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/terminal/CooklyTerminal.pdf  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/terminal/ServerLogMorning.pdf  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/vendor/assets/javascripts/.keep  
create mode 100644 w04/d01/Andrew\_Wallace/cookly/vendor/assets/stylesheets/.keep  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/.gitignore  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/Gemfile  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/Gemfile.lock  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/README.rdoc

create mode 100644 w04/d01/Andrew\_Wallace/devicr/Rakefile  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/app/assets/images/.keep  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/app/assets/javascripts/application.js  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/app/assets/stylesheets/application.css  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/app/controllers/application\_controller.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/app/controllers/concerns/.keep  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/app/controllers/users\_controller.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/app/helpers/application\_helper.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/app/mailers/.keep  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/app/models/.keep  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/app/models/concerns/.keep  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/app/models/device.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/app/models/user.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/app/views/layouts/application.html.erb  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/app/views/users/index.html.erb  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/app/views/users/show.html.erb  
create mode 100755 w04/d01/Andrew\_Wallace/devicr/bin/bundle  
create mode 100755 w04/d01/Andrew\_Wallace/devicr/bin/rails  
create mode 100755 w04/d01/Andrew\_Wallace/devicr/bin/rake  
create mode 100755 w04/d01/Andrew\_Wallace/devicr/bin/spring  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/config.ru  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/config/application.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/config/boot.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/config/database.yml  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/config/environment.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/config/environments/development.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/config/environments/production.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/config/environments/test.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/config/initializers/backtrace\_silencers.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/config/initializers/cookies\_serializer.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/config/initializers/filter\_parameter\_logging.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/config/initializers/inflections.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/config/initializers/mime\_types.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/config/initializers/session\_store.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/config/initializers/wrap\_parameters.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/config/locales/en.yml  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/config/routes.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/config/secrets.yml  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/db/migrate/20140513031012\_create\_users.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/db/migrate/20140513031211\_create\_devices.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/db/schema.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/db/seeds.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/lib/assets/.keep  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/lib/tasks/.keep  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/log/.keep  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/public/404.html  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/public/422.html  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/public/500.html  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/public/favicon.ico  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/public/robots.txt  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/test/controllers/.keep  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/test/fixtures/.keep  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/test/fixtures/devices.yml  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/test/fixtures/users.yml  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/test/helpers/.keep  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/test/integration/.keep  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/test/mailers/.keep  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/test/models/.keep  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/test/models/device\_test.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/test/models/user\_test.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/test/test\_helper.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/vendor/assets/javascripts/.keep  
create mode 100644 w04/d01/Andrew\_Wallace/devicr/vendor/assets/stylesheets/.keep  
create mode 100644 w04/d01/Andrew\_Wallace/devman/.gitignore  
create mode 100644 w04/d01/Andrew\_Wallace/devman/Gemfile  
create mode 100644 w04/d01/Andrew\_Wallace/devman/Gemfile.lock  
create mode 100644 w04/d01/Andrew\_Wallace/devman/README.rdoc  
create mode 100644 w04/d01/Andrew\_Wallace/devman/Rakefile  
create mode 100644 w04/d01/Andrew\_Wallace/devman/app/assets/images/.keep  
create mode 100644 w04/d01/Andrew\_Wallace/devman/app/assets/javascripts/application.js

create mode 100644 w04/d01/Andrew\_Wallace/devman/app/assets/stylesheets/application.css  
create mode 100644 w04/d01/Andrew\_Wallace/devman/app/controllers/application\_controller.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devman/app/controllers/concerns/.keep  
create mode 100644 w04/d01/Andrew\_Wallace/devman/app/controllers/devices\_controller.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devman/app/controllers/users\_controller.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devman/app/helpers/application\_helper.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devman/app/mailers/.keep  
create mode 100644 w04/d01/Andrew\_Wallace/devman/app/models/.keep  
create mode 100644 w04/d01/Andrew\_Wallace/devman/app/models/concerns/.keep  
create mode 100644 w04/d01/Andrew\_Wallace/devman/app/models/device.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devman/app/models/user.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devman/app/views/index.html.erb  
create mode 100644 w04/d01/Andrew\_Wallace/devman/app/views/layouts/application.html.erb  
create mode 100644 w04/d01/Andrew\_Wallace/devman/app/views/new.html.erb  
create mode 100644 w04/d01/Andrew\_Wallace/devman/app/views/users/edit.html.erb  
create mode 100644 w04/d01/Andrew\_Wallace/devman/app/views/users/index.html.erb  
create mode 100644 w04/d01/Andrew\_Wallace/devman/app/views/users/new.html.erb  
create mode 100644 w04/d01/Andrew\_Wallace/devman/app/views/users/show.html.erb  
create mode 100755 w04/d01/Andrew\_Wallace/devman/bin/bundle  
create mode 100755 w04/d01/Andrew\_Wallace/devman/bin/rails  
create mode 100755 w04/d01/Andrew\_Wallace/devman/bin/rake  
create mode 100755 w04/d01/Andrew\_Wallace/devman/bin/spring  
create mode 100644 w04/d01/Andrew\_Wallace/devman/config.ru  
create mode 100644 w04/d01/Andrew\_Wallace/devman/config/application.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devman/config/boot.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devman/config/database.yml  
create mode 100644 w04/d01/Andrew\_Wallace/devman/config/environment.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devman/config/environments/development.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devman/config/environments/production.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devman/config/environments/test.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devman/config/initializers/backtrace\_silencers.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devman/config/initializers/cookies\_serializer.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devman/config/initializers/filter\_parameter\_logging.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devman/config/initializers/inflections.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devman/config/initializers/mime\_types.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devman/config/initializers/session\_store.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devman/config/initializers/wrap\_parameters.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devman/config/locales/en.yml  
create mode 100644 w04/d01/Andrew\_Wallace/devman/config/routes.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devman/config/secrets.yml  
create mode 100644 w04/d01/Andrew\_Wallace/devman/db/migrate/20140512222335\_create\_users.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devman/db/migrate/20140512222425\_create\_devices.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devman/db/schema.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devman/db/seeds.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devman/lib/assets/.keep  
create mode 100644 w04/d01/Andrew\_Wallace/devman/lib/tasks/.keep  
create mode 100644 w04/d01/Andrew\_Wallace/devman/log/.keep  
create mode 100644 w04/d01/Andrew\_Wallace/devman/public/404.html  
create mode 100644 w04/d01/Andrew\_Wallace/devman/public/422.html  
create mode 100644 w04/d01/Andrew\_Wallace/devman/public/500.html  
create mode 100644 w04/d01/Andrew\_Wallace/devman/public/favicon.ico  
create mode 100644 w04/d01/Andrew\_Wallace/devman/public/robots.txt  
create mode 100644 w04/d01/Andrew\_Wallace/devman/test/controllers/.keep  
create mode 100644 w04/d01/Andrew\_Wallace/devman/test/fixtures/.keep  
create mode 100644 w04/d01/Andrew\_Wallace/devman/test/fixtures/devices.yml  
create mode 100644 w04/d01/Andrew\_Wallace/devman/test/fixtures/users.yml  
create mode 100644 w04/d01/Andrew\_Wallace/devman/test/helpers/.keep  
create mode 100644 w04/d01/Andrew\_Wallace/devman/test/integration/.keep  
create mode 100644 w04/d01/Andrew\_Wallace/devman/test/mailers/.keep  
create mode 100644 w04/d01/Andrew\_Wallace/devman/test/models/.keep  
create mode 100644 w04/d01/Andrew\_Wallace/devman/test/models/device\_test.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devman/test/models/user\_test.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devman/test/test\_helper.rb  
create mode 100644 w04/d01/Andrew\_Wallace/devman/vendor/assets/javascripts/.keep  
create mode 100644 w04/d01/Andrew\_Wallace/devman/vendor/assets/stylesheets/.keep  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/.gitignore  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/Chris\_Lee\_ERD.png  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/Gemfile  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/Gemfile.lock  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/README.rdoc

create mode 100644 w04/d01/Christopher\_Lee/company\_app/Rakefile  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/app/assets/images/.keep  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/app/assets/javascripts/application.js  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/app/assets/stylesheets/application.css  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/app/controllers/application\_controller.rb  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/app/controllers/companies\_controller.rb  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/app/controllers/concerns/.keep  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/app/controllers/products\_controller.rb  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/app/helpers/application\_helper.rb  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/app/mailers/.keep  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/app/models/.keep  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/app/models/company.rb  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/app/models/concerns/.keep  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/app/models/product.rb  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/app/views/companies/edit.html.erb  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/app/views/companies/index.html.erb  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/app/views/companies/show.html.erb  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/app/views/layouts/application.html.erb  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/app/views/products/\_productform.html.erb  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/app/views/products/edit.html.erb  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/app/views/products/new.html.erb  
create mode 100755 w04/d01/Christopher\_Lee/company\_app/bin/bundle  
create mode 100755 w04/d01/Christopher\_Lee/company\_app/bin/rails  
create mode 100755 w04/d01/Christopher\_Lee/company\_app/bin/rake  
create mode 100755 w04/d01/Christopher\_Lee/company\_app/bin/spring  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/config.ru  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/config/application.rb  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/config/boot.rb  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/config/database.yml  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/config/environment.rb  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/config/environments/development.rb  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/config/environments/production.rb  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/config/environments/test.rb  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/config/initializers/backtrace\_silencers.rb  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/config/initializers/cookies\_serializer.rb  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/config/initializers/filter\_parameter\_logging.rb  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/config/initializers/inflections.rb  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/config/initializers/mime\_types.rb  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/config/initializers/session\_store.rb  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/config/initializers/wrap\_parameters.rb  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/config/locales/en.yml  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/config/routes.rb  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/config/secrets.yml  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/db/migrate/20140512232803\_create\_companies.rb  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/db/migrate/20140512232831\_create\_products.rb  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/db/schema.rb  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/db/seeds.rb  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/lib/assets/.keep  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/lib/tasks/.keep  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/log/.keep  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/public/404.html  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/public/422.html  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/public/500.html  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/public/favicon.ico  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/public/robots.txt  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/test/controllers/.keep  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/test/fixtures/.keep  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/test/fixtures/companies.yml  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/test/fixtures/products.yml  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/test/helpers/.keep  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/test/integration/.keep  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/test/mailers/.keep  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/test/models/.keep  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/test/models/company\_test.rb  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/test/models/product\_test.rb  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/test/test\_helper.rb  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/vendor/assets/javascripts/.keep  
create mode 100644 w04/d01/Christopher\_Lee/company\_app/vendor/assets/stylesheets/.keep  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/.gitignore  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/Gemfile



create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/Gemfile.lock  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/README.rdoc  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/Rakefile  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/app/assets/images/.keep  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/app/assets/javascripts/application.js  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/app/assets/javascripts/cookie\_watchers.js.coffee  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/app/assets/stylesheets/application.css  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/app/assets/stylesheets/cookie\_watchers.css.scss  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/app/controllers/application\_controller.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/app/controllers/concerns/.keep  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/app/controllers/cookie\_watchers\_controller.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/app/helpers/application\_helper.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/app/helpers/cookie\_watchers\_helper.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/app/mailers/.keep  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/app/models/.keep  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/app/models/concerns/.keep  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/app/models/cookie\_watcher.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/app/views/cookie\_watchers/index.html.erb  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/app/views/layouts/application.html.erb  
create mode 100755 w04/d01/Christopher\_Lee/cookie\_jar/bin/bundle  
create mode 100755 w04/d01/Christopher\_Lee/cookie\_jar/bin/rails  
create mode 100755 w04/d01/Christopher\_Lee/cookie\_jar/bin/rake  
create mode 100755 w04/d01/Christopher\_Lee/cookie\_jar/bin/spring  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/config.ru  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/config/application.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/config/boot.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/config/database.yml  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/config/environment.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/config/environments/development.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/config/environments/production.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/config/environments/test.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/config/initializers/backtrace\_silencers.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/config/initializers/cookies\_serializer.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/config/initializers/filter\_parameter\_logging.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/config/initializers/inflections.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/config/initializers/mime\_types.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/config/initializers/session\_store.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/config/initializers/wrap\_parameters.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/config/locales/en.yml  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/config/routes.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/config/secrets.yml  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/db/migrate/20140512131053\_create\_cookie\_watchers.r

b

create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/db/schema.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/db/seeds.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/lib/assets/.keep  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/lib/tasks/.keep  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/log/.keep  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/public/404.html  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/public/422.html  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/public/500.html  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/public/favicon.ico  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/public/robots.txt  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/test/controllers/.keep  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/test/controllers/cookie\_watchers\_controller\_test.r

b

create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/test/fixtures/.keep  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/test/fixtures/cookie\_watchers.yml  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/test/helpers/.keep  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/test/helpers/cookie\_watchers\_helper\_test.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/test/integration/.keep  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/test/mailers/.keep  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/test/models/.keep  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/test/models/cookie\_watcher\_test.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/test/test\_helper.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/vendor/assets/javascripts/.keep  
create mode 100644 w04/d01/Christopher\_Lee/cookie\_jar/vendor/assets/stylesheets/.keep  
create mode 100644 w04/d01/Christopher\_Lee/cookly/.gitignore  
create mode 100644 w04/d01/Christopher\_Lee/cookly/Gemfile  
create mode 100644 w04/d01/Christopher\_Lee/cookly/Gemfile.lock

create mode 100644 w04/d01/Christopher\_Lee/cookly/README.rdoc  
create mode 100644 w04/d01/Christopher\_Lee/cookly/Rakefile  
create mode 100644 w04/d01/Christopher\_Lee/cookly/app/assets/images/.keep  
create mode 100644 w04/d01/Christopher\_Lee/cookly/app/assets/javascripts/application.js  
create mode 100644 w04/d01/Christopher\_Lee/cookly/app/assets/stylesheets/application.css  
create mode 100644 w04/d01/Christopher\_Lee/cookly/app/controllers/application\_controller.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookly/app/controllers/concerns/.keep  
create mode 100644 w04/d01/Christopher\_Lee/cookly/app/controllers/cookbooks\_controller.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookly/app/controllers/recipes\_controller.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookly/app/helpers/application\_helper.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookly/app/mailers/.keep  
create mode 100644 w04/d01/Christopher\_Lee/cookly/app/models/.keep  
create mode 100644 w04/d01/Christopher\_Lee/cookly/app/models/concerns/.keep  
create mode 100644 w04/d01/Christopher\_Lee/cookly/app/models/cookbook.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookly/app/models/recipe.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookly/app/views/cookbooks/index.html.erb  
create mode 100644 w04/d01/Christopher\_Lee/cookly/app/views/cookbooks/new.html.erb  
create mode 100644 w04/d01/Christopher\_Lee/cookly/app/views/cookbooks/show.html.erb  
create mode 100644 w04/d01/Christopher\_Lee/cookly/app/views/layouts/application.html.erb  
create mode 100755 w04/d01/Christopher\_Lee/cookly/bin/bundle  
create mode 100755 w04/d01/Christopher\_Lee/cookly/bin/rails  
create mode 100755 w04/d01/Christopher\_Lee/cookly/bin/rake  
create mode 100755 w04/d01/Christopher\_Lee/cookly/bin/spring  
create mode 100644 w04/d01/Christopher\_Lee/cookly/config.ru  
create mode 100644 w04/d01/Christopher\_Lee/cookly/config/application.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookly/config/boot.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookly/config/database.yml  
create mode 100644 w04/d01/Christopher\_Lee/cookly/config/environment.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookly/config/environments/development.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookly/config/environments/production.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookly/config/environments/test.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookly/config/initializers/backtrace\_silencers.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookly/config/initializers/cookies\_serializer.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookly/config/initializers/filter\_parameter\_logging.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookly/config/initializers/inflections.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookly/config/initializers/mime\_types.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookly/config/initializers/session\_store.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookly/config/initializers/wrap\_parameters.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookly/config/locales/en.yml  
create mode 100644 w04/d01/Christopher\_Lee/cookly/config/routes.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookly/config/secrets.yml  
create mode 100644 w04/d01/Christopher\_Lee/cookly/db/migrate/20140512151004\_create\_cookbooks.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookly/db/migrate/20140512151011\_create\_recipes.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookly/db/schema.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookly/db/seeds.rb  
create mode 100644 w04/d01/Christopher\_Lee/cookly/lib/assets/.keep  
create mode 100644 w04/d01/Christopher\_Lee/cookly/lib/tasks/.keep  
create mode 100644 w04/d01/Christopher\_Lee/cookly/log/.keep  
create mode 100644 w04/d01/Christopher\_Lee/cookly/public/404.html  
create mode 100644 w04/d01/Christopher\_Lee/cookly/public/422.html  
create mode 100644 w04/d01/Christopher\_Lee/cookly/public/500.html  
create mode 100644 w04/d01/Christopher\_Lee/cookly/public/favicon.ico  
create mode 100644 w04/d01/Christopher\_Lee/cookly/public/robots.txt  
create mode 100644 w04/d01/Christopher\_Lee/cookly/terminal/CooklyTerminal.pdf  
create mode 100644 w04/d01/Christopher\_Lee/cookly/terminal/ServerLogMorning.pdf  
create mode 100644 w04/d01/Christopher\_Lee/cookly/vendor/assets/javascripts/.keep  
create mode 100644 w04/d01/Christopher\_Lee/cookly/vendor/assets/stylesheets/.keep  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/.gitignore  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/Gemfile  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/Gemfile.lock  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/README.rdoc  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/Rakefile  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/app/assets/images/.keep  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/app/assets/javascripts/application.js  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/app/assets/stylesheets/application.css  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/app/assets/stylesheets/styles.css  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/app/controllers/application\_controller.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/app/controllers/concerns/.keep  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/app/controllers/cookies\_controller.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/app/helpers/application\_helper.rb

create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/app/mailers/.keep  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/app/models/.keep  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/app/models/concerns/.keep  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/app/models/cookie\_watcher.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/app/views/cookies/index.html.erb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/app/views/layouts/application.html.erb  
create mode 100755 w04/d01/Keyan\_Bagheri/cookie\_jar/bin/bundle  
create mode 100755 w04/d01/Keyan\_Bagheri/cookie\_jar/bin/rails  
create mode 100755 w04/d01/Keyan\_Bagheri/cookie\_jar/bin/rake  
create mode 100755 w04/d01/Keyan\_Bagheri/cookie\_jar/bin/spring  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/config.ru  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/config/application.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/config/boot.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/config/database.yml  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/config/environment.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/config/environments/development.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/config/environments/production.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/config/environments/test.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/config/initializers/backtrace\_silencers.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/config/initializers/cookies\_serializer.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/config/initializers/filter\_parameter\_logging.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/config/initializers/inflections.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/config/initializers/mime\_types.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/config/initializers/session\_store.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/config/initializers/wrap\_parameters.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/config/locales/en.yml  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/config/routes.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/config/secrets.yml  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/db/migrate/20140512131319\_create\_cookie\_watchers.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/db/schema.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/db/seeds.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/lib/assets/.keep  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/lib/tasks/.keep  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/log/.keep  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/public/404.html  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/public/422.html  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/public/500.html  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/public/favicon.ico  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/public/robots.txt  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/test/controllers/.keep  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/test/fixtures/.keep  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/test/fixtures/cookie\_watchers.yml  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/test/helpers/.keep  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/test/integration/.keep  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/test/mailers/.keep  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/test/models/.keep  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/test/models/cookie\_watcher\_test.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/test/test\_helper.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/vendor/assets/javascripts/.keep  
create mode 100644 w04/d01/Keyan\_Bagheri/cookie\_jar/vendor/assets/stylesheets/.keep  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/.gitignore  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/Gemfile  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/Gemfile.lock  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/README.rdoc  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/Rakefile  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/app/assets/images/.keep  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/app/assets/javascripts/application.js  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/app/assets/stylesheets/application.css  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/app/controllers/application\_controller.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/app/controllers/concerns/.keep  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/app/controllers/cookbooks\_controller.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/app/controllers/recipes\_controller.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/app/helpers/application\_helper.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/app/mailers/.keep  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/app/models/.keep  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/app/models/concerns/.keep  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/app/models/cookbook.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/app/models/recipe.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/app/views/cookbooks/edit.html.erb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/app/views/cookbooks/index.html.erb

create mode 100644 w04/d01/Keyan\_Bagheri/cookly/app/views/cookbooks/new.html.erb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/app/views/cookbooks/show.html.erb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/app/views/layouts/application.html.erb  
create mode 100755 w04/d01/Keyan\_Bagheri/cookly/bin/bundle  
create mode 100755 w04/d01/Keyan\_Bagheri/cookly/bin/rails  
create mode 100755 w04/d01/Keyan\_Bagheri/cookly/bin/rake  
create mode 100755 w04/d01/Keyan\_Bagheri/cookly/bin/spring  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/config.ru  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/config/application.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/config/boot.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/config/database.yml  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/config/environment.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/config/environments/development.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/config/environments/production.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/config/environments/test.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/config/initializers/backtrace\_silencers.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/config/initializers/cookies\_serializer.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/config/initializers/filter\_parameter\_logging.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/config/initializers/inflexions.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/config/initializers/mime\_types.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/config/initializers/session\_store.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/config/initializers/wrap\_parameters.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/config/locales/en.yml  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/config/routes.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/config/secrets.yml  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/db/migrate/20140512151004\_create\_cookbooks.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/db/migrate/20140512151011\_create\_recipes.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/db/schema.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/db/seeds.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/lib/assets/.keep  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/lib/tasks/.keep  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/log/.keep  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/public/404.html  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/public/422.html  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/public/500.html  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/public/favicon.ico  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/public/robots.txt  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/terminal/CooklyTerminal.pdf  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/terminal/ServerLogMorning.pdf  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/vendor/assets/javascripts/.keep  
create mode 100644 w04/d01/Keyan\_Bagheri/cookly/vendor/assets/stylesheets/.keep  
create mode 100644 w04/d01/Keyan\_Bagheri/vertebrate/.gitignore  
create mode 100644 w04/d01/Keyan\_Bagheri/vertebrate/Gemfile  
create mode 100644 w04/d01/Keyan\_Bagheri/vertebrate/Gemfile.lock  
create mode 100644 w04/d01/Keyan\_Bagheri/vertebrate/README.rdoc  
create mode 100644 w04/d01/Keyan\_Bagheri/vertebrate/Rakefile  
create mode 100644 w04/d01/Keyan\_Bagheri/vertebrate/app/assets/images/.keep  
create mode 100644 w04/d01/Keyan\_Bagheri/vertebrate/app/assets/images/gliffy\_graph.png  
create mode 100644 w04/d01/Keyan\_Bagheri/vertebrate/app/assets/javascripts/application.js  
create mode 100644 w04/d01/Keyan\_Bagheri/vertebrate/app/assets/stylesheets/application.css  
create mode 100644 w04/d01/Keyan\_Bagheri/vertebrate/app/assets/stylesheets/styles.css  
create mode 100644 w04/d01/Keyan\_Bagheri/vertebrate/app/controllers/animals\_controller.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/vertebrate/app/controllers/application\_controller.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/vertebrate/app/controllers/concerns/.keep  
create mode 100644 w04/d01/Keyan\_Bagheri/vertebrate/app/controllers/vertebraes\_controller.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/vertebrate/app/helpers/application\_helper.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/vertebrate/app/mailers/.keep  
create mode 100644 w04/d01/Keyan\_Bagheri/vertebrate/app/models/.keep  
create mode 100644 w04/d01/Keyan\_Bagheri/vertebrate/app/models/animal.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/vertebrate/app/models/concerns/.keep  
create mode 100644 w04/d01/Keyan\_Bagheri/vertebrate/app/models/vertebrae.rb  
create mode 100644 w04/d01/Keyan\_Bagheri/vertebrate/app/views/animals/index.html.erb  
create mode 100644 w04/d01/Keyan\_Bagheri/vertebrate/app/views/animals/new.html.erb  
create mode 100644 w04/d01/Keyan\_Bagheri/vertebrate/app/views/animals/show.html.erb  
create mode 100644 w04/d01/Keyan\_Bagheri/vertebrate/app/views/animals/update.html.erb  
create mode 100644 w04/d01/Keyan\_Bagheri/vertebrate/app/views/layouts/application.html.erb  
create mode 100644 w04/d01/Keyan\_Bagheri/vertebrate/app/views/vertebraes/\_vertebraeform.html.erb  
create mode 100644 w04/d01/Keyan\_Bagheri/vertebrate/app/views/vertebraes/index.html.erb  
create mode 100644 w04/d01/Keyan\_Bagheri/vertebrate/app/views/vertebraes/new.html.erb  
create mode 100644 w04/d01/Keyan\_Bagheri/vertebrate/app/views/vertebraes/show.html.erb

```

create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/app/views/vertebraes/update.html.erb
create mode 100755 w04/d01/Keyan_Bagheri/vertebrate/bin/bundle
create mode 100755 w04/d01/Keyan_Bagheri/vertebrate/bin/rails
create mode 100755 w04/d01/Keyan_Bagheri/vertebrate/bin/rake
create mode 100755 w04/d01/Keyan_Bagheri/vertebrate/bin/spring
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/config.ru
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/config/application.rb
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/config/boot.rb
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/config/database.yml
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/config/environment.rb
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/config/environments/development.rb
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/config/environments/production.rb
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/config/environments/test.rb
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/config/initializers/backtrace_silencers.rb
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/config/initializers/cookies_serializer.rb
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/config/initializers/filter_parameter_logging.rb
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/config/initializers/inflections.rb
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/config/initializers/mime_types.rb
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/config/initializers/session_store.rb
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/config/initializers/wrap_parameters.rb
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/config/locales/en.yml
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/config/routes.rb
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/config/secrets.yml
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/db/migrate/20140512220414_create_vertebraes.rb
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/db/migrate/20140512220634_create_animals.rb
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/db/schema.rb
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/db/seeds.rb
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/lib/assets/.keep
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/lib/tasks/.keep
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/log/.keep
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/public/404.html
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/public/422.html
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/public/500.html
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/public/favicon.ico
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/public/robots.txt
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/test/controllers/.keep
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/test/fixtures/.keep
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/test/fixtures/animals.yml
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/test/fixtures/vertebraes.yml
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/test/fixtures/vertebrata.yml
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/test/helpers/.keep
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/test/integration/.keep
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/test/mailers/.keep
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/test/models/.keep
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/test/models/animal_test.rb
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/test/models/vertebrae_test.rb
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/test/models/vertebrata_test.rb
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/test/test_helper.rb
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/vendor/assets/javascripts/.keep
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/vendor/assets/stylesheets/.keep
create mode 100644 w04/d01/Keyan_Bagheri/vertebrate/vertebrae_controller.rb

```

```
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!$]
```

```
$ git_sync "implemented the portions join table and ingredient model"
```

```
On branch master
```

```
Changes not staged for commit:
```

```
    modified:   ../../../../w03/d05/INSTRUCTORS/crayonr/app/views/crayons/index.html.erb
```

```
no changes added to commit
```

```
Counting objects: 68, done.
```

```
Delta compression using up to 4 threads.
```

```
Compressing objects: 100% (49/49), done.
```

```
Writing objects: 100% (52/52), 9.35 KiB | 0 bytes/s, done.
```

```
Total 52 (delta 13), reused 0 (delta 0)
```

```
To git@github.com:ga-students/WDI_NYC_Apr14_String.git
```

```
c7c78c8..7be7bca master -> master
```

```
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!$]
```

```
$
```

```
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!$]
```

```
$ rails c
```

```
Loading development environment (Rails 4.1.0)
```

```

ap gem not found. Try typing 'gem install awesome_print' to get super-fancy output.
[1] pry(main)> r1 = Recipe.first
Recipe Load (0.7ms) SELECT "recipes".* FROM "recipes" ORDER BY "recipes"."id" ASC LIMIT 1
=> #<Recipe id: 3002, title: "Delectus quis sit.", content: "Qui at fugiat. Et eum pariatur omnis numquam
ea qu...", cookbook_id: 303, created_at: "2014-05-13 19:15:13", updated_at: "2014-05-13 19:15:13">
[2] pry(main)> r1.ingredients
Ingredient Load (0.5ms) SELECT "ingredients".* FROM "ingredients" INNER JOIN "portions" ON "ingredient
s"."id" = "portions"."ingredient_id" WHERE "portions"."recipe_id" = $1 [["recipe_id", 3002]]
=> [#<Ingredient id: 1, name: "eggs">, #<Ingredient id: 6, name: "bacon">]
[3] pry(main)> r1.ingredients.first
=> #<Ingredient id: 1, name: "eggs">
[4] pry(main)> r1.ingredients.first.name
=> "eggs"
[5] pry(main)> r1.ingredients.each do |ingredient|
[5] pry(main)* puts ingredient.name
[5] pry(main)* end
eggs
bacon
=> [#<Ingredient id: 1, name: "eggs">, #<Ingredient id: 6, name: "bacon">]
[6] pry(main)> exit
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$

```

```

omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$ rake db:seed
rake aborted!
ActiveRecord::AssociationTypeMismatch: Ingredient(#70272634617680) expected, got String(#70272610975860)
/Users/omardelarosa/Dropbox/Code/WDI/wdi-string/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2/db/seeds
.rb:53:in `block (3 levels) in <top (required)>'
/Users/omardelarosa/Dropbox/Code/WDI/wdi-string/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2/db/seeds
.rb:52:in `times'
/Users/omardelarosa/Dropbox/Code/WDI/wdi-string/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2/db/seeds
.rb:52:in `block (2 levels) in <top (required)>'
/Users/omardelarosa/Dropbox/Code/WDI/wdi-string/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2/db/seeds
.rb:43:in `times'
/Users/omardelarosa/Dropbox/Code/WDI/wdi-string/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2/db/seeds
.rb:43:in `block in <top (required)>'
/Users/omardelarosa/Dropbox/Code/WDI/wdi-string/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2/db/seeds
.rb:32:in `times'
/Users/omardelarosa/Dropbox/Code/WDI/wdi-string/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2/db/seeds
.rb:32:in `<top (required)>'
Tasks: TOP => db:seed
(See full trace by running task with --trace)
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$

```

```

omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$ rake db:seed
rake aborted!
NoMethodError: undefined method `pop' for #<Ingredient::ActiveRecord_Relation:0x007f91043bffa0>
/Users/omardelarosa/Dropbox/Code/WDI/wdi-string/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2/db/seeds
.rb:53:in `block (3 levels) in <top (required)>'
/Users/omardelarosa/Dropbox/Code/WDI/wdi-string/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2/db/seeds
.rb:52:in `times'
/Users/omardelarosa/Dropbox/Code/WDI/wdi-string/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2/db/seeds
.rb:52:in `block (2 levels) in <top (required)>'
/Users/omardelarosa/Dropbox/Code/WDI/wdi-string/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2/db/seeds
.rb:43:in `times'
/Users/omardelarosa/Dropbox/Code/WDI/wdi-string/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2/db/seeds
.rb:43:in `block in <top (required)>'
/Users/omardelarosa/Dropbox/Code/WDI/wdi-string/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2/db/seeds
.rb:32:in `times'
/Users/omardelarosa/Dropbox/Code/WDI/wdi-string/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2/db/seeds
.rb:32:in `<top (required)>'
Tasks: TOP => db:seed

```



(See full trace by running task with --trace)

```
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]  
$
```

```
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]  
$ rake db:seed  
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]  
$ rails c  
Loading development environment (Rails 4.1.0)  
ap gem not found. Try typing 'gem install awesome_print' to get super-fancy output.  
[1] pry(main)> Ingredient.find_by_name("eggs")  
Ingredient Load (18.6ms) SELECT "ingredients".* FROM "ingredients" WHERE "ingredients"."name" = 'eggs'  
s' LIMIT 1  
=> #<Ingredient id: 1, name: "eggs">  
[2] pry(main)> Ingredient.find_by_name("eggos")  
Ingredient Load (0.3ms) SELECT "ingredients".* FROM "ingredients" WHERE "ingredients"."name" = 'eggos'  
s' LIMIT 1  
=> nil  
[3] pry(main)> exit  
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]  
$ rails c  
Loading development environment (Rails 4.1.0)  
ap gem not found. Try typing 'gem install awesome_print' to get super-fancy output.  
[1] pry(main)>
```

```
[1] pry(main)> r1 = Recipe.first  
Recipe Load (0.6ms) SELECT "recipes".* FROM "recipes" ORDER BY "recipes"."id" ASC LIMIT 1  
=> #<Recipe id: 4004, title: "Voluptatum et cumque eum.", content: "Accusamus sunt iste. Quisquam saepe c  
onsequatur di...", cookbook_id: 403, created_at: "2014-05-13 20:01:47", updated_at: "2014-05-13 20:01:47"  
>  
[2] pry(main)> r1.add_portion(5, "eggs")  
Ingredient Load (0.5ms) SELECT "ingredients".* FROM "ingredients" WHERE "ingredients"."name" = 'eggs'  
' LIMIT 1  
NoMethodError: undefined method `portions' for #<Class:0x007fc9230bcbf8>  
from /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/activerecord-4.1.0/lib/activ  
e_record/dynamic_matchers.rb:26:in `method_missing'  
[3] pry(main)> exit  
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]  
$
```

```
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]  
$ rails c  
Loading development environment (Rails 4.1.0)  
ap gem not found. Try typing 'gem install awesome_print' to get super-fancy output.  
[1] pry(main)> r1 = Recipe.first  
Recipe Load (0.6ms) SELECT "recipes".* FROM "recipes" ORDER BY "recipes"."id" ASC LIMIT 1  
=> #<Recipe id: 4004, title: "Voluptatum et cumque eum.", content: "Accusamus sunt iste. Quisquam saepe c  
onsequatur di...", cookbook_id: 403, created_at: "2014-05-13 20:01:47", updated_at: "2014-05-13 20:01:47"
```

```

>
[2] pry(main)> r1.add_portion(5,"eggs")
  Ingredient Load (0.8ms) SELECT "ingredients".* FROM "ingredients" WHERE "ingredients"."name" = 'eggs'
  LIMIT 1
  (0.2ms) BEGIN
  SQL (0.4ms) INSERT INTO "portions" ("ingredient_id", "quantity") VALUES ($1, $2) RETURNING "id" [{"in
  gredient_id", 1}, [{"quantity", 5}]
  (0.8ms) COMMIT
  (0.1ms) BEGIN
  SQL (0.2ms) UPDATE "portions" SET "recipe_id" = $1 WHERE "portions"."id" = 3003 [{"recipe_id", 4004}]
  (0.3ms) COMMIT
  Portion Load (1.0ms) SELECT "portions".* FROM "portions" WHERE "portions"."recipe_id" = $1 [{"recipe
  _id", 4004}]
=> [#<Portion id: 3, recipe_id: 4004, ingredient_id: 24, quantity: nil>,
  #<Portion id: 4, recipe_id: 4004, ingredient_id: 23, quantity: nil>,
  #<Portion id: 5, recipe_id: 4004, ingredient_id: 22, quantity: nil>,
  #<Portion id: 3003, recipe_id: 4004, ingredient_id: 1, quantity: 5>]
[3] pry(main)> r1.portions.last
=> #<Portion id: 3003, recipe_id: 4004, ingredient_id: 1, quantity: 5>
[4] pry(main)> r1.portions.last.ingredient.name
=> "eggs"
[5] pry(main)> r1.portions.last.quantity
=> 5
[6] pry(main)> exit
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$ rake db:seed
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$ rails g migration add_column_unit_to_portions
  invoke active_record
  create db/migrate/20140513201914_add_column_unit_to_portions.rb
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$ rake db:migrate
== 20140513201914 AddColumnUnitToPortions: migrating =====
-- add_column(:portions, :unit, :string)
   -> 0.0011s
== 20140513201914 AddColumnUnitToPortions: migrated (0.0011s) =====

omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$ rake db:seed
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$

```