

```
Last login: Tue May 13 11:45:50 on ttys000
omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?$]
$ rails s
=> Booting WEBrick
=> Rails 4.1.0 application starting in development on http://0.0.0.0:3000
=> Run `rails server -h` for more startup options
=> Notice: server is listening on all interfaces (0.0.0.0). Consider using 127.0.0.1 (--binding option)
=> Ctrl-C to shutdown server
[2014-05-13 11:51:26] INFO WEBrick 1.3.1
[2014-05-13 11:51:26] INFO ruby 1.9.3 (2013-06-27) [x86_64-darwin13.1.0]
[2014-05-13 11:51:26] INFO WEBrick::HTTPServer#start: pid=65598 port=3000

Started GET "/cookbooks" for 127.0.0.1 at 2014-05-13 11:51:47 -0400
ActiveRecord::SchemaMigration Load (0.3ms) SELECT "schema_migrations".* FROM "schema_migrations"
Processing by CookbooksController#index as HTML
  Rendered cookbooks/_cookbookform.html.erb (1092.5ms)
  Cookbook Load (1.8ms) SELECT "cookbooks".* FROM "cookbooks" ORDER BY "cookbooks"."id" DESC
  Rendered cookbooks/index.html.erb within layouts/application (1103.4ms)
Completed 200 OK in 1177ms (Views: 1146.0ms | ActiveRecord: 3.0ms)

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 11:51:48 -0400
[2014-05-13 11:51:48] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 11:51:48 -0400
[2014-05-13 11:51:48] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 11:51:48 -0400
[2014-05-13 11:51:48] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 11:51:48 -0400
[2014-05-13 11:51:48] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 11:51:48 -0400
[2014-05-13 11:51:48] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true
[2014-05-13 11:51:48] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/cookbooks/18" for 127.0.0.1 at 2014-05-13 11:51:50 -0400
Processing by CookbooksController#show as HTML
  Parameters: {"id"=>"18"}
  Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = $1 LIMIT 1 [{"id", 18}]
  Rendered recipes/_recipeform.html.erb (10.6ms)
  Recipe Load (1.7ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."cookbook_id" = $1 ORDER BY "recipes"."id" DESC [{"cookbook_id", 18}]
  Rendered cookbooks/show.html.erb within layouts/application (42.0ms)
Completed 200 OK in 84ms (Views: 70.1ms | ActiveRecord: 3.9ms)

Started GET "/cookbooks/18/edit" for 127.0.0.1 at 2014-05-13 11:51:54 -0400
Processing by CookbooksController#edit as HTML
  Parameters: {"id"=>"18"}
  Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = $1 LIMIT 1 [{"id", 18}]
  Rendered cookbooks/_cookbookform.html.erb (2.9ms)
Completed 200 OK in 7ms (Views: 4.7ms | ActiveRecord: 0.3ms)
```

Started GET "/cookbooks/18/edit" for 127.0.0.1 at 2014-05-13 11:51:54 -0400
Processing by CookbooksController#edit as HTML
Parameters: {"id"=>"18"}
Cookbook Load (0.7ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = \$1 LIMIT 1 [["id", 18]]
Rendered cookbooks/_cookbookform.html.erb (1.8ms)
Completed 200 OK in 8ms (Views: 3.8ms | ActiveRecord: 0.7ms)
[2014-05-13 11:51:54] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started PATCH "/cookbooks/18" for 127.0.0.1 at 2014-05-13 11:51:58 -0400
Processing by CookbooksController#update as HTML
Parameters: {"utf8"=>"✓", "authenticity_token"=>"hL6sYdpinC10cl1xICsSsz25LtpSMk85tAFG6QL8spM=", "cookbook"=>{"title"=>"Better Name", "description"=>"Voluptatem cum dolore sequi et est. Ea praesentium tenetur maiores vel ipsam porro. Error consectetur in deserunt unde architecto sed voluptatem. Officia eum aliquam dolorem omnis veritatis ut. Distinctio suscipit cum ut consequuntur voluptas exercitationem. Et aut enim consequatur repellendus. Culpa necessitatibus aut molestiae et optio deserunt incidunt. Ex laudantium nemo est itaque. Sed sunt omnis reiciendis placeat aut reprehenderit quaerat. Debitis veniam deleniti dolore consequatur."}, "commit"=>"Update Cookbook", "id"=>"18"}
Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = \$1 LIMIT 1 [["id", 18]]
(0.1ms) BEGIN
SQL (0.3ms) UPDATE "cookbooks" SET "title" = \$1, "updated_at" = \$2 WHERE "cookbooks"."id" = 18 [["title", "Better Name"], ["updated_at", "2014-05-13 15:51:58.287547"]]
(5.8ms) COMMIT
Redirected to http://localhost:3000/cookbooks/18
Completed 302 Found in 11ms (ActiveRecord: 6.5ms)

Started GET "/cookbooks/18" for 127.0.0.1 at 2014-05-13 11:51:58 -0400
Processing by CookbooksController#show as HTML
Parameters: {"id"=>"18"}
Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = \$1 LIMIT 1 [["id", 18]]
Rendered recipes/_recipeform.html.erb (2.1ms)
Recipe Load (0.5ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."cookbook_id" = \$1 ORDER BY "recipes"."id" DESC [["cookbook_id", 18]]
Rendered cookbooks/show.html.erb within layouts/application (9.8ms)
Completed 200 OK in 16ms (Views: 13.8ms | ActiveRecord: 0.7ms)

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 11:51:58 -0400
[2014-05-13 11:51:58] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 11:51:58 -0400
[2014-05-13 11:51:58] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 11:51:58 -0400
[2014-05-13 11:51:58] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 11:51:58 -0400
[2014-05-13 11:51:58] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 11:51:58 -0400
[2014-05-13 11:51:58] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/cookbooks/18" for 127.0.0.1 at 2014-05-13 11:53:11 -0400
Processing by CookbooksController#show as HTML
Parameters: {"id"=>"18"}

```
Cookbook Load (1.0ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = $1 LIMIT 1 [["id", 18]]
Rendered recipes/_recipeform.html.erb (4.7ms)
Recipe Load (0.7ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."cookbook_id" = $1 ORDER BY "recipes"."id" DESC [["cookbook_id", 18]]
Rendered cookbooks/show.html.erb within layouts/application (12.5ms)
Completed 200 OK in 31ms (Views: 17.7ms | ActiveRecord: 4.4ms)
[2014-05-13 11:53:11] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true
```

```
Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 11:53:11 -0400
[2014-05-13 11:53:11] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true
```

```
Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 11:53:11 -0400
[2014-05-13 11:53:11] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true
```

```
Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 11:53:11 -0400
[2014-05-13 11:53:11] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true
```

```
Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 11:53:11 -0400
[2014-05-13 11:53:11] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true
```

```
Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 11:53:11 -0400
[2014-05-13 11:53:11] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true
[2014-05-13 11:53:11] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true
```

```
Started GET "/cookbooks" for 127.0.0.1 at 2014-05-13 11:53:13 -0400
Processing by CookbooksController#index as HTML
Rendered cookbooks/_cookbookform.html.erb (1.7ms)
Cookbook Load (0.6ms) SELECT "cookbooks".* FROM "cookbooks" ORDER BY "cookbooks"."id" DESC
Rendered cookbooks/index.html.erb within layouts/application (9.5ms)
Completed 200 OK in 17ms (Views: 15.8ms | ActiveRecord: 0.6ms)
```

```
Started POST "/cookbooks" for 127.0.0.1 at 2014-05-13 11:53:24 -0400
Processing by CookbooksController#create as HTML
Parameters: {"utf8"=>"✓", "authenticity_token"=>"hL6sYdpinC10cl1xICsSsz25LtpSMk85tAFG6QL8spM=", "cookbook"=>{"title"=>"My New Cookbook", "description"=>"JJJJ"}, "commit"=>"Create Cookbook"}
(0.1ms) BEGIN
SQL (0.3ms) INSERT INTO "cookbooks" ("created_at", "description", "title", "updated_at") VALUES ($1, $2, $3, $4) RETURNING "id" [["created_at", "2014-05-13 15:53:24.308128"], ["description", "JJJJ"], ["title", "My New Cookbook"], ["updated_at", "2014-05-13 15:53:24.308128"]]
(6.2ms) COMMIT
Redirected to http://localhost:3000/cookbooks
Completed 302 Found in 10ms (ActiveRecord: 6.6ms)
```

```
Started GET "/cookbooks" for 127.0.0.1 at 2014-05-13 11:53:24 -0400
Processing by CookbooksController#index as HTML
Rendered cookbooks/_cookbookform.html.erb (1.4ms)
Cookbook Load (0.5ms) SELECT "cookbooks".* FROM "cookbooks" ORDER BY "cookbooks"."id" DESC
Rendered cookbooks/index.html.erb within layouts/application (6.5ms)
Completed 200 OK in 43ms (Views: 41.0ms | ActiveRecord: 0.5ms)
```

```
Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 11:53:24 -0400
[2014-05-13 11:53:24] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true
```

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 11:53:24 -0400
[2014-05-13 11:53:24] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 11:53:24 -0400
[2014-05-13 11:53:24] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 11:53:24 -0400
[2014-05-13 11:53:24] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 11:53:24 -0400
[2014-05-13 11:53:24] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/cookbooks/102" for 127.0.0.1 at 2014-05-13 11:53:27 -0400
Processing by CookbooksController#show as HTML
Parameters: {"id"=>"102"}
Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = \$1 LIMIT 1 [["id", 102]]
Rendered recipes/_recipeform.html.erb (1.4ms)
Recipe Load (0.7ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."cookbook_id" = \$1 ORDER BY "recipes"."id" DESC [["cookbook_id", 102]]
Rendered cookbooks/show.html.erb within layouts/application (4.2ms)
Completed 200 OK in 12ms (Views: 8.7ms | ActiveRecord: 1.0ms)

Started GET "/cookbooks" for 127.0.0.1 at 2014-05-13 12:12:18 -0400
ActiveRecord::SchemaMigration Load (0.2ms) SELECT "schema_migrations".* FROM "schema_migrations"
Processing by CookbooksController#index as HTML
Rendered cookbooks/_cookbookform.html.erb (6.9ms)
Cookbook Load (6.8ms) SELECT "cookbooks".* FROM "cookbooks" ORDER BY "cookbooks"."id" DESC
Rendered cookbooks/index.html.erb within layouts/application (21.3ms)
Completed 200 OK in 41ms (Views: 22.5ms | ActiveRecord: 11.2ms)
[2014-05-13 12:12:18] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/cookbooks" for 127.0.0.1 at 2014-05-13 12:12:36 -0400
Processing by CookbooksController#index as HTML
Rendered cookbooks/_cookbookform.html.erb (1.7ms)
Cookbook Load (0.6ms) SELECT "cookbooks".* FROM "cookbooks" ORDER BY "cookbooks"."id" DESC
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 7]]
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 3]]
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 9]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 7]]
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 11]]
Chef Load (0.3ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 6]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 6]]
Chef Load (0.3ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 10]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 6]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 9]]
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 4]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 7]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 11]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 3]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 3]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 3]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 11]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 4]]
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 8]]
Chef Load (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 5]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 3]]

[illegible]


```
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 5]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 7]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 4]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 9]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 10]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 3]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 6]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 2]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 4]]
```

Rendered cookbooks/index.html.erb within layouts/application (90.7ms)

Completed 200 OK in 99ms (Views: 91.8ms | ActiveRecord: 5.0ms)

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 12:12:36 -0400

[2014-05-13 12:12:36] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 12:12:36 -0400

[2014-05-13 12:12:36] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 12:12:36 -0400

[2014-05-13 12:12:36] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 12:12:36 -0400

[2014-05-13 12:12:36] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 12:12:36 -0400

[2014-05-13 12:12:36] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/cookbooks" for 127.0.0.1 at 2014-05-13 12:12:55 -0400

Processing by CookbooksController#index as HTML

Rendered cookbooks/_cookbookform.html.erb (1.4ms)

```
Cookbook Load (0.6ms) SELECT "cookbooks".* FROM "cookbooks" ORDER BY "cookbooks"."id" DESC
Chef Load (0.3ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 7]]
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 3]]
Chef Load (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 9]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 7]]
Chef Load (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 11]]
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 6]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 6]]
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 10]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 6]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 9]]
Chef Load (0.3ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 4]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 7]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 11]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 3]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 3]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 3]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 11]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 11]]
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 8]]
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 5]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 3]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 4]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 5]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 5]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 6]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 5]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 3]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 6]]
```

[illegible]

```
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 2}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 4}]
Rendered cookbooks/index.html.erb within layouts/application (64.8ms)
Completed 200 OK in 72ms (Views: 66.6ms | ActiveRecord: 3.9ms)
```

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 12:12:55 -0400
[2014-05-13 12:12:55] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 12:12:55 -0400
[2014-05-13 12:12:55] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 12:12:55 -0400
[2014-05-13 12:12:55] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 12:12:55 -0400
[2014-05-13 12:12:55] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 12:12:55 -0400
[2014-05-13 12:12:55] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/"chefs" for 127.0.0.1 at 2014-05-13 12:16:52 -0400
Processing by ChefsController#index as HTML
Completed 500 Internal Server Error in 6ms

ActionView::MissingTemplate (Missing template chefs/index, application/index with {:locale=>[:en], :formats=>[:html], :variants=>[], :handlers=>[:erb, :builder, :raw, :ruby, :jbuilder, :coffee]}. Searched in:
* "/Users/omardelarosa/Dropbox/Code/WDI/wdi-string/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2/app/views"
):

```
actionview (4.1.0) lib/action_view/path_set.rb:46:in `find'
actionview (4.1.0) lib/action_view/lookup_context.rb:124:in `find'
actionview (4.1.0) lib/action_view/renderer/abstract_renderer.rb:18:in `find_template'
actionview (4.1.0) lib/action_view/renderer/template_renderer.rb:41:in `determine_template'
actionview (4.1.0) lib/action_view/renderer/template_renderer.rb:8:in `render'
actionview (4.1.0) lib/action_view/renderer/renderer.rb:42:in `render_template'
actionview (4.1.0) lib/action_view/renderer/renderer.rb:23:in `render'
actionview (4.1.0) lib/action_view/rendering.rb:99:in `_render_template'
actionpack (4.1.0) lib/action_controller/metal/streaming.rb:217:in `_render_template'
actionview (4.1.0) lib/action_view/rendering.rb:82:in `render_to_body'
actionpack (4.1.0) lib/action_controller/metal/rendering.rb:32:in `render_to_body'
actionpack (4.1.0) lib/action_controller/metal/renderers.rb:32:in `render_to_body'
actionpack (4.1.0) lib/abstract_controller/rendering.rb:25:in `render'
actionpack (4.1.0) lib/action_controller/metal/rendering.rb:16:in `render'
actionpack (4.1.0) lib/action_controller/metal/instrumentation.rb:41:in `block (2 levels) in render'
activesupport (4.1.0) lib/active_support/core_ext/benchmark.rb:12:in `block in ms'
/Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/benchmark.rb:295:in `realtime'
activesupport (4.1.0) lib/active_support/core_ext/benchmark.rb:12:in `ms'
actionpack (4.1.0) lib/action_controller/metal/instrumentation.rb:41:in `block in render'
actionpack (4.1.0) lib/action_controller/metal/instrumentation.rb:84:in `cleanup_view_runtime'
activerecord (4.1.0) lib/active_record/railties/controller_runtime.rb:25:in `cleanup_view_runtime'
actionpack (4.1.0) lib/action_controller/metal/instrumentation.rb:40:in `render'
actionpack (4.1.0) lib/action_controller/metal/implicit_render.rb:10:in `default_render'
actionpack (4.1.0) lib/action_controller/metal/implicit_render.rb:5:in `send_action'
actionpack (4.1.0) lib/abstract_controller/base.rb:189:in `process_action'
actionpack (4.1.0) lib/action_controller/metal/rendering.rb:10:in `process_action'
actionpack (4.1.0) lib/abstract_controller/callbacks.rb:20:in `block in process_action'
activesupport (4.1.0) lib/active_support/callbacks.rb:113:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:113:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:229:in `block in halting'
```



```
activesupport (4.1.0) lib/active_support/callbacks.rb:229:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:229:in `block in halting'
activesupport (4.1.0) lib/active_support/callbacks.rb:166:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:166:in `block in halting'
activesupport (4.1.0) lib/active_support/callbacks.rb:166:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:166:in `block in halting'
activesupport (4.1.0) lib/active_support/callbacks.rb:166:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:166:in `block in halting'
activesupport (4.1.0) lib/active_support/callbacks.rb:86:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:86:in `run_callbacks'
actionpack (4.1.0) lib/abstract_controller/callbacks.rb:19:in `process_action'
actionpack (4.1.0) lib/action_controller/metal/rescue.rb:29:in `process_action'
actionpack (4.1.0) lib/action_controller/metal/instrumentation.rb:31:in `block in process_action'
activesupport (4.1.0) lib/active_support/notifications.rb:159:in `block in instrument'
activesupport (4.1.0) lib/active_support/notifications/instrumenter.rb:20:in `instrument'
activesupport (4.1.0) lib/active_support/notifications.rb:159:in `instrument'
actionpack (4.1.0) lib/action_controller/metal/instrumentation.rb:30:in `process_action'
actionpack (4.1.0) lib/action_controller/metal/params_wrapper.rb:250:in `process_action'
activerecord (4.1.0) lib/active_record/railties/controller_runtime.rb:18:in `process_action'
actionpack (4.1.0) lib/abstract_controller/base.rb:136:in `process'
actionview (4.1.0) lib/action_view/rendering.rb:30:in `process'
actionpack (4.1.0) lib/action_controller/metal.rb:195:in `dispatch'
actionpack (4.1.0) lib/action_controller/metal/rack_delegation.rb:13:in `dispatch'
actionpack (4.1.0) lib/action_controller/metal.rb:231:in `block in action'
actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:80:in `call'
actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:80:in `dispatch'
actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:48:in `call'
actionpack (4.1.0) lib/action_dispatch/journey/router.rb:71:in `block in call'
actionpack (4.1.0) lib/action_dispatch/journey/router.rb:59:in `each'
actionpack (4.1.0) lib/action_dispatch/journey/router.rb:59:in `call'
actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:676:in `call'
rack (1.5.2) lib/rack/etag.rb:23:in `call'
rack (1.5.2) lib/rack/conditionalget.rb:25:in `call'
rack (1.5.2) lib/rack/head.rb:11:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/params_parser.rb:27:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/flash.rb:254:in `call'
rack (1.5.2) lib/rack/session/abstract/id.rb:225:in `context'
rack (1.5.2) lib/rack/session/abstract/id.rb:220:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/cookies.rb:560:in `call'
activerecord (4.1.0) lib/active_record/query_cache.rb:36:in `call'
activerecord (4.1.0) lib/active_record/connection_adapters/abstract/connection_pool.rb:621:in `call'
activerecord (4.1.0) lib/active_record/migration.rb:380:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/callbacks.rb:29:in `block in call'
activesupport (4.1.0) lib/active_support/callbacks.rb:82:in `run_callbacks'
actionpack (4.1.0) lib/action_dispatch/middleware/callbacks.rb:27:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/reloader.rb:73:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/remote_ip.rb:76:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/debug_exceptions.rb:17:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/show_exceptions.rb:30:in `call'
railties (4.1.0) lib/rails/rack/logger.rb:38:in `call_app'
railties (4.1.0) lib/rails/rack/logger.rb:20:in `block in call'
activesupport (4.1.0) lib/active_support/tagged_logging.rb:68:in `block in tagged'
activesupport (4.1.0) lib/active_support/tagged_logging.rb:26:in `tagged'
activesupport (4.1.0) lib/active_support/tagged_logging.rb:68:in `tagged'
railties (4.1.0) lib/rails/rack/logger.rb:20:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/request_id.rb:21:in `call'
rack (1.5.2) lib/rack/methodoverride.rb:21:in `call'
rack (1.5.2) lib/rack/runtime.rb:17:in `call'
activesupport (4.1.0) lib/active_support/cache/strategy/local_cache_middleware.rb:26:in `call'
rack (1.5.2) lib/rack/lock.rb:17:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/static.rb:64:in `call'
rack (1.5.2) lib/rack/sendfile.rb:112:in `call'
railties (4.1.0) lib/rails/engine.rb:514:in `call'
railties (4.1.0) lib/rails/application.rb:144:in `call'
rack (1.5.2) lib/rack/lock.rb:17:in `call'
rack (1.5.2) lib/rack/content_length.rb:14:in `call'
rack (1.5.2) lib/rack/handler/webrick.rb:60:in `service'
/Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/httpserver.rb:138:in `service'
/Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/httpserver.rb:94:in `run'
/Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/server.rb:191:in `block in start_
```

thread'

Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/action_dispatch/middleware/templates/rescues/missing_template.html.erb within rescues/layout (0.6ms)
[2014-05-13 12:16:52] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/" for 127.0.0.1 at 2014-05-13 12:16:56 -0400

Processing by CookbooksController#index as HTML

Rendered cookbooks/_cookbookform.html.erb (5.0ms)

Cookbook Load (0.5ms) SELECT "cookbooks".* FROM "cookbooks" ORDER BY "cookbooks"."id" DESC

Chef Load (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 7]]

Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 3]]

Chef Load (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 9]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 7]]

Chef Load (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 11]]

Chef Load (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 6]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 6]]

Chef Load (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 10]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 6]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 9]]

Chef Load (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 4]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 7]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 11]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 3]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 3]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 11]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 4]]

Chef Load (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 8]]

Chef Load (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 5]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 3]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 4]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 5]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 5]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 6]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 5]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 3]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 6]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 5]]

Chef Load (0.3ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 2]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 4]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 3]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 7]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 6]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 11]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 2]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 8]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 5]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 2]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 6]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 11]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 5]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 8]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 10]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 8]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 6]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 11]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 7]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 6]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 3]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 2]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 10]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 9]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 9]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 3]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 8]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 3]]

```
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 9]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 11]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 11]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 10]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 6]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 8]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 6]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 9]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 6]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 9]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 8]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 9]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 8]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 9]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 4]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 5]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 7]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 9]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 8]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 3]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 8]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 7]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 11]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 7]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 9]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 2]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 9]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 10]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 10]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 6]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 8]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 3]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 2]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 9]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 7]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 5]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 5]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 7]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 4]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 9]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 10]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 3]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 6]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 2]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 4]]
Rendered cookbooks/index.html.erb within layouts/application (89.9ms)
Completed 200 OK in 101ms (Views: 90.0ms | ActiveRecord: 5.1ms)
```

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 12:16:57 -0400
[2014-05-13 12:16:57] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 12:16:57 -0400
[2014-05-13 12:16:57] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 12:16:57 -0400
[2014-05-13 12:16:57] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 12:16:57 -0400
[2014-05-13 12:16:57] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 12:16:57 -0400
[2014-05-13 12:16:57] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true


```
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 9}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 6}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 9}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 8}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 9}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 4}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 5}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 7}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 9}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 8}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 3}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 8}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 7}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 11}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 7}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 9}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 2}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 9}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 10}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 10}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 6}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 8}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 3}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 2}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 9}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 7}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 5}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 5}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 7}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 4}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 9}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 10}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 3}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 6}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 2}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 4}]
```

Rendered cookbooks/index.html.erb within layouts/application (53.8ms)

Completed 200 OK in 59ms (Views: 54.2ms | ActiveRecord: 3.6ms)

[2014-05-13 12:17:31] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 12:17:31 -0400

[2014-05-13 12:17:31] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 12:17:31 -0400

[2014-05-13 12:17:31] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 12:17:31 -0400

[2014-05-13 12:17:31] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 12:17:31 -0400

[2014-05-13 12:17:31] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 12:17:31 -0400

[2014-05-13 12:17:31] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/chefs" for 127.0.0.1 at 2014-05-13 12:17:34 -0400

Processing by ChefsController#index as HTML

Rendered chefs/index.html.erb within layouts/application (0.5ms)

Completed 200 OK in 9ms (Views: 8.2ms | ActiveRecord: 0.0ms)

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 12:17:34 -0400
[2014-05-13 12:17:34] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 12:17:34 -0400
[2014-05-13 12:17:34] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 12:17:34 -0400
[2014-05-13 12:17:34] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 12:17:34 -0400
[2014-05-13 12:17:34] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 12:17:34 -0400
[2014-05-13 12:17:34] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/cookbooks" for 127.0.0.1 at 2014-05-13 12:17:37 -0400

Processing by CookbooksController#index as HTML

Rendered cookbooks/_cookbookform.html.erb (2.3ms)

```
Cookbook Load (0.9ms) SELECT "cookbooks".* FROM "cookbooks" ORDER BY "cookbooks"."id" DESC
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 7]]
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 3]]
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 9]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 7]]
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 11]]
Chef Load (0.3ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 6]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 6]]
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 10]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 6]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 9]]
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 4]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 7]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 11]]
CACHE (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 3]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 3]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 3]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 11]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 4]]
Chef Load (0.5ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 8]]
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 5]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 3]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 4]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 5]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 5]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 6]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 5]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 3]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 6]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 5]]
Chef Load (1.3ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 2]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 4]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 3]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 7]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 6]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 11]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 2]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 8]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 5]]
```



```
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 9}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 4}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 5}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 7}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 9}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 8}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 3}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 8}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 7}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 11}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 7}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 9}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 2}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 9}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 10}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 10}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 6}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 8}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 3}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 2}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 9}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 7}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 5}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 5}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 7}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 4}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 9}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 10}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 3}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 6}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 2}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 4}]
Rendered cookbooks/index.html.erb within layouts/application (60.1ms)
Completed 200 OK in 67ms (Views: 61.5ms | ActiveRecord: 3.8ms)
```

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 12:18:04 -0400
[2014-05-13 12:18:04] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 12:18:04 -0400
[2014-05-13 12:18:04] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 12:18:04 -0400
[2014-05-13 12:18:04] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 12:18:04 -0400
[2014-05-13 12:18:04] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 12:18:04 -0400
[2014-05-13 12:18:04] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/"chefs" for 127.0.0.1 at 2014-05-13 12:18:05 -0400
Processing by ChefsController#index as HTML
Rendered chefs/index.html.erb within layouts/application (0.5ms)
Completed 200 OK in 6ms (Views: 5.6ms | ActiveRecord: 0.0ms)

Started GET "/cookbooks" for 127.0.0.1 at 2014-05-13 12:18:08 -0400
Processing by CookbooksController#index as HTML
Rendered cookbooks/_cookbookform.html.erb (2.1ms)

[illegible]


```

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 4]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 5]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 7]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 9]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 8]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 3]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 8]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 7]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 11]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 7]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 9]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 2]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 9]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 10]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 10]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 6]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 8]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 3]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 2]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 9]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 7]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 5]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 5]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 7]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 4]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 9]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 10]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 3]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 6]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 2]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 4]]

```

Rendered cookbooks/index.html.erb within layouts/application (113.3ms)

Completed 200 OK in 122ms (Views: 112.9ms | ActiveRecord: 6.5ms)

[2014-05-13 12:18:08] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/chefs" for 127.0.0.1 at 2014-05-13 12:18:08 -0400

Processing by ChefsController#index as HTML

Rendered chefs/index.html.erb within layouts/application (0.1ms)

Completed 200 OK in 6ms (Views: 4.9ms | ActiveRecord: 0.0ms)

[2014-05-13 12:18:08] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/chefs" for 127.0.0.1 at 2014-05-13 12:18:14 -0400

Processing by ChefsController#index as HTML

Rendered chefs/index.html.erb within layouts/application (0.0ms)

Completed 200 OK in 5ms (Views: 4.2ms | ActiveRecord: 0.0ms)

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 12:18:14 -0400

[2014-05-13 12:18:14] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 12:18:14 -0400

[2014-05-13 12:18:14] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 12:18:14 -0400

[2014-05-13 12:18:14] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 12:18:14 -0400

[2014-05-13 12:18:14] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 12:18:14 -0400
[2014-05-13 12:18:14] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/chefs" for 127.0.0.1 at 2014-05-13 12:20:17 -0400
Processing by ChefsController#index as HTML
Rendered chefs/index.html.erb within layouts/application (1.8ms)
Completed 500 Internal Server Error in 6ms

ActionView::Template::Error (undefined method `each' for nil:NilClass):
1: <h2>Chefs</h2>
2: <ul class="chefs">
3: <% @chefs.each do |chef| %>
4:
5: <h4><%= link_to chef.name, "/chefs/#{chef.id}" %></h4>
6: <p>
app/views/chefs/index.html.erb:3:in `_app_views_chefs_index_html_erb__3876241222857389394_70133987441400'

Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/action_dispatch/middleware/templates/rescues/_trace.html.erb (1.0ms)
Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/action_dispatch/middleware/templates/rescues/_request_and_response.html.erb (0.8ms)
Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/action_dispatch/middleware/templates/rescues/template_error.html.erb within rescues/layout (13.7ms)
[2014-05-13 12:20:17] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/chefs" for 127.0.0.1 at 2014-05-13 12:20:52 -0400
Processing by ChefsController#index as HTML
Chef Load (0.4ms) SELECT "chefs".* FROM "chefs"
Rendered chefs/index.html.erb within layouts/application (6.5ms)
Completed 200 OK in 17ms (Views: 11.1ms | ActiveRecord: 2.0ms)

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 12:20:52 -0400
[2014-05-13 12:20:52] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 12:20:52 -0400
[2014-05-13 12:20:52] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 12:20:52 -0400
[2014-05-13 12:20:52] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 12:20:52 -0400
[2014-05-13 12:20:52] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 12:20:52 -0400
[2014-05-13 12:20:52] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/chefs" for 127.0.0.1 at 2014-05-13 12:20:58 -0400
Processing by ChefsController#index as HTML
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs"
Rendered chefs/index.html.erb within layouts/application (4.3ms)
Completed 200 OK in 11ms (Views: 7.3ms | ActiveRecord: 1.3ms)
[2014-05-13 12:20:58] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

e response or set Response#chunked = true

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 12:20:58 -0400
[2014-05-13 12:20:58] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 12:20:58 -0400
[2014-05-13 12:20:58] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 12:20:58 -0400
[2014-05-13 12:20:58] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 12:20:58 -0400
[2014-05-13 12:20:58] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 12:20:58 -0400
[2014-05-13 12:20:58] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/chefs" for 127.0.0.1 at 2014-05-13 12:22:36 -0400
Processing by ChefsController#index as HTML
 Chef Load (0.3ms) SELECT "chefs".* FROM "chefs"
 Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = \$1 [["chef_id", 2]]
 Rendered chefs/index.html.erb within layouts/application (18.0ms)
Completed 500 Internal Server Error in 21ms

ActionView::Template::Error (undefined method `name' for #<Cookbook:0x007f92aeeacc50>):
5: <h4><%= link_to chef.name, "/chefs/#{chef.id}" %></h4>
6: <p>
7: <% chef.cookbooks.each do |cookbook| %>
8: <%= cookbook.name %>
9: <% end %>
10: </p>
11:
app/views/chefs/index.html.erb:8:in `block (2 levels) in _app_views_chefs_index_html_erb__3876241222857389394_70133988205240'
app/views/chefs/index.html.erb:7:in `block in _app_views_chefs_index_html_erb__3876241222857389394_70133988205240'
app/views/chefs/index.html.erb:3:in `_app_views_chefs_index_html_erb__3876241222857389394_70133988205240'
0'

Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/action_dispatch/middleware/templates/rescues/_trace.html.erb (1.5ms)
 Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/action_dispatch/middleware/templates/rescues/_request_and_response.html.erb (0.8ms)
 Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/action_dispatch/middleware/templates/rescues/template_error.html.erb within rescues/layout (14.3ms)

Started GET "/chefs" for 127.0.0.1 at 2014-05-13 12:22:45 -0400
Processing by ChefsController#index as HTML
 Chef Load (0.2ms) SELECT "chefs".* FROM "chefs"
 Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = \$1 [["chef_id", 2]]
 Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = \$1 [["chef_id", 3]]
 Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = \$1 [["chef_id", 4]]
 Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = \$1 [["chef_id", 5]]

```
_id", 5]]
  Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [["chef
_id", 6]]
  Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [["chef
_id", 7]]
  Cookbook Load (0.4ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [["chef
_id", 8]]
  Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [["chef
_id", 9]]
  Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [["chef
_id", 10]]
  Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [["chef
_id", 11]]
  Rendered chefs/index.html.erb within layouts/application (16.7ms)
Completed 200 OK in 57ms (Views: 19.1ms | ActiveRecord: 2.7ms)
```

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 12:22:45 -0400
[2014-05-13 12:22:45] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 12:22:45 -0400
[2014-05-13 12:22:45] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 12:22:45 -0400
[2014-05-13 12:22:45] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 12:22:45 -0400
[2014-05-13 12:22:45] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 12:22:45 -0400
[2014-05-13 12:22:45] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

```
Started GET "/chefs" for 127.0.0.1 at 2014-05-13 12:25:14 -0400
Processing by ChefsController#index as HTML
  Chef Load (0.5ms) SELECT "chefs".* FROM "chefs"
  Cookbook Load (0.5ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [["chef
_id", 2]]
  Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [["chef
_id", 3]]
  Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [["chef
_id", 4]]
  Cookbook Load (0.1ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [["chef
_id", 5]]
  Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [["chef
_id", 6]]
  Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [["chef
_id", 7]]
  Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [["chef
_id", 8]]
  Cookbook Load (0.1ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [["chef
_id", 9]]
  Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [["chef
_id", 10]]
  Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [["chef
_id", 11]]
  Rendered chefs/index.html.erb within layouts/application (16.9ms)
Completed 200 OK in 21ms (Views: 18.0ms | ActiveRecord: 2.7ms)
```

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 12:25:14 -0400

[2014-05-13 12:25:14] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 12:25:14 -0400

[2014-05-13 12:25:14] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 12:25:14 -0400

[2014-05-13 12:25:14] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 12:25:14 -0400

[2014-05-13 12:25:14] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 12:25:14 -0400

[2014-05-13 12:25:14] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

[2014-05-13 12:25:14] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/chefs" for 127.0.0.1 at 2014-05-13 12:25:57 -0400

Processing by ChefsController#index as HTML

Chef Load (0.2ms) SELECT "chefs".* FROM "chefs"

Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = \$1 [["chef_id", 2]]

Cookbook Load (0.4ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = \$1 [["chef_id", 3]]

Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = \$1 [["chef_id", 4]]

Cookbook Load (0.5ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = \$1 [["chef_id", 5]]

Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = \$1 [["chef_id", 6]]

Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = \$1 [["chef_id", 7]]

Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = \$1 [["chef_id", 8]]

Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = \$1 [["chef_id", 9]]

Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = \$1 [["chef_id", 10]]

Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = \$1 [["chef_id", 11]]

Rendered chefs/index.html.erb within layouts/application (18.6ms)

Completed 200 OK in 24ms (Views: 20.2ms | ActiveRecord: 2.9ms)

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 12:25:57 -0400

[2014-05-13 12:25:57] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 12:25:57 -0400

[2014-05-13 12:25:57] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 12:25:57 -0400

[2014-05-13 12:25:57] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 12:25:57 -0400

[2014-05-13 12:25:57] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

e response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 12:25:57 -0400
[2014-05-13 12:25:57] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/cookbooks/181" for 127.0.0.1 at 2014-05-13 12:25:58 -0400
Processing by CookbooksController#show as HTML
Parameters: {"id"=>"181"}
Cookbook Load (0.7ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = \$1 LIMIT 1 [["id", 181]]
PG::FeatureNotSupported: ERROR: cached plan must not change result type
: SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = \$1 LIMIT 1
Cookbook Load (0.4ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = \$1 LIMIT 1 [["id", 181]]
Rendered recipes/_recipeform.html.erb (38.6ms)
Recipe Load (0.9ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."cookbook_id" = \$1 ORDER BY "recipes"."id" DESC [["cookbook_id", 181]]
Rendered cookbooks/show.html.erb within layouts/application (46.1ms)
Completed 200 OK in 63ms (Views: 52.1ms | ActiveRecord: 3.8ms)

Started GET "/cookbooks/109" for 127.0.0.1 at 2014-05-13 12:26:04 -0400
Processing by CookbooksController#show as HTML
Parameters: {"id"=>"109"}
Cookbook Load (0.5ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = \$1 LIMIT 1 [["id", 109]]
Rendered recipes/_recipeform.html.erb (2.3ms)
Recipe Load (0.8ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."cookbook_id" = \$1 ORDER BY "recipes"."id" DESC [["cookbook_id", 109]]
Rendered cookbooks/show.html.erb within layouts/application (6.9ms)
Completed 200 OK in 16ms (Views: 12.7ms | ActiveRecord: 1.3ms)

Started GET "/chefs" for 127.0.0.1 at 2014-05-13 12:26:05 -0400
Processing by ChefsController#index as HTML
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs"
Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = \$1 [["chef_id", 2]]
Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = \$1 [["chef_id", 3]]
Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = \$1 [["chef_id", 4]]
Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = \$1 [["chef_id", 5]]
Cookbook Load (0.5ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = \$1 [["chef_id", 6]]
Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = \$1 [["chef_id", 7]]
Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = \$1 [["chef_id", 8]]
Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = \$1 [["chef_id", 9]]
Cookbook Load (0.8ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = \$1 [["chef_id", 10]]
Cookbook Load (0.4ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = \$1 [["chef_id", 11]]
Rendered chefs/index.html.erb within layouts/application (23.8ms)
Completed 200 OK in 74ms (Views: 69.4ms | ActiveRecord: 3.6ms)
[2014-05-13 12:26:06] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/cookbooks/167" for 127.0.0.1 at 2014-05-13 12:26:08 -0400
Processing by CookbooksController#show as HTML
Parameters: {"id"=>"167"}
Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = \$1 LIMIT 1 [["id", 167]]

```
Rendered recipes/_recipeform.html.erb (2.1ms)
Recipe Load (0.5ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."cookbook_id" = $1 ORDER BY "r
ecipes"."id" DESC [["cookbook_id", 167]]
Rendered cookbooks/show.html.erb within layouts/application (6.0ms)
Completed 200 OK in 14ms (Views: 11.4ms | ActiveRecord: 0.8ms)
```

Started GET "/chefs" for 127.0.0.1 at 2014-05-13 12:26:10 -0400

Processing by ChefsController#index as HTML

```
Chef Load (0.3ms) SELECT "chefs".* FROM "chefs"
Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [
_id", 2]]
Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [
_id", 3]]
Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [
_id", 4]]
Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [
_id", 5]]
Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [
_id", 6]]
Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [
_id", 7]]
Cookbook Load (0.5ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [
_id", 8]]
Cookbook Load (1.6ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [
_id", 9]]
Cookbook Load (0.6ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [
_id", 10]]
Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [
_id", 11]]
Rendered chefs/index.html.erb within layouts/application (22.6ms)
Completed 200 OK in 29ms (Views: 23.4ms | ActiveRecord: 4.7ms)
[2014-05-13 12:26:11] WARN Could not determine content-length of response body. Set content-length of th
e response or set Response#chunked = true
```

Started GET "/chefs/2" for 127.0.0.1 at 2014-05-13 12:26:12 -0400

Processing by ChefsController#show as HTML

Parameters: {"id"=>"2"}

Completed 500 Internal Server Error in 2ms

ActionView::MissingTemplate (Missing template chefs/show, application/show with {:locale=>[:en], :formats=>[:html, :xml], :variants=>[], :handlers=>[:erb, :builder, :raw, :ruby, :jbuilder, :coffee]}. Searched in:

```
* "/Users/omardelarosa/Dropbox/Code/WDI/wdi-string/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2/app
/views"
):
```

```
actionview (4.1.0) lib/action_view/path_set.rb:46:in `find'
actionview (4.1.0) lib/action_view/lookup_context.rb:124:in `find'
actionview (4.1.0) lib/action_view/renderer/abstract_renderer.rb:18:in `find_template'
actionview (4.1.0) lib/action_view/renderer/template_renderer.rb:41:in `determine_template'
actionview (4.1.0) lib/action_view/renderer/template_renderer.rb:8:in `render'
actionview (4.1.0) lib/action_view/renderer/renderer.rb:42:in `render_template'
actionview (4.1.0) lib/action_view/renderer/renderer.rb:23:in `render'
actionview (4.1.0) lib/action_view/rendering.rb:99:in `_render_template'
actionpack (4.1.0) lib/action_controller/metal/streaming.rb:217:in `_render_template'
actionview (4.1.0) lib/action_view/rendering.rb:82:in `render_to_body'
actionpack (4.1.0) lib/action_controller/metal/rendering.rb:32:in `render_to_body'
actionpack (4.1.0) lib/action_controller/metal/renderers.rb:32:in `render_to_body'
actionpack (4.1.0) lib/abstract_controller/rendering.rb:25:in `render'
actionpack (4.1.0) lib/action_controller/metal/rendering.rb:16:in `render'
actionpack (4.1.0) lib/action_controller/metal/instrumentation.rb:41:in `block (2 levels) in render'
activesupport (4.1.0) lib/active_support/core_ext/benchmark.rb:12:in `block in ms'
/Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/benchmark.rb:295:in `realtime'
activesupport (4.1.0) lib/active_support/core_ext/benchmark.rb:12:in `ms'
actionpack (4.1.0) lib/action_controller/metal/instrumentation.rb:41:in `block in render'
actionpack (4.1.0) lib/action_controller/metal/instrumentation.rb:84:in `cleanup_view_runtime'
activerecord (4.1.0) lib/active_record/railties/controller_runtime.rb:25:in `cleanup_view_runtime'
actionpack (4.1.0) lib/action_controller/metal/instrumentation.rb:40:in `render'
actionpack (4.1.0) lib/action_controller/metal/implicit_render.rb:10:in `default_render'
```

actionpack (4.1.0) lib/action_controller/metal/implicit_render.rb:5:in `send_action'
actionpack (4.1.0) lib/abstract_controller/base.rb:189:in `process_action'
actionpack (4.1.0) lib/action_controller/metal/rendering.rb:10:in `process_action'
actionpack (4.1.0) lib/abstract_controller/callbacks.rb:20:in `block in process_action'
activesupport (4.1.0) lib/active_support/callbacks.rb:113:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:113:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:229:in `block in halting'
activesupport (4.1.0) lib/active_support/callbacks.rb:229:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:229:in `block in halting'
activesupport (4.1.0) lib/active_support/callbacks.rb:166:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:166:in `block in halting'
activesupport (4.1.0) lib/active_support/callbacks.rb:166:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:166:in `block in halting'
activesupport (4.1.0) lib/active_support/callbacks.rb:86:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:86:in `run_callbacks'
actionpack (4.1.0) lib/abstract_controller/callbacks.rb:19:in `process_action'
actionpack (4.1.0) lib/action_controller/metal/rescue.rb:29:in `process_action'
actionpack (4.1.0) lib/action_controller/metal/instrumentation.rb:31:in `block in process_action'
activesupport (4.1.0) lib/active_support/notifications.rb:159:in `block in instrument'
activesupport (4.1.0) lib/active_support/notifications/instrumenter.rb:20:in `instrument'
activesupport (4.1.0) lib/active_support/notifications.rb:159:in `instrument'
actionpack (4.1.0) lib/action_controller/metal/instrumentation.rb:30:in `process_action'
actionpack (4.1.0) lib/action_controller/metal/params_wrapper.rb:250:in `process_action'
activerecord (4.1.0) lib/active_record/railties/controller_runtime.rb:18:in `process_action'
actionpack (4.1.0) lib/abstract_controller/base.rb:136:in `process'
actionview (4.1.0) lib/action_view/rendering.rb:30:in `process'
actionpack (4.1.0) lib/action_controller/metal.rb:195:in `dispatch'
actionpack (4.1.0) lib/action_controller/metal/rack_delegation.rb:13:in `dispatch'
actionpack (4.1.0) lib/action_controller/metal.rb:231:in `block in action'
actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:80:in `call'
actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:80:in `dispatch'
actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:48:in `call'
actionpack (4.1.0) lib/action_dispatch/journey/router.rb:71:in `block in call'
actionpack (4.1.0) lib/action_dispatch/journey/router.rb:59:in `each'
actionpack (4.1.0) lib/action_dispatch/journey/router.rb:59:in `call'
actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:676:in `call'
rack (1.5.2) lib/rack/etag.rb:23:in `call'
rack (1.5.2) lib/rack/conditionalget.rb:25:in `call'
rack (1.5.2) lib/rack/head.rb:11:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/params_parser.rb:27:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/flash.rb:254:in `call'
rack (1.5.2) lib/rack/session/abstract/id.rb:225:in `context'
rack (1.5.2) lib/rack/session/abstract/id.rb:220:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/cookies.rb:560:in `call'
activerecord (4.1.0) lib/active_record/connection_adapters/abstract/connection_pool.rb:36:in `call'
activerecord (4.1.0) lib/active_record/connection_adapters/abstract/connection_pool.rb:621:in `call'
activerecord (4.1.0) lib/active_record/migration.rb:380:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/callbacks.rb:29:in `block in call'
activesupport (4.1.0) lib/active_support/callbacks.rb:82:in `run_callbacks'
actionpack (4.1.0) lib/action_dispatch/middleware/callbacks.rb:27:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/reloader.rb:73:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/remote_ip.rb:76:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/debug_exceptions.rb:17:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/show_exceptions.rb:30:in `call'
railties (4.1.0) lib/rails/rack/logger.rb:38:in `call_app'
railties (4.1.0) lib/rails/rack/logger.rb:20:in `block in call'
activesupport (4.1.0) lib/active_support/tagged_logging.rb:68:in `block in tagged'
activesupport (4.1.0) lib/active_support/tagged_logging.rb:26:in `tagged'
activesupport (4.1.0) lib/active_support/tagged_logging.rb:68:in `tagged'
railties (4.1.0) lib/rails/rack/logger.rb:20:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/request_id.rb:21:in `call'
rack (1.5.2) lib/rack/methodoverride.rb:21:in `call'
rack (1.5.2) lib/rack/runtime.rb:17:in `call'
activesupport (4.1.0) lib/active_support/cache/strategy/local_cache_middleware.rb:26:in `call'
rack (1.5.2) lib/rack/lock.rb:17:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/static.rb:64:in `call'
rack (1.5.2) lib/rack/sendfile.rb:112:in `call'
railties (4.1.0) lib/rails/engine.rb:514:in `call'

```
railties (4.1.0) lib/rails/application.rb:144:in `call'
rack (1.5.2) lib/rack/lock.rb:17:in `call'
rack (1.5.2) lib/rack/content_length.rb:14:in `call'
rack (1.5.2) lib/rack/handler/webrick.rb:60:in `service'
/Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/httpserver.rb:138:in `service'
/Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/httpserver.rb:94:in `run'
/Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/server.rb:191:in `block in start_thread'
```

Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/action_dispatch/middleware/templates/rescues/missing_template.html.erb within rescues/layout (0.6ms)

Started GET "/chefs/2" for 127.0.0.1 at 2014-05-13 12:26:12 -0400

Processing by ChefsController#show as HTML

Parameters: {"id"=>"2"}

Completed 500 Internal Server Error in 2ms

ActionView::MissingTemplate (Missing template chefs/show, application/show with {:locale=>[:en], :formats=>[:html], :variants=>[], :handlers=>[:erb, :builder, :raw, :ruby, :jbuilder, :coffee]}. Searched in: * "/Users/omardelarosa/Dropbox/Code/WDI/wdi-string/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2/app/views"

```
):
actionview (4.1.0) lib/action_view/path_set.rb:46:in `find'
actionview (4.1.0) lib/action_view/lookup_context.rb:124:in `find'
actionview (4.1.0) lib/action_view/renderer/abstract_renderer.rb:18:in `find_template'
actionview (4.1.0) lib/action_view/renderer/template_renderer.rb:41:in `determine_template'
actionview (4.1.0) lib/action_view/renderer/template_renderer.rb:8:in `render'
actionview (4.1.0) lib/action_view/renderer/renderer.rb:42:in `render_template'
actionview (4.1.0) lib/action_view/renderer/renderer.rb:23:in `render'
actionview (4.1.0) lib/action_view/rendering.rb:99:in `_render_template'
actionpack (4.1.0) lib/action_controller/metal/streaming.rb:217:in `_render_template'
actionview (4.1.0) lib/action_view/rendering.rb:82:in `render_to_body'
actionpack (4.1.0) lib/action_controller/metal/rendering.rb:32:in `render_to_body'
actionpack (4.1.0) lib/action_controller/metal/renderers.rb:32:in `render_to_body'
actionpack (4.1.0) lib/abstract_controller/rendering.rb:25:in `render'
actionpack (4.1.0) lib/action_controller/metal/rendering.rb:16:in `render'
actionpack (4.1.0) lib/action_controller/metal/instrumentation.rb:41:in `block (2 levels) in render'
activesupport (4.1.0) lib/active_support/core_ext/benchmark.rb:12:in `block in ms'
/Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/benchmark.rb:295:in `realtime'
activesupport (4.1.0) lib/active_support/core_ext/benchmark.rb:12:in `ms'
actionpack (4.1.0) lib/action_controller/metal/instrumentation.rb:41:in `block in render'
actionpack (4.1.0) lib/action_controller/metal/instrumentation.rb:84:in `cleanup_view_runtime'
activerecord (4.1.0) lib/active_record/railties/controller_runtime.rb:25:in `cleanup_view_runtime'
actionpack (4.1.0) lib/action_controller/metal/instrumentation.rb:40:in `render'
actionpack (4.1.0) lib/action_controller/metal/implicit_render.rb:10:in `default_render'
actionpack (4.1.0) lib/action_controller/metal/implicit_render.rb:5:in `send_action'
actionpack (4.1.0) lib/abstract_controller/base.rb:189:in `process_action'
actionpack (4.1.0) lib/action_controller/metal/rendering.rb:10:in `process_action'
actionpack (4.1.0) lib/abstract_controller/callbacks.rb:20:in `block in process_action'
activesupport (4.1.0) lib/active_support/callbacks.rb:113:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:113:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:229:in `block in halting'
activesupport (4.1.0) lib/active_support/callbacks.rb:229:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:229:in `block in halting'
activesupport (4.1.0) lib/active_support/callbacks.rb:166:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:166:in `block in halting'
activesupport (4.1.0) lib/active_support/callbacks.rb:166:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:166:in `block in halting'
activesupport (4.1.0) lib/active_support/callbacks.rb:166:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:166:in `block in halting'
activesupport (4.1.0) lib/active_support/callbacks.rb:86:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:86:in `run_callbacks'
actionpack (4.1.0) lib/abstract_controller/callbacks.rb:19:in `process_action'
actionpack (4.1.0) lib/action_controller/metal/rescue.rb:29:in `process_action'
actionpack (4.1.0) lib/action_controller/metal/instrumentation.rb:31:in `block in process_action'
activesupport (4.1.0) lib/active_support/notifications.rb:159:in `block in instrument'
activesupport (4.1.0) lib/active_support/notifications/instrumenter.rb:20:in `instrument'
activesupport (4.1.0) lib/active_support/notifications.rb:159:in `instrument'
```

```

actionpack (4.1.0) lib/action_controller/metal/instrumentation.rb:30:in `process_action'
actionpack (4.1.0) lib/action_controller/metal/params_wrapper.rb:250:in `process_action'
activerecord (4.1.0) lib/active_record/railties/controller_runtime.rb:18:in `process_action'
actionpack (4.1.0) lib/abstract_controller/base.rb:136:in `process'
actionview (4.1.0) lib/action_view/rendering.rb:30:in `process'
actionpack (4.1.0) lib/action_controller/metal.rb:195:in `dispatch'
actionpack (4.1.0) lib/action_controller/metal/rack_delegation.rb:13:in `dispatch'
actionpack (4.1.0) lib/action_controller/metal.rb:231:in `block in action'
actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:80:in `call'
actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:80:in `dispatch'
actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:48:in `call'
actionpack (4.1.0) lib/action_dispatch/journey/router.rb:71:in `block in call'
actionpack (4.1.0) lib/action_dispatch/journey/router.rb:59:in `each'
actionpack (4.1.0) lib/action_dispatch/journey/router.rb:59:in `call'
actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:676:in `call'
rack (1.5.2) lib/rack/etag.rb:23:in `call'
rack (1.5.2) lib/rack/conditionalget.rb:25:in `call'
rack (1.5.2) lib/rack/head.rb:11:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/params_parser.rb:27:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/flash.rb:254:in `call'
rack (1.5.2) lib/rack/session/abstract/id.rb:225:in `context'
rack (1.5.2) lib/rack/session/abstract/id.rb:220:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/cookies.rb:560:in `call'
activerecord (4.1.0) lib/active_record/query_cache.rb:36:in `call'
activerecord (4.1.0) lib/active_record/connection_adapters/abstract/connection_pool.rb:621:in `call'
activerecord (4.1.0) lib/active_record/migration.rb:380:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/callbacks.rb:29:in `block in call'
activesupport (4.1.0) lib/active_support/callbacks.rb:82:in `run_callbacks'
actionpack (4.1.0) lib/action_dispatch/middleware/callbacks.rb:27:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/reloader.rb:73:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/remote_ip.rb:76:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/debug_exceptions.rb:17:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/show_exceptions.rb:30:in `call'
railties (4.1.0) lib/rails/rack/logger.rb:38:in `call_app'
railties (4.1.0) lib/rails/rack/logger.rb:20:in `block in call'
activesupport (4.1.0) lib/active_support/tagged_logging.rb:68:in `block in tagged'
activesupport (4.1.0) lib/active_support/tagged_logging.rb:26:in `tagged'
activesupport (4.1.0) lib/active_support/tagged_logging.rb:68:in `tagged'
railties (4.1.0) lib/rails/rack/logger.rb:20:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/request_id.rb:21:in `call'
rack (1.5.2) lib/rack/methodoverride.rb:21:in `call'
rack (1.5.2) lib/rack/runtime.rb:17:in `call'
activesupport (4.1.0) lib/active_support/cache/strategy/local_cache_middleware.rb:26:in `call'
rack (1.5.2) lib/rack/lock.rb:17:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/static.rb:64:in `call'
rack (1.5.2) lib/rack/sendfile.rb:112:in `call'
railties (4.1.0) lib/rails/engine.rb:514:in `call'
railties (4.1.0) lib/rails/application.rb:144:in `call'
rack (1.5.2) lib/rack/lock.rb:17:in `call'
rack (1.5.2) lib/rack/content_length.rb:14:in `call'
rack (1.5.2) lib/rack/handler/webrick.rb:60:in `service'
/Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/httpserver.rb:138:in `service'
/Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/httpserver.rb:94:in `run'
/Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/server.rb:191:in `block in start_thread'
thread'

```

Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/action_dispatch/middleware/templates/rescues/missing_template.html.erb within rescues/layout (0.5ms)

Started GET "/chefs" for 127.0.0.1 at 2014-05-13 12:26:18 -0400

Processing by ChefsController#index as HTML

```

Chef Load (0.2ms)  SELECT "chefs".* FROM "chefs"
Cookbook Load (0.2ms)  SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [["chef_id", 2]]
Cookbook Load (0.3ms)  SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [["chef_id", 3]]
Cookbook Load (0.3ms)  SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [["chef_id", 4]]

```



```
 Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [{"chef_id", 5}]
 Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [{"chef_id", 6}]
 Cookbook Load (0.1ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [{"chef_id", 7}]
 Cookbook Load (0.1ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [{"chef_id", 8}]
 Cookbook Load (0.1ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [{"chef_id", 9}]
 Cookbook Load (0.1ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [{"chef_id", 10}]
 Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [{"chef_id", 11}]
 Rendered chefs/index.html.erb within layouts/application (14.9ms)
 Completed 200 OK in 21ms (Views: 18.0ms | ActiveRecord: 2.2ms)
 [2014-05-13 12:26:18] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true
```

```
 Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 12:26:18 -0400
 [2014-05-13 12:26:18] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true
```

```
 Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 12:26:18 -0400
 [2014-05-13 12:26:18] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true
```

```
 Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 12:26:18 -0400
 [2014-05-13 12:26:18] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true
```

```
 Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 12:26:18 -0400
 [2014-05-13 12:26:18] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true
```

```
 Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 12:26:18 -0400
 [2014-05-13 12:26:18] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true
```

```
 Started GET "/chefs/9" for 127.0.0.1 at 2014-05-13 12:26:58 -0400
 Processing by ChefsController#show as HTML
 Parameters: {"id"=>"9"}
 Completed 500 Internal Server Error in 3ms
```

```
 ActionView::MissingTemplate (Missing template chefs/show, application/show with {:locale=>[:en], :formats=>[:html, :xml], :variants=>[], :handlers=>[:erb, :builder, :raw, :ruby, :jbuilder, :coffee]}. Searched in:
```

```
 n:
 * "/Users/omardelarosa/Dropbox/Code/WDI/wdi-string/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2/app/views"
):
```

```
 actionview (4.1.0) lib/action_view/path_set.rb:46:in `find'
 actionview (4.1.0) lib/action_view/lookup_context.rb:124:in `find'
 actionview (4.1.0) lib/action_view/renderer/abstract_renderer.rb:18:in `find_template'
 actionview (4.1.0) lib/action_view/renderer/template_renderer.rb:41:in `determine_template'
 actionview (4.1.0) lib/action_view/renderer/template_renderer.rb:8:in `render'
 actionview (4.1.0) lib/action_view/renderer/renderer.rb:42:in `render_template'
 actionview (4.1.0) lib/action_view/renderer/renderer.rb:23:in `render'
 actionview (4.1.0) lib/action_view/rendering.rb:99:in `_render_template'
 actionpack (4.1.0) lib/action_controller/metal/streaming.rb:217:in `_render_template'
 actionview (4.1.0) lib/action_view/rendering.rb:82:in `render_to_body'
 actionpack (4.1.0) lib/action_controller/metal/rendering.rb:32:in `render_to_body'
 actionpack (4.1.0) lib/action_controller/metal/renderers.rb:32:in `render_to_body'
 actionpack (4.1.0) lib/abstract_controller/rendering.rb:25:in `render'
 actionpack (4.1.0) lib/action_controller/metal/rendering.rb:16:in `render'
```

actionpack (4.1.0) lib/action_controller/metal/instrumentation.rb:41:in `block (2 levels) in render'
activesupport (4.1.0) lib/active_support/core_ext/benchmark.rb:12:in `block in ms'
/Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/benchmark.rb:295:in `realtime'
activesupport (4.1.0) lib/active_support/core_ext/benchmark.rb:12:in `ms'
actionpack (4.1.0) lib/action_controller/metal/instrumentation.rb:41:in `block in render'
actionpack (4.1.0) lib/action_controller/metal/instrumentation.rb:84:in `cleanup_view_runtime'
activerecord (4.1.0) lib/active_record/railties/controller_runtime.rb:25:in `cleanup_view_runtime'
actionpack (4.1.0) lib/action_controller/metal/instrumentation.rb:40:in `render'
actionpack (4.1.0) lib/action_controller/metal/implicit_render.rb:10:in `default_render'
actionpack (4.1.0) lib/action_controller/metal/implicit_render.rb:5:in `send_action'
actionpack (4.1.0) lib/abstract_controller/base.rb:189:in `process_action'
actionpack (4.1.0) lib/action_controller/metal/rendering.rb:10:in `process_action'
actionpack (4.1.0) lib/abstract_controller/callbacks.rb:20:in `block in process_action'
activesupport (4.1.0) lib/active_support/callbacks.rb:113:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:113:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:229:in `block in halting'
activesupport (4.1.0) lib/active_support/callbacks.rb:229:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:229:in `block in halting'
activesupport (4.1.0) lib/active_support/callbacks.rb:166:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:166:in `block in halting'
activesupport (4.1.0) lib/active_support/callbacks.rb:166:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:166:in `block in halting'
activesupport (4.1.0) lib/active_support/callbacks.rb:166:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:166:in `block in halting'
activesupport (4.1.0) lib/active_support/callbacks.rb:86:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:86:in `run_callbacks'
actionpack (4.1.0) lib/abstract_controller/callbacks.rb:19:in `process_action'
actionpack (4.1.0) lib/action_controller/metal/rescue.rb:29:in `process_action'
actionpack (4.1.0) lib/action_controller/metal/instrumentation.rb:31:in `block in process_action'
activesupport (4.1.0) lib/active_support/notifications.rb:159:in `block in instrument'
activesupport (4.1.0) lib/active_support/notifications/instrumenter.rb:20:in `instrument'
activesupport (4.1.0) lib/active_support/notifications.rb:159:in `instrument'
actionpack (4.1.0) lib/action_controller/metal/instrumentation.rb:30:in `process_action'
actionpack (4.1.0) lib/action_controller/metal/params_wrapper.rb:250:in `process_action'
activerecord (4.1.0) lib/active_record/railties/controller_runtime.rb:18:in `process_action'
actionpack (4.1.0) lib/abstract_controller/base.rb:136:in `process'
actionview (4.1.0) lib/action_view/rendering.rb:30:in `process'
actionpack (4.1.0) lib/action_controller/metal.rb:195:in `dispatch'
actionpack (4.1.0) lib/action_controller/metal/rack_delegation.rb:13:in `dispatch'
actionpack (4.1.0) lib/action_controller/metal.rb:231:in `block in action'
actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:80:in `call'
actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:80:in `dispatch'
actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:48:in `call'
actionpack (4.1.0) lib/action_dispatch/journey/router.rb:71:in `block in call'
actionpack (4.1.0) lib/action_dispatch/journey/router.rb:59:in `each'
actionpack (4.1.0) lib/action_dispatch/journey/router.rb:59:in `call'
actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:676:in `call'
rack (1.5.2) lib/rack/etag.rb:23:in `call'
rack (1.5.2) lib/rack/conditionalget.rb:25:in `call'
rack (1.5.2) lib/rack/head.rb:11:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/params_parser.rb:27:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/flash.rb:254:in `call'
rack (1.5.2) lib/rack/session/abstract/id.rb:225:in `context'
rack (1.5.2) lib/rack/session/abstract/id.rb:220:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/cookies.rb:560:in `call'
activerecord (4.1.0) lib/active_record/query_cache.rb:36:in `call'
activerecord (4.1.0) lib/active_record/connection_adapters/abstract/connection_pool.rb:621:in `call'
activerecord (4.1.0) lib/active_record/migration.rb:380:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/callbacks.rb:29:in `block in call'
activesupport (4.1.0) lib/active_support/callbacks.rb:82:in `run_callbacks'
actionpack (4.1.0) lib/action_dispatch/middleware/callbacks.rb:27:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/reloader.rb:73:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/remote_ip.rb:76:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/debug_exceptions.rb:17:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/show_exceptions.rb:30:in `call'
railties (4.1.0) lib/rails/rack/logger.rb:38:in `call_app'
railties (4.1.0) lib/rails/rack/logger.rb:20:in `block in call'
activesupport (4.1.0) lib/active_support/tagged_logging.rb:68:in `block in tagged'
activesupport (4.1.0) lib/active_support/tagged_logging.rb:26:in `tagged'
activesupport (4.1.0) lib/active_support/tagged_logging.rb:68:in `tagged'

```
railties (4.1.0) lib/rails/rack/logger.rb:20:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/request_id.rb:21:in `call'
rack (1.5.2) lib/rack/methodoverride.rb:21:in `call'
rack (1.5.2) lib/rack/runtime.rb:17:in `call'
activesupport (4.1.0) lib/active_support/cache/strategy/local_cache_middleware.rb:26:in `call'
rack (1.5.2) lib/rack/lock.rb:17:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/static.rb:64:in `call'
rack (1.5.2) lib/rack/sendfile.rb:112:in `call'
railties (4.1.0) lib/rails/engine.rb:514:in `call'
railties (4.1.0) lib/rails/application.rb:144:in `call'
rack (1.5.2) lib/rack/lock.rb:17:in `call'
rack (1.5.2) lib/rack/content_length.rb:14:in `call'
rack (1.5.2) lib/rack/handler/webrick.rb:60:in `service'
/Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/httpserver.rb:138:in `service'
/Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/httpserver.rb:94:in `run'
/Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/server.rb:191:in `block in start_thread'
```

Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/action_dispatch/middleware/templates/rescues/missing_template.html.erb within rescues/layout (0.5ms)

Started GET "/chefs/9" for 127.0.0.1 at 2014-05-13 12:26:58 -0400

Processing by ChefsController#show as HTML

Parameters: {"id"=>"9"}

Completed 500 Internal Server Error in 3ms

ActionView::MissingTemplate (Missing template chefs/show, application/show with {:locale=>[:en], :formats=>[:html], :variants=>[], :handlers=>[:erb, :builder, :raw, :ruby, :jbuilder, :coffee]}. Searched in:

* "/Users/omardelarosa/Dropbox/Code/WDI/wdi-string/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2/app/views"):

```
actionview (4.1.0) lib/action_view/path_set.rb:46:in `find'
actionview (4.1.0) lib/action_view/lookup_context.rb:124:in `find'
actionview (4.1.0) lib/action_view/renderer/abstract_renderer.rb:18:in `find_template'
actionview (4.1.0) lib/action_view/renderer/template_renderer.rb:41:in `determine_template'
actionview (4.1.0) lib/action_view/renderer/template_renderer.rb:8:in `render'
actionview (4.1.0) lib/action_view/renderer/renderer.rb:42:in `render_template'
actionview (4.1.0) lib/action_view/renderer/renderer.rb:23:in `render'
actionview (4.1.0) lib/action_view/rendering.rb:99:in `_render_template'
actionpack (4.1.0) lib/action_controller/metal/streaming.rb:217:in `_render_template'
actionview (4.1.0) lib/action_view/rendering.rb:82:in `render_to_body'
actionpack (4.1.0) lib/action_controller/metal/rendering.rb:32:in `render_to_body'
actionpack (4.1.0) lib/action_controller/metal/renderers.rb:32:in `render_to_body'
actionpack (4.1.0) lib/abstract_controller/rendering.rb:25:in `render'
actionpack (4.1.0) lib/action_controller/metal/rendering.rb:16:in `render'
actionpack (4.1.0) lib/action_controller/metal/instrumentation.rb:41:in `block (2 levels) in render'
activesupport (4.1.0) lib/active_support/core_ext/benchmark.rb:12:in `block in ms'
/Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/benchmark.rb:295:in `realtime'
activesupport (4.1.0) lib/active_support/core_ext/benchmark.rb:12:in `ms'
actionpack (4.1.0) lib/action_controller/metal/instrumentation.rb:41:in `block in render'
actionpack (4.1.0) lib/action_controller/metal/instrumentation.rb:84:in `cleanup_view_runtime'
activerecord (4.1.0) lib/active_record/railties/controller_runtime.rb:25:in `cleanup_view_runtime'
actionpack (4.1.0) lib/action_controller/metal/instrumentation.rb:40:in `render'
actionpack (4.1.0) lib/action_controller/metal/implicit_render.rb:10:in `default_render'
actionpack (4.1.0) lib/action_controller/metal/implicit_render.rb:5:in `send_action'
actionpack (4.1.0) lib/abstract_controller/base.rb:189:in `process_action'
actionpack (4.1.0) lib/action_controller/metal/rendering.rb:10:in `process_action'
actionpack (4.1.0) lib/abstract_controller/callbacks.rb:20:in `block in process_action'
activesupport (4.1.0) lib/active_support/callbacks.rb:113:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:113:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:229:in `block in halting'
activesupport (4.1.0) lib/active_support/callbacks.rb:229:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:229:in `block in halting'
activesupport (4.1.0) lib/active_support/callbacks.rb:166:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:166:in `block in halting'
activesupport (4.1.0) lib/active_support/callbacks.rb:166:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:166:in `block in halting'
activesupport (4.1.0) lib/active_support/callbacks.rb:166:in `call'
```

```

activesupport (4.1.0) lib/active_support/callbacks.rb:166:in `block in halting'
activesupport (4.1.0) lib/active_support/callbacks.rb:86:in `call'
activesupport (4.1.0) lib/active_support/callbacks.rb:86:in `run_callbacks'
actionpack (4.1.0) lib/abstract_controller/callbacks.rb:19:in `process_action'
actionpack (4.1.0) lib/action_controller/metal/rescue.rb:29:in `process_action'
actionpack (4.1.0) lib/action_controller/metal/instrumentation.rb:31:in `block in process_action'
activesupport (4.1.0) lib/active_support/notifications.rb:159:in `block in instrument'
activesupport (4.1.0) lib/active_support/notifications/instrumenter.rb:20:in `instrument'
activesupport (4.1.0) lib/active_support/notifications.rb:159:in `instrument'
actionpack (4.1.0) lib/action_controller/metal/instrumentation.rb:30:in `process_action'
actionpack (4.1.0) lib/action_controller/metal/params_wrapper.rb:250:in `process_action'
activerecord (4.1.0) lib/active_record/railties/controller_runtime.rb:18:in `process_action'
actionpack (4.1.0) lib/abstract_controller/base.rb:136:in `process'
actionview (4.1.0) lib/action_view/rendering.rb:30:in `process'
actionpack (4.1.0) lib/action_controller/metal.rb:195:in `dispatch'
actionpack (4.1.0) lib/action_controller/metal/rack_delegation.rb:13:in `dispatch'
actionpack (4.1.0) lib/action_controller/metal.rb:231:in `block in action'
actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:80:in `call'
actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:80:in `dispatch'
actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:48:in `call'
actionpack (4.1.0) lib/action_dispatch/journey/router.rb:71:in `block in call'
actionpack (4.1.0) lib/action_dispatch/journey/router.rb:59:in `each'
actionpack (4.1.0) lib/action_dispatch/journey/router.rb:59:in `call'
actionpack (4.1.0) lib/action_dispatch/routing/route_set.rb:676:in `call'
rack (1.5.2) lib/rack/etag.rb:23:in `call'
rack (1.5.2) lib/rack/conditionalget.rb:25:in `call'
rack (1.5.2) lib/rack/head.rb:11:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/params_parser.rb:27:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/flash.rb:254:in `call'
rack (1.5.2) lib/rack/session/abstract/id.rb:225:in `context'
rack (1.5.2) lib/rack/session/abstract/id.rb:220:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/cookies.rb:560:in `call'
activerecord (4.1.0) lib/active_record/query_cache.rb:36:in `call'
activerecord (4.1.0) lib/active_record/connection_adapters/abstract/connection_pool.rb:621:in `call'
activerecord (4.1.0) lib/active_record/migration.rb:380:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/callbacks.rb:29:in `block in call'
activesupport (4.1.0) lib/active_support/callbacks.rb:82:in `run_callbacks'
actionpack (4.1.0) lib/action_dispatch/middleware/callbacks.rb:27:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/reloader.rb:73:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/remote_ip.rb:76:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/debug_exceptions.rb:17:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/show_exceptions.rb:30:in `call'
railties (4.1.0) lib/rails/rack/logger.rb:38:in `call_app'
railties (4.1.0) lib/rails/rack/logger.rb:20:in `block in call'
activesupport (4.1.0) lib/active_support/tagged_logging.rb:68:in `block in tagged'
activesupport (4.1.0) lib/active_support/tagged_logging.rb:26:in `tagged'
activesupport (4.1.0) lib/active_support/tagged_logging.rb:68:in `tagged'
railties (4.1.0) lib/rails/rack/logger.rb:20:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/request_id.rb:21:in `call'
rack (1.5.2) lib/rack/methodoverride.rb:21:in `call'
rack (1.5.2) lib/rack/runtime.rb:17:in `call'
activesupport (4.1.0) lib/active_support/cache/strategy/local_cache_middleware.rb:26:in `call'
rack (1.5.2) lib/rack/lock.rb:17:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/static.rb:64:in `call'
rack (1.5.2) lib/rack/sendfile.rb:112:in `call'
railties (4.1.0) lib/rails/engine.rb:514:in `call'
railties (4.1.0) lib/rails/application.rb:144:in `call'
rack (1.5.2) lib/rack/lock.rb:17:in `call'
rack (1.5.2) lib/rack/content_length.rb:14:in `call'
rack (1.5.2) lib/rack/handler/webrick.rb:60:in `service'
/Users/omardelaros/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/httpserver.rb:138:in `service'
/Users/omardelaros/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/httpserver.rb:94:in `run'
/Users/omardelaros/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/server.rb:191:in `block in start_
thread'

```

Rendered /Users/omardelaros/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/action_dispatch/middleware/templates/rescues/missing_template.html.erb within rescues/layout (0.8ms)

Started GET "/chefs/9" for 127.0.0.1 at 2014-05-13 12:27:33 -0400
Processing by ChefsController#show as HTML
Parameters: {"id"=>"9"}
Rendered chefs/show.html.erb within layouts/application (0.8ms)
Completed 200 OK in 51ms (Views: 50.3ms | ActiveRecord: 0.0ms)

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 12:27:34 -0400
[2014-05-13 12:27:34] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 12:27:34 -0400
[2014-05-13 12:27:34] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 12:27:34 -0400
[2014-05-13 12:27:34] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 12:27:34 -0400
[2014-05-13 12:27:34] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 12:27:34 -0400
[2014-05-13 12:27:34] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/chefs/9" for 127.0.0.1 at 2014-05-13 12:28:26 -0400
Processing by ChefsController#show as HTML
Parameters: {"id"=>"9"}
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 9]]
Completed 200 OK in 10ms (Views: 2.7ms | ActiveRecord: 1.8ms)

Started GET "/chefs/9" for 127.0.0.1 at 2014-05-13 12:29:08 -0400
Processing by ChefsController#show as HTML
Parameters: {"id"=>"9"}
Chef Load (0.6ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 9]]
Rendered chefs/show.html.erb within layouts/application (1.8ms)
Completed 200 OK in 12ms (Views: 5.8ms | ActiveRecord: 2.0ms)

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 12:29:08 -0400
[2014-05-13 12:29:08] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 12:29:08 -0400
[2014-05-13 12:29:08] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 12:29:08 -0400
[2014-05-13 12:29:08] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 12:29:08 -0400
[2014-05-13 12:29:08] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 12:29:08 -0400
[2014-05-13 12:29:08] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

[2014-05-13 12:29:08] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/chefs/9" for 127.0.0.1 at 2014-05-13 12:29:54 -0400

Processing by ChefsController#show as HTML

Parameters: {"id"=>"9"}

Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 9]]

Rendered chefs/show.html.erb within layouts/application (1.1ms)

Completed 200 OK in 11ms (Views: 9.0ms | ActiveRecord: 0.2ms)

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 12:29:54 -0400

[2014-05-13 12:29:54] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 12:29:54 -0400

[2014-05-13 12:29:54] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 12:29:54 -0400

[2014-05-13 12:29:54] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 12:29:54 -0400

[2014-05-13 12:29:54] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 12:29:54 -0400

[2014-05-13 12:29:54] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/chefs/9" for 127.0.0.1 at 2014-05-13 12:31:05 -0400

Processing by ChefsController#show as HTML

Parameters: {"id"=>"9"}

Chef Load (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 9]]

Completed 404 Not Found in 1ms

ActiveRecord::RecordNotFound (Couldn't find Chef with 'id'=9):

app/controllers/chefs_controller.rb:11:in `show'

Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/action_dispatch/middleware/templates/rescues/_source.erb (0.7ms)

Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/action_dispatch/middleware/templates/rescues/_trace.html.erb (1.1ms)

Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/action_dispatch/middleware/templates/rescues/_request_and_response.html.erb (0.8ms)

Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/action_dispatch/middleware/templates/rescues/diagnostics.erb within rescues/layout (16.3ms)

Started GET "/chefs/18" for 127.0.0.1 at 2014-05-13 12:31:14 -0400

Processing by ChefsController#show as HTML

Parameters: {"id"=>"18"}

Chef Load (0.3ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 18]]

Rendered chefs/show.html.erb within layouts/application (0.7ms)

Completed 200 OK in 9ms (Views: 6.4ms | ActiveRecord: 0.3ms)

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 12:31:14 -0400

[2014-05-13 12:31:14] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 12:31:14 -0400
[2014-05-13 12:31:14] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 12:31:14 -0400
[2014-05-13 12:31:14] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 12:31:14 -0400
[2014-05-13 12:31:14] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 12:31:15 -0400
[2014-05-13 12:31:15] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/chefs/18" for 127.0.0.1 at 2014-05-13 15:10:14 -0400
Processing by ChefsController#show as HTML
Parameters: {"id"=>"18"}
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 18]]
Rendered chefs/show.html.erb within layouts/application (0.1ms)
Completed 200 OK in 7ms (Views: 5.7ms | ActiveRecord: 0.2ms)
[2014-05-13 15:10:14] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 15:10:14 -0400
[2014-05-13 15:10:14] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 15:10:14 -0400
[2014-05-13 15:10:14] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 15:10:14 -0400
[2014-05-13 15:10:14] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 15:10:14 -0400
[2014-05-13 15:10:14] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 15:10:14 -0400
[2014-05-13 15:10:14] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true
[2014-05-13 15:10:14] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/cookbooks" for 127.0.0.1 at 2014-05-13 15:10:15 -0400
Processing by CookbooksController#index as HTML
Rendered cookbooks/_cookbookform.html.erb (5.5ms)
Cookbook Load (1.6ms) SELECT "cookbooks".* FROM "cookbooks" ORDER BY "cookbooks"."id" DESC
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 16]]
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 15]]
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 14]]
Chef Load (0.3ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 12]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 15]]
Chef Load (0.7ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 17]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 15]]
Chef Load (2.7ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 21]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 17]]

[illegible]

```
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 12}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 14}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 14}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 21}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 15}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 16}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 20}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 20}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 17}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 13}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 19}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 21}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 18}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 21}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 17}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 16}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 16}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 17}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 18}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 12}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 17}]
Rendered cookbooks/index.html.erb within layouts/application (66.0ms)
Completed 200 OK in 79ms (Views: 63.8ms | ActiveRecord: 9.4ms)
```

Started GET "/chefs" for 127.0.0.1 at 2014-05-13 15:10:18 -0400

Processing by ChefsController#index as HTML

```
Chef Load (0.6ms) SELECT "chefs".* FROM "chefs"
Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [{"chef_id", 12}]
Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [{"chef_id", 13}]
Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [{"chef_id", 14}]
Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [{"chef_id", 15}]
Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [{"chef_id", 16}]
Cookbook Load (0.6ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [{"chef_id", 17}]
Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [{"chef_id", 18}]
Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [{"chef_id", 19}]
Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [{"chef_id", 20}]
Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [{"chef_id", 21}]
Rendered chefs/index.html.erb within layouts/application (51.9ms)
Completed 200 OK in 59ms (Views: 54.6ms | ActiveRecord: 3.6ms)
```

Started GET "/chefs/12" for 127.0.0.1 at 2014-05-13 15:10:21 -0400

Processing by ChefsController#show as HTML

Parameters: {"id"=>"12"}

```
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 12}]
Rendered chefs/show.html.erb within layouts/application (0.7ms)
Completed 200 OK in 58ms (Views: 55.0ms | ActiveRecord: 0.2ms)
```

Started GET "/chefs" for 127.0.0.1 at 2014-05-13 15:10:23 -0400

Processing by ChefsController#index as HTML

```
Chef Load (0.3ms) SELECT "chefs".* FROM "chefs"
Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [{"chef_id", 12}]
Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [{"chef_id", 13}]
Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [{"chef_id", 14}]
Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [{"chef_id", 14}]
```

```
_id", 15]]
  Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [["chef
_id", 16]]
  Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [["chef
_id", 17]]
  Cookbook Load (0.4ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [["chef
_id", 18]]
  Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [["chef
_id", 19]]
  Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [["chef
_id", 20]]
  Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [["chef
_id", 21]]
  Rendered chefs/index.html.erb within layouts/application (19.6ms)
Completed 200 OK in 30ms (Views: 23.3ms | ActiveRecord: 2.8ms)
[2014-05-13 15:10:23] WARN Could not determine content-length of response body. Set content-length of th
e response or set Response#chunked = true
```

```
Started GET "/chefs/12" for 127.0.0.1 at 2014-05-13 15:10:29 -0400
Processing by ChefsController#show as HTML
Parameters: {"id"=>"12"}
  Chef Load (2.3ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 12]]
  Rendered chefs/show.html.erb within layouts/application (0.1ms)
Completed 200 OK in 10ms (Views: 5.9ms | ActiveRecord: 2.3ms)
[2014-05-13 15:10:29] WARN Could not determine content-length of response body. Set content-length of th
e response or set Response#chunked = true
```

```
Started GET "/cookbooks" for 127.0.0.1 at 2014-05-13 15:10:31 -0400
Processing by CookbooksController#index as HTML
  Rendered cookbooks/_cookbookform.html.erb (2.5ms)
  Cookbook Load (1.0ms) SELECT "cookbooks".* FROM "cookbooks" ORDER BY "cookbooks"."id" DESC
  Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 16]]
  Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 15]]
  Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 14]]
  Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 12]]
  CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 15]]
  Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 17]]
  CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 15]]
  Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 21]]
  CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 17]]
  Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 13]]
  CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 17]]
  CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 21]]
  CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 14]]
  CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 21]]
  Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 19]]
  CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 12]]
  Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 18]]
  Chef Load (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 20]]
  CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 18]]
  CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 13]]
  CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 15]]
  CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 20]]
  CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 12]]
  CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 16]]
  CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 17]]
  CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 21]]
  CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 13]]
  CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 18]]
  CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 21]]
  CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 19]]
  CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 18]]
  CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 12]]
  CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 20]]
  CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 20]]
  CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 21]]
  CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 20]]
  CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 17]]
```



```
ActiveRecord::SchemaMigration Load (0.5ms) SELECT "schema_migrations".* FROM "schema_migrations"
Processing by CookbooksController#show as HTML
Parameters: {"id"=>"302"}
Cookbook Load (0.6ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = $1 LIMIT 1 [["id", 302]]
Completed 404 Not Found in 14ms
```

```
ActiveRecord::RecordNotFound (Couldn't find Cookbook with 'id'=302):
app/controllers/cookbooks_controller.rb:16:in `show'
```

```
Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/action_dispatch/middleware/templates/rescues/_source.erb (0.6ms)
Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/action_dispatch/middleware/templates/rescues/_trace.html.erb (0.9ms)
Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/action_dispatch/middleware/templates/rescues/_request_and_response.html.erb (0.8ms)
Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/action_dispatch/middleware/templates/rescues/diagnostics.erb within rescues/layout (18.0ms)
[2014-05-13 15:40:24] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true
```

```
Started GET "/cookbooks/302" for 127.0.0.1 at 2014-05-13 15:40:24 -0400
Processing by CookbooksController#show as HTML
Parameters: {"id"=>"302"}
Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = $1 LIMIT 1 [["id", 302]]
Completed 404 Not Found in 2ms
```

```
ActiveRecord::RecordNotFound (Couldn't find Cookbook with 'id'=302):
app/controllers/cookbooks_controller.rb:16:in `show'
```

```
Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/action_dispatch/middleware/templates/rescues/_source.erb (0.6ms)
Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/action_dispatch/middleware/templates/rescues/_trace.html.erb (34.8ms)
Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/action_dispatch/middleware/templates/rescues/_request_and_response.html.erb (1.3ms)
Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/action_dispatch/middleware/templates/rescues/diagnostics.erb within rescues/layout (51.2ms)
```

```
Started GET "/cookbooks" for 127.0.0.1 at 2014-05-13 15:40:33 -0400
Processing by CookbooksController#index as HTML
Rendered cookbooks/_cookbookform.html.erb (5.8ms)
Cookbook Load (0.8ms) SELECT "cookbooks".* FROM "cookbooks" ORDER BY "cookbooks"."id" DESC
Chef Load (0.3ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 39]]
Chef Load (0.3ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 40]]
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 41]]
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 35]]
Chef Load (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 38]]
Chef Load (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 33]]
Chef Load (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 37]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 39]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 35]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 41]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 35]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 39]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 35]]
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 32]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 38]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 39]]
Chef Load (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 36]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 36]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 41]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 41]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 38]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 38]]
```

[illegible]

```
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 37]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 36]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 41]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 39]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 32]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 39]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 35]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 40]]
Rendered cookbooks/index.html.erb within layouts/application (56.0ms)
Completed 200 OK in 61ms (Views: 55.6ms | ActiveRecord: 4.5ms)
```

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 15:40:33 -0400
[2014-05-13 15:40:33] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 15:40:33 -0400
[2014-05-13 15:40:33] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 15:40:33 -0400
[2014-05-13 15:40:33] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 15:40:33 -0400
[2014-05-13 15:40:33] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 15:40:33 -0400
[2014-05-13 15:40:33] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/cookbooks" for 127.0.0.1 at 2014-05-13 15:40:34 -0400
Processing by CookbooksController#index as HTML

Rendered cookbooks/_cookbookform.html.erb (2.1ms)

```
Cookbook Load (0.9ms) SELECT "cookbooks".* FROM "cookbooks" ORDER BY "cookbooks"."id" DESC
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 39]]
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 40]]
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 41]]
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 35]]
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 38]]
Chef Load (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 33]]
Chef Load (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 37]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 39]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 35]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 41]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 35]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 39]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 35]]
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 32]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 38]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 39]]
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 36]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 36]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 41]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 41]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 38]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 38]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 37]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 33]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 33]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 32]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 32]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 40]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 36]]
```


[illegible]


```
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 40]]
Rendered cookbooks/index.html.erb within layouts/application (87.8ms)
Completed 200 OK in 94ms (Views: 89.4ms | ActiveRecord: 3.9ms)
[2014-05-13 15:40:34] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 15:40:34 -0400
[2014-05-13 15:40:34] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 15:40:34 -0400
[2014-05-13 15:40:34] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 15:40:34 -0400
[2014-05-13 15:40:34] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 15:40:34 -0400
[2014-05-13 15:40:34] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 15:40:34 -0400
[2014-05-13 15:40:34] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/cookbooks/401" for 127.0.0.1 at 2014-05-13 15:40:36 -0400
Processing by CookbooksController#show as HTML
Parameters: {"id"=>"401"}
Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = $1 LIMIT 1 [["id", 401]]
Rendered recipes/_recipeform.html.erb (9.1ms)
Recipe Load (1.7ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."cookbook_id" = $1 ORDER BY "recipes"."id" DESC [["cookbook_id", 401]]
Rendered cookbooks/show.html.erb within layouts/application (17.3ms)
Completed 200 OK in 31ms (Views: 21.1ms | ActiveRecord: 3.9ms)

Started GET "/cookbooks" for 127.0.0.1 at 2014-05-13 15:40:40 -0400
Processing by CookbooksController#index as HTML
Rendered cookbooks/_cookbookform.html.erb (1.3ms)
Cookbook Load (0.6ms) SELECT "cookbooks".* FROM "cookbooks" ORDER BY "cookbooks"."id" DESC
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 39]]
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 40]]
Chef Load (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 41]]
Chef Load (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 35]]
Chef Load (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 38]]
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 33]]
Chef Load (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 37]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 39]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 35]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 41]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 35]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 39]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 35]]
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 32]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 38]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 39]]
Chef Load (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 36]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 36]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 41]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 41]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 38]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 38]]
```

[illegible]

```
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 37]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 36]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 41]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 39]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 32]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 39]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 35]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 40]]
Rendered cookbooks/index.html.erb within layouts/application (113.2ms)
Completed 200 OK in 119ms (Views: 114.5ms | ActiveRecord: 3.4ms)
[2014-05-13 15:40:40] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/cookbooks/402" for 127.0.0.1 at 2014-05-13 15:41:12 -0400
Processing by CookbooksController#show as HTML
Parameters: {"id"=>"402"}
Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = $1 LIMIT 1 [["id", 402]]
Rendered recipes/_recipeform.html.erb (8.7ms)
Recipe Load (0.7ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."cookbook_id" = $1 ORDER BY "recipes"."id" DESC [["cookbook_id", 402]]
Rendered cookbooks/show.html.erb within layouts/application (18.3ms)
Completed 200 OK in 47ms (Views: 24.3ms | ActiveRecord: 9.3ms)

Started GET "/recipes/4001/edit" for 127.0.0.1 at 2014-05-13 15:41:15 -0400
Processing by RecipesController#edit as HTML
Parameters: {"id"=>"4001"}
Recipe Load (0.3ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."id" = $1 LIMIT 1 [["id", 4001]]
Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = $1 LIMIT 1 [["id", 402]]
Rendered recipes/_recipeform.html.erb (2.1ms)
Completed 200 OK in 8ms (Views: 3.8ms | ActiveRecord: 0.7ms)

Started GET "/recipes/4001/edit" for 127.0.0.1 at 2014-05-13 15:41:15 -0400
Processing by RecipesController#edit as HTML
Parameters: {"id"=>"4001"}
Recipe Load (0.4ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."id" = $1 LIMIT 1 [["id", 4001]]
Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = $1 LIMIT 1 [["id", 402]]
Rendered recipes/_recipeform.html.erb (1.7ms)
Completed 200 OK in 8ms (Views: 3.0ms | ActiveRecord: 0.7ms)
[2014-05-13 15:41:15] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/cookbooks/402" for 127.0.0.1 at 2014-05-13 15:41:19 -0400
Processing by CookbooksController#show as HTML
Parameters: {"id"=>"402"}
Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = $1 LIMIT 1 [["id", 402]]
Rendered recipes/_recipeform.html.erb (2.6ms)
Recipe Load (0.5ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."cookbook_id" = $1 ORDER BY "recipes"."id" DESC [["cookbook_id", 402]]
Rendered cookbooks/show.html.erb within layouts/application (6.9ms)
Completed 200 OK in 15ms (Views: 12.4ms | ActiveRecord: 0.8ms)
[2014-05-13 15:41:19] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 15:41:20 -0400
[2014-05-13 15:41:20] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 15:41:20 -0400
```

[2014-05-13 15:41:20] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 15:41:20 -0400

[2014-05-13 15:41:20] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 15:41:20 -0400

[2014-05-13 15:41:20] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 15:41:20 -0400

[2014-05-13 15:41:20] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/cookbooks/402" for 127.0.0.1 at 2014-05-13 15:42:12 -0400

Processing by CookbooksController#show as HTML

Parameters: {"id"=>"402"}

Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = \$1 LIMIT 1 [["id", 402]]

Rendered recipes/_recipeform.html.erb (4.6ms)

Recipe Load (0.4ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."cookbook_id" = \$1 ORDER BY "recipes"."id" DESC [["cookbook_id", 402]]

Rendered cookbooks/show.html.erb within layouts/application (12.3ms)

Completed 200 OK in 58ms (Views: 16.2ms | ActiveRecord: 3.0ms)

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 15:42:12 -0400

[2014-05-13 15:42:12] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 15:42:12 -0400

[2014-05-13 15:42:12] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 15:42:12 -0400

[2014-05-13 15:42:12] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 15:42:12 -0400

[2014-05-13 15:42:12] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 15:42:12 -0400

[2014-05-13 15:42:13] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/recipes/4001" for 127.0.0.1 at 2014-05-13 15:42:16 -0400

Processing by RecipesController#show as HTML

Parameters: {"id"=>"4001"}

Recipe Load (0.3ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."id" = \$1 LIMIT 1 [["id", 4001]]

Rendered recipes/show.html.erb within layouts/application (0.5ms)

Completed 200 OK in 10ms (Views: 7.2ms | ActiveRecord: 0.3ms)

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 15:42:16 -0400

[2014-05-13 15:42:16] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 15:42:16 -0400
[2014-05-13 15:42:16] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 15:42:16 -0400
[2014-05-13 15:42:16] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 15:42:16 -0400
[2014-05-13 15:42:16] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 15:42:16 -0400
[2014-05-13 15:42:16] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/recipes/4001" for 127.0.0.1 at 2014-05-13 15:42:35 -0400
Processing by RecipesController#show as HTML
Parameters: {"id"=>"4001"}
Recipe Load (0.3ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."id" = \$1 LIMIT 1 [{"id", 4001}]
Rendered recipes/show.html.erb within layouts/application (0.5ms)
Completed 200 OK in 16ms (Views: 6.1ms | ActiveRecord: 2.1ms)

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 15:42:35 -0400
[2014-05-13 15:42:35] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 15:42:35 -0400
[2014-05-13 15:42:36] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 15:42:36 -0400
[2014-05-13 15:42:36] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 15:42:36 -0400
[2014-05-13 15:42:36] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 15:42:36 -0400
[2014-05-13 15:42:36] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/recipes/4000" for 127.0.0.1 at 2014-05-13 15:42:41 -0400
Processing by RecipesController#show as HTML
Parameters: {"id"=>"4000"}
Recipe Load (0.3ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."id" = \$1 LIMIT 1 [{"id", 4000}]
Rendered recipes/show.html.erb within layouts/application (0.1ms)
Completed 200 OK in 12ms (Views: 10.3ms | ActiveRecord: 0.3ms)

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 15:42:41 -0400
[2014-05-13 15:42:41] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 15:42:41 -0400
[2014-05-13 15:42:41] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

e response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 15:42:41 -0400
[2014-05-13 15:42:41] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 15:42:41 -0400
[2014-05-13 15:42:41] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 15:42:41 -0400
[2014-05-13 15:42:41] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/cookbooks/402" for 127.0.0.1 at 2014-05-13 15:43:02 -0400
Processing by CookbooksController#show as HTML
Parameters: {"id"=>"402"}
Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = \$1 LIMIT 1 [["id", 402]]
Rendered recipes/_recipeform.html.erb (4.6ms)
Recipe Load (0.6ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."cookbook_id" = \$1 ORDER BY "recipes"."id" DESC [["cookbook_id", 402]]
Rendered cookbooks/show.html.erb within layouts/application (54.0ms)
Completed 200 OK in 67ms (Views: 58.6ms | ActiveRecord: 2.5ms)

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 15:43:02 -0400
[2014-05-13 15:43:02] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 15:43:02 -0400
[2014-05-13 15:43:02] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 15:43:02 -0400
[2014-05-13 15:43:02] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 15:43:02 -0400
[2014-05-13 15:43:02] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 15:43:02 -0400
[2014-05-13 15:43:02] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/cookbooks/402" for 127.0.0.1 at 2014-05-13 15:43:48 -0400
Processing by CookbooksController#show as HTML
Parameters: {"id"=>"402"}
Cookbook Load (0.4ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = \$1 LIMIT 1 [["id", 402]]
Rendered recipes/_recipeform.html.erb (1.7ms)
Recipe Load (0.4ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."cookbook_id" = \$1 ORDER BY "recipes"."id" DESC [["cookbook_id", 402]]
Rendered cookbooks/show.html.erb within layouts/application (7.1ms)
Completed 200 OK in 15ms (Views: 12.0ms | ActiveRecord: 0.8ms)

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 15:43:48 -0400
[2014-05-13 15:43:48] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 15:43:48 -0400
[2014-05-13 15:43:48] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 15:43:48 -0400
[2014-05-13 15:43:48] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 15:43:48 -0400
[2014-05-13 15:43:48] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 15:43:48 -0400
[2014-05-13 15:43:48] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/recipes/4001" for 127.0.0.1 at 2014-05-13 15:43:54 -0400
Processing by RecipesController#show as HTML
Parameters: {"id"=>"4001"}
Recipe Load (0.3ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."id" = \$1 LIMIT 1 [{"id", 4001}]
Rendered recipes/show.html.erb within layouts/application (0.5ms)
Completed 200 OK in 9ms (Views: 7.0ms | ActiveRecord: 0.3ms)
[2014-05-13 15:43:54] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/recipes/4001/edit" for 127.0.0.1 at 2014-05-13 15:43:57 -0400
Processing by RecipesController#edit as HTML
Parameters: {"id"=>"4001"}
Recipe Load (1.2ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."id" = \$1 LIMIT 1 [{"id", 4001}]
Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = \$1 LIMIT 1 [{"id", 402}]
Rendered recipes/_recipeform.html.erb (2.0ms)
Completed 200 OK in 9ms (Views: 3.7ms | ActiveRecord: 1.4ms)
[2014-05-13 15:43:57] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/recipes/4001/edit" for 127.0.0.1 at 2014-05-13 15:43:57 -0400
Processing by RecipesController#edit as HTML
Parameters: {"id"=>"4001"}
Recipe Load (0.2ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."id" = \$1 LIMIT 1 [{"id", 4001}]
Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = \$1 LIMIT 1 [{"id", 402}]
Rendered recipes/_recipeform.html.erb (4.7ms)
Completed 200 OK in 9ms (Views: 6.0ms | ActiveRecord: 0.4ms)
[2014-05-13 15:43:57] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/cookbooks" for 127.0.0.1 at 2014-05-13 15:44:02 -0400
Processing by CookbooksController#index as HTML
Rendered cookbooks/_cookbookform.html.erb (1.4ms)
Cookbook Load (0.6ms) SELECT "cookbooks".* FROM "cookbooks" ORDER BY "cookbooks"."id" DESC
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [{"id", 39}]
Chef Load (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [{"id", 40}]
Chef Load (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [{"id", 41}]
Chef Load (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [{"id", 35}]
Chef Load (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [{"id", 38}]
Chef Load (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [{"id", 33}]
Chef Load (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [{"id", 37}]

[illegible]

```
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 32}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 37}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 32}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 40}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 34}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 37}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 32}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 36}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 41}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 41}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 38}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 39}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 41}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 41}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 39}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 37}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 36}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 41}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 39}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 32}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 39}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 35}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 40}]
```

Rendered cookbooks/index.html.erb within layouts/application (77.1ms)

Completed 200 OK in 82ms (Views: 76.6ms | ActiveRecord: 4.5ms)

[2014-05-13 15:44:02] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 15:44:02 -0400

[2014-05-13 15:44:02] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 15:44:02 -0400

[2014-05-13 15:44:02] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 15:44:02 -0400

[2014-05-13 15:44:02] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 15:44:02 -0400

[2014-05-13 15:44:02] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 15:44:02 -0400

[2014-05-13 15:44:02] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/cookbooks/402" for 127.0.0.1 at 2014-05-13 15:44:04 -0400

Processing by CookbooksController#show as HTML

Parameters: {"id"=>"402"}

Cookbook Load (1.8ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = \$1 LIMIT 1 [{"id", 402}]

Rendered recipes/_recipeform.html.erb (1.8ms)

Recipe Load (0.4ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."cookbook_id" = \$1 ORDER BY "recipes"."id" DESC [{"cookbook_id", 402}]

Rendered cookbooks/show.html.erb within layouts/application (6.2ms)

Completed 200 OK in 17ms (Views: 12.2ms | ActiveRecord: 2.2ms)

[2014-05-13 15:44:04] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/cookbooks/402" for 127.0.0.1 at 2014-05-13 15:44:27 -0400

Processing by CookbooksController#show as HTML

```
Parameters: {"id"=>"402"}
Cookbook Load (0.4ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = $1 LIMIT 1 [["id", 402]]
Rendered recipes/_recipeform.html.erb (1.5ms)
Recipe Load (0.6ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."cookbook_id" = $1 ORDER BY "recipes"."id" DESC [["cookbook_id", 402]]
Rendered cookbooks/show.html.erb within layouts/application (37.0ms)
Completed 200 OK in 45ms (Views: 41.5ms | ActiveRecord: 0.9ms)
[2014-05-13 15:44:27] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true
```

```
Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 15:44:27 -0400
[2014-05-13 15:44:27] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true
```

```
Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 15:44:27 -0400
[2014-05-13 15:44:27] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true
```

```
Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 15:44:27 -0400
[2014-05-13 15:44:27] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true
```

```
Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 15:44:27 -0400
[2014-05-13 15:44:27] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true
```

```
Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 15:44:27 -0400
[2014-05-13 15:44:27] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true
```

```
Started GET "/recipes/4001/edit" for 127.0.0.1 at 2014-05-13 15:44:29 -0400
Processing by RecipesController#edit as HTML
Parameters: {"id"=>"4001"}
Recipe Load (0.2ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."id" = $1 LIMIT 1 [["id", 4001]]
Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = $1 LIMIT 1 [["id", 402]]
Rendered recipes/_recipeform.html.erb (2.1ms)
Completed 200 OK in 7ms (Views: 3.7ms | ActiveRecord: 0.4ms)
[2014-05-13 15:44:29] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true
```

```
Started GET "/recipes/4001/edit" for 127.0.0.1 at 2014-05-13 15:44:29 -0400
Processing by RecipesController#edit as HTML
Parameters: {"id"=>"4001"}
Recipe Load (0.2ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."id" = $1 LIMIT 1 [["id", 4001]]
Cookbook Load (0.4ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = $1 LIMIT 1 [["id", 402]]
Rendered recipes/_recipeform.html.erb (1.5ms)
Completed 200 OK in 5ms (Views: 2.4ms | ActiveRecord: 0.6ms)
[2014-05-13 15:44:29] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true
```

```
Started GET "/" for 127.0.0.1 at 2014-05-13 15:44:34 -0400
Processing by CookbooksController#index as HTML
Rendered cookbooks/_cookbookform.html.erb (1.2ms)
Cookbook Load (0.6ms) SELECT "cookbooks".* FROM "cookbooks" ORDER BY "cookbooks"."id" DESC
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 39]]
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 40]]
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 41]]
```


[illegible]

```
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 41}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 38}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 41}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 38}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 32}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 37}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 32}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 40}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 34}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 37}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 32}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 36}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 41}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 41}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 38}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 39}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 41}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 41}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 39}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 37}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 36}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 41}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 39}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 32}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 39}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 35}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 40}]
```

Rendered cookbooks/index.html.erb within layouts/application (48.9ms)
Completed 200 OK in 53ms (Views: 49.3ms | ActiveRecord: 3.1ms)

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 15:44:34 -0400
[2014-05-13 15:44:34] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 15:44:34 -0400
[2014-05-13 15:44:34] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 15:44:34 -0400
[2014-05-13 15:44:34] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 15:44:34 -0400
[2014-05-13 15:44:34] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 15:44:34 -0400
[2014-05-13 15:44:34] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/cookbooks/402" for 127.0.0.1 at 2014-05-13 15:44:35 -0400
Processing by CookbooksController#show as HTML
Parameters: {"id"=>"402"}
Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = \$1 LIMIT 1 [{"id", 402}]
Rendered recipes/_recipeform.html.erb (2.2ms)
Recipe Load (0.5ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."cookbook_id" = \$1 ORDER BY "recipes"."id" DESC [{"cookbook_id", 402}]
Rendered cookbooks/show.html.erb within layouts/application (35.1ms)
Completed 200 OK in 45ms (Views: 42.4ms | ActiveRecord: 0.7ms)
[2014-05-13 15:44:35] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/recipes/4001" for 127.0.0.1 at 2014-05-13 15:44:38 -0400
Processing by RecipesController#show as HTML
Parameters: {"id"=>"4001"}
Recipe Load (0.2ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."id" = \$1 LIMIT 1 [{"id", 4001}]
Rendered recipes/show.html.erb within layouts/application (0.1ms)
Completed 200 OK in 10ms (Views: 6.4ms | ActiveRecord: 0.2ms)
[2014-05-13 15:44:38] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/recipes/4001" for 127.0.0.1 at 2014-05-13 15:45:38 -0400
Processing by RecipesController#show as HTML
Parameters: {"id"=>"4001"}
Recipe Load (0.2ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."id" = \$1 LIMIT 1 [{"id", 4001}]
Rendered recipes/show.html.erb within layouts/application (0.6ms)
Completed 200 OK in 9ms (Views: 7.3ms | ActiveRecord: 0.2ms)

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 15:45:38 -0400
[2014-05-13 15:45:38] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 15:45:38 -0400
[2014-05-13 15:45:38] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 15:45:38 -0400
[2014-05-13 15:45:38] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 15:45:38 -0400
[2014-05-13 15:45:39] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 15:45:39 -0400
[2014-05-13 15:45:39] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/recipes/4001" for 127.0.0.1 at 2014-05-13 15:46:52 -0400
Processing by RecipesController#show as HTML
Parameters: {"id"=>"4001"}
Recipe Load (0.2ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."id" = \$1 LIMIT 1 [{"id", 4001}]
Rendered recipes/show.html.erb within layouts/application (0.6ms)
Completed 200 OK in 9ms (Views: 6.8ms | ActiveRecord: 0.2ms)

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 15:46:52 -0400
[2014-05-13 15:46:52] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 15:46:52 -0400
[2014-05-13 15:46:52] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 15:46:52 -0400
[2014-05-13 15:46:52] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 15:46:52 -0400

[2014-05-13 15:46:52] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 15:46:52 -0400

[2014-05-13 15:46:52] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/recipes/4001" for 127.0.0.1 at 2014-05-13 15:47:28 -0400

Processing by RecipesController#show as HTML

Parameters: {"id"=>"4001"}

Recipe Load (0.3ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."id" = \$1 LIMIT 1 [{"id", 4001}]

Rendered recipes/show.html.erb within layouts/application (0.5ms)

Completed 200 OK in 41ms (Views: 38.2ms | ActiveRecord: 0.3ms)

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 15:47:28 -0400

[2014-05-13 15:47:28] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 15:47:28 -0400

[2014-05-13 15:47:28] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 15:47:28 -0400

[2014-05-13 15:47:28] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 15:47:28 -0400

[2014-05-13 15:47:28] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 15:47:28 -0400

[2014-05-13 15:47:28] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/recipes/4001" for 127.0.0.1 at 2014-05-13 15:47:41 -0400

Processing by RecipesController#show as HTML

Parameters: {"id"=>"4001"}

Recipe Load (0.2ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."id" = \$1 LIMIT 1 [{"id", 4001}]

Rendered recipes/show.html.erb within layouts/application (1.3ms)

Completed 200 OK in 11ms (Views: 8.9ms | ActiveRecord: 0.2ms)

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 15:47:41 -0400

[2014-05-13 15:47:41] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 15:47:41 -0400

[2014-05-13 15:47:41] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 15:47:41 -0400

[2014-05-13 15:47:41] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 15:47:41 -0400

[2014-05-13 15:47:41] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 15:47:41 -0400
[2014-05-13 15:47:41] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/recipes/4001" for 127.0.0.1 at 2014-05-13 15:48:18 -0400
Processing by RecipesController#show as HTML
Parameters: {"id"=>"4001"}
Recipe Load (0.2ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."id" = \$1 LIMIT 1 [{"id", 4001}]
Rendered recipes/show.html.erb within layouts/application (0.4ms)
Completed 200 OK in 6ms (Views: 4.2ms | ActiveRecord: 0.2ms)

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 15:48:18 -0400
[2014-05-13 15:48:18] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 15:48:18 -0400
[2014-05-13 15:48:18] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 15:48:18 -0400
[2014-05-13 15:48:18] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 15:48:18 -0400
[2014-05-13 15:48:18] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 15:48:18 -0400
[2014-05-13 15:48:18] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/recipes/4001" for 127.0.0.1 at 2014-05-13 15:48:41 -0400
Processing by RecipesController#show as HTML
Parameters: {"id"=>"4001"}
Recipe Load (0.3ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."id" = \$1 LIMIT 1 [{"id", 4001}]
Rendered recipes/show.html.erb within layouts/application (0.7ms)
Completed 200 OK in 11ms (Views: 8.1ms | ActiveRecord: 0.3ms)

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 15:48:41 -0400
[2014-05-13 15:48:41] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 15:48:41 -0400
[2014-05-13 15:48:42] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 15:48:42 -0400
[2014-05-13 15:48:42] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 15:48:42 -0400
[2014-05-13 15:48:42] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 15:48:42 -0400
[2014-05-13 15:48:42] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/recipes/4001" for 127.0.0.1 at 2014-05-13 15:49:08 -0400
Processing by RecipesController#show as HTML
Parameters: {"id"=>"4001"}
Recipe Load (0.2ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."id" = \$1 LIMIT 1 [{"id", 4001}]
Rendered recipes/show.html.erb within layouts/application (0.4ms)
Completed 200 OK in 6ms (Views: 4.1ms | ActiveRecord: 0.2ms)

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 15:49:08 -0400
[2014-05-13 15:49:08] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 15:49:08 -0400
[2014-05-13 15:49:08] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 15:49:08 -0400
[2014-05-13 15:49:08] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 15:49:08 -0400
[2014-05-13 15:49:08] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 15:49:08 -0400
[2014-05-13 15:49:08] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/recipes/4001" for 127.0.0.1 at 2014-05-13 15:49:21 -0400
Processing by RecipesController#show as HTML
Parameters: {"id"=>"4001"}
Recipe Load (0.2ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."id" = \$1 LIMIT 1 [{"id", 4001}]
Rendered recipes/show.html.erb within layouts/application (0.9ms)
Completed 200 OK in 9ms (Views: 6.5ms | ActiveRecord: 0.2ms)

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 15:49:21 -0400
[2014-05-13 15:49:21] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 15:49:21 -0400
[2014-05-13 15:49:21] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 15:49:21 -0400
[2014-05-13 15:49:21] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 15:49:21 -0400
[2014-05-13 15:49:21] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 15:49:21 -0400
[2014-05-13 15:49:21] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

e response or set Response#chunked = true

Started GET "/recipes/4001" for 127.0.0.1 at 2014-05-13 15:50:04 -0400

Processing by RecipesController#show as HTML

Parameters: {"id"=>"4001"}

Recipe Load (0.3ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."id" = \$1 LIMIT 1 [{"id", 4001}]

Rendered recipes/show.html.erb within layouts/application (0.5ms)

Completed 200 OK in 9ms (Views: 6.6ms | ActiveRecord: 0.3ms)

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 15:50:04 -0400

[2014-05-13 15:50:04] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 15:50:04 -0400

[2014-05-13 15:50:04] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 15:50:04 -0400

[2014-05-13 15:50:04] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 15:50:04 -0400

[2014-05-13 15:50:04] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 15:50:04 -0400

[2014-05-13 15:50:04] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/recipes/4001" for 127.0.0.1 at 2014-05-13 15:50:21 -0400

Processing by RecipesController#show as HTML

Parameters: {"id"=>"4001"}

Recipe Load (0.2ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."id" = \$1 LIMIT 1 [{"id", 4001}]

Rendered recipes/show.html.erb within layouts/application (0.7ms)

Completed 200 OK in 10ms (Views: 8.5ms | ActiveRecord: 0.2ms)

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 15:50:22 -0400

[2014-05-13 15:50:22] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 15:50:22 -0400

[2014-05-13 15:50:22] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 15:50:22 -0400

[2014-05-13 15:50:22] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 15:50:22 -0400

[2014-05-13 15:50:22] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 15:50:22 -0400

[2014-05-13 15:50:22] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/recipes/4001" for 127.0.0.1 at 2014-05-13 15:50:48 -0400
Processing by RecipesController#show as HTML
Parameters: {"id"=>"4001"}
Recipe Load (0.3ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."id" = \$1 LIMIT 1 [{"id", 4001}]
Rendered recipes/show.html.erb within layouts/application (0.1ms)
Completed 200 OK in 22ms (Views: 18.8ms | ActiveRecord: 0.3ms)

Started GET "/assets/my_styles.css?body=1" for 127.0.0.1 at 2014-05-13 15:50:48 -0400

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 15:50:48 -0400
[2014-05-13 15:50:48] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 15:50:48 -0400
[2014-05-13 15:50:48] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 15:50:48 -0400
[2014-05-13 15:50:48] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 15:50:48 -0400
[2014-05-13 15:50:48] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 15:50:48 -0400
[2014-05-13 15:50:48] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/recipes/4001" for 127.0.0.1 at 2014-05-13 15:50:54 -0400
Processing by RecipesController#show as HTML
Parameters: {"id"=>"4001"}
Recipe Load (0.2ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."id" = \$1 LIMIT 1 [{"id", 4001}]
Rendered recipes/show.html.erb within layouts/application (0.1ms)
Completed 200 OK in 19ms (Views: 17.5ms | ActiveRecord: 0.2ms)
[2014-05-13 15:50:54] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/my_styles.css?body=1" for 127.0.0.1 at 2014-05-13 15:50:54 -0400

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 15:50:54 -0400
[2014-05-13 15:50:54] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 15:50:54 -0400
[2014-05-13 15:50:54] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 15:50:54 -0400
[2014-05-13 15:50:54] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 15:50:54 -0400
[2014-05-13 15:50:54] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 15:50:54 -0400
[2014-05-13 15:50:54] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/recipes/4001" for 127.0.0.1 at 2014-05-13 15:51:17 -0400
Processing by RecipesController#show as HTML
Parameters: {"id"=>"4001"}
Recipe Load (0.2ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."id" = \$1 LIMIT 1 [{"id", 4001}]
Rendered recipes/show.html.erb within layouts/application (0.1ms)
Completed 200 OK in 40ms (Views: 15.6ms | ActiveRecord: 0.2ms)
[2014-05-13 15:51:17] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/my_styles.css?body=1" for 127.0.0.1 at 2014-05-13 15:51:17 -0400

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 15:51:17 -0400
[2014-05-13 15:51:17] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 15:51:17 -0400
[2014-05-13 15:51:17] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 15:51:17 -0400
[2014-05-13 15:51:17] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 15:51:17 -0400
[2014-05-13 15:51:17] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 15:51:17 -0400
[2014-05-13 15:51:17] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/recipes/4001" for 127.0.0.1 at 2014-05-13 15:51:21 -0400
Processing by RecipesController#show as HTML
Parameters: {"id"=>"4001"}
Recipe Load (0.2ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."id" = \$1 LIMIT 1 [{"id", 4001}]
Rendered recipes/show.html.erb within layouts/application (0.1ms)
Completed 200 OK in 62ms (Views: 61.1ms | ActiveRecord: 0.2ms)
[2014-05-13 15:51:21] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/my_styles.css?body=1" for 127.0.0.1 at 2014-05-13 15:51:21 -0400

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 15:51:21 -0400
[2014-05-13 15:51:21] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 15:51:21 -0400
[2014-05-13 15:51:21] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 15:51:21 -0400
[2014-05-13 15:51:21] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 15:51:21 -0400
[2014-05-13 15:51:21] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 15:51:21 -0400
[2014-05-13 15:51:21] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/recipes/4001" for 127.0.0.1 at 2014-05-13 15:51:41 -0400
Processing by RecipesController#show as HTML
Parameters: {"id"=>"4001"}
Recipe Load (1.0ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."id" = \$1 LIMIT 1 [{"id", 4001}]
Rendered recipes/show.html.erb within layouts/application (0.1ms)
Completed 200 OK in 27ms (Views: 23.8ms | ActiveRecord: 1.0ms)
[2014-05-13 15:51:41] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/my_styles.css?body=1" for 127.0.0.1 at 2014-05-13 15:51:41 -0400

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 15:51:41 -0400
[2014-05-13 15:51:41] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 15:51:41 -0400
[2014-05-13 15:51:41] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 15:51:41 -0400
[2014-05-13 15:51:41] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 15:51:41 -0400
[2014-05-13 15:51:41] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 15:51:41 -0400
[2014-05-13 15:51:41] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/recipes/4001" for 127.0.0.1 at 2014-05-13 15:51:46 -0400
Processing by RecipesController#show as HTML
Parameters: {"id"=>"4001"}
Recipe Load (0.5ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."id" = \$1 LIMIT 1 [{"id", 4001}]
Rendered recipes/show.html.erb within layouts/application (0.1ms)
Completed 200 OK in 21ms (Views: 18.6ms | ActiveRecord: 0.5ms)
[2014-05-13 15:51:46] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/my_styles.css?body=1" for 127.0.0.1 at 2014-05-13 15:51:46 -0400

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 15:51:46 -0400
[2014-05-13 15:51:46] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

e response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 15:51:46 -0400
[2014-05-13 15:51:46] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 15:51:46 -0400
[2014-05-13 15:51:46] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 15:51:46 -0400
[2014-05-13 15:51:46] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 15:51:46 -0400
[2014-05-13 15:51:46] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/recipes/4001" for 127.0.0.1 at 2014-05-13 15:52:58 -0400
Processing by RecipesController#show as HTML
Parameters: {"id"=>"4001"}
Recipe Load (0.2ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."id" = \$1 LIMIT 1 [{"id", 4001}]
Rendered recipes/show.html.erb within layouts/application (0.5ms)
Completed 200 OK in 5ms (Views: 4.2ms | ActiveRecord: 0.2ms)

Started GET "/assets/my_styles.css?body=1" for 127.0.0.1 at 2014-05-13 15:52:58 -0400
[2014-05-13 15:52:58] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 15:52:58 -0400
[2014-05-13 15:52:58] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 15:52:58 -0400
[2014-05-13 15:52:58] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 15:52:58 -0400
[2014-05-13 15:52:58] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 15:52:59 -0400
[2014-05-13 15:52:59] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 15:52:59 -0400
[2014-05-13 15:52:59] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/recipes/4001" for 127.0.0.1 at 2014-05-13 15:53:24 -0400
Processing by RecipesController#show as HTML
Parameters: {"id"=>"4001"}
Recipe Load (0.2ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."id" = \$1 LIMIT 1 [{"id", 4001}]
Rendered recipes/show.html.erb within layouts/application (0.4ms)
Completed 200 OK in 20ms (Views: 18.6ms | ActiveRecord: 0.2ms)
[2014-05-13 15:53:24] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

e response or set Response#chunked = true

Started GET "/assets/my_styles.css?body=1" for 127.0.0.1 at 2014-05-13 15:53:24 -0400

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 15:53:24 -0400
[2014-05-13 15:53:24] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 15:53:24 -0400
[2014-05-13 15:53:24] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 15:53:24 -0400
[2014-05-13 15:53:24] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 15:53:24 -0400
[2014-05-13 15:53:24] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 15:53:24 -0400
[2014-05-13 15:53:24] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/recipes/4001" for 127.0.0.1 at 2014-05-13 15:53:54 -0400
Processing by RecipesController#show as HTML
Parameters: {"id"=>"4001"}
Recipe Load (0.3ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."id" = \$1 LIMIT 1 [{"id", 4001}]
Rendered recipes/show.html.erb within layouts/application (0.4ms)
Completed 200 OK in 8ms (Views: 4.6ms | ActiveRecord: 0.3ms)

Started GET "/assets/my_styles.css?body=1" for 127.0.0.1 at 2014-05-13 15:53:54 -0400
[2014-05-13 15:53:54] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 15:53:54 -0400
[2014-05-13 15:53:54] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 15:53:54 -0400
[2014-05-13 15:53:54] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 15:53:54 -0400
[2014-05-13 15:53:54] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 15:53:54 -0400
[2014-05-13 15:53:54] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 15:53:54 -0400
[2014-05-13 15:53:54] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/recipes/4001" for 127.0.0.1 at 2014-05-13 15:56:54 -0400
Processing by RecipesController#show as HTML
Parameters: {"id"=>"4001"}
Recipe Load (0.3ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."id" = \$1 LIMIT 1 [["id", 4001]]
Ingredient Load (0.6ms) SELECT "ingredients".* FROM "ingredients" INNER JOIN "portions" ON "ingredients"."id" = "portions"."ingredient_id" WHERE "portions"."recipe_id" = \$1 [["recipe_id", 4001]]
Rendered recipes/show.html.erb within layouts/application (22.8ms)
Completed 200 OK in 32ms (Views: 26.7ms | ActiveRecord: 2.6ms)

Started GET "/assets/my_styles.css?body=1" for 127.0.0.1 at 2014-05-13 15:56:54 -0400
[2014-05-13 15:56:54] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 15:56:54 -0400
[2014-05-13 15:56:54] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 15:56:54 -0400
[2014-05-13 15:56:54] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 15:56:54 -0400
[2014-05-13 15:56:54] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 15:56:54 -0400
[2014-05-13 15:56:54] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 15:56:54 -0400
[2014-05-13 15:56:54] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/recipes" for 127.0.0.1 at 2014-05-13 15:56:58 -0400

ActionController::RoutingError (No route matches [GET] "/recipes"):
actionpack (4.1.0) lib/action_dispatch/middleware/debug_exceptions.rb:21:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/show_exceptions.rb:30:in `call'
railties (4.1.0) lib/rails/rack/logger.rb:38:in `call_app'
railties (4.1.0) lib/rails/rack/logger.rb:20:in `block in call'
activesupport (4.1.0) lib/active_support/tagged_logging.rb:68:in `block in tagged'
activesupport (4.1.0) lib/active_support/tagged_logging.rb:26:in `tagged'
activesupport (4.1.0) lib/active_support/tagged_logging.rb:68:in `tagged'
railties (4.1.0) lib/rails/rack/logger.rb:20:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/request_id.rb:21:in `call'
rack (1.5.2) lib/rack/methodoverride.rb:21:in `call'
rack (1.5.2) lib/rack/runtime.rb:17:in `call'
activesupport (4.1.0) lib/active_support/cache/strategy/local_cache_middleware.rb:26:in `call'
rack (1.5.2) lib/rack/lock.rb:17:in `call'
actionpack (4.1.0) lib/action_dispatch/middleware/static.rb:64:in `call'
rack (1.5.2) lib/rack/sendfile.rb:112:in `call'
railties (4.1.0) lib/rails/engine.rb:514:in `call'
railties (4.1.0) lib/rails/application.rb:144:in `call'
rack (1.5.2) lib/rack/lock.rb:17:in `call'
rack (1.5.2) lib/rack/content_length.rb:14:in `call'
rack (1.5.2) lib/rack/handler/webrick.rb:60:in `service'
/Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/httpserver.rb:138:in `service'
/Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/httpserver.rb:94:in `run'
/Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/1.9.1/webrick/server.rb:191:in `block in start_thread'

Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/action_dispatch/middleware/templates/rescues/_trace.html.erb (0.9ms)
Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/action_dispatch/middleware/templates/routes/_route.html.erb (33.1ms)
Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/action_dispatch/middleware/templates/routes/_table.html.erb (3.6ms)
Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/action_dispatch/middleware/templates/rescues/routing_error.html.erb within rescues/layout (55.1ms)

Started GET "/" for 127.0.0.1 at 2014-05-13 15:57:01 -0400

Processing by CookbooksController#index as HTML

Rendered cookbooks/_cookbookform.html.erb (1.9ms)

Cookbook Load (2.2ms) SELECT "cookbooks".* FROM "cookbooks" ORDER BY "cookbooks"."id" DESC

Chef Load (0.3ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 39]]

Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 40]]

Chef Load (0.3ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 41]]

Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 35]]

Chef Load (0.3ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 38]]

Chef Load (0.3ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 33]]

Chef Load (0.5ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 37]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 39]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 35]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 41]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 35]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 39]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 35]]

Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 32]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 38]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 39]]

Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 36]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 36]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 41]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 41]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 38]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 38]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 37]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 33]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 33]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 32]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 32]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 40]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 36]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 33]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 37]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 39]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 38]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 36]]

Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 34]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 40]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 32]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 36]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 37]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 38]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 39]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 40]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 38]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 34]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 38]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 38]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 34]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 37]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 39]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 36]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 34]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 38]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 36]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 38]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 36]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 38]]

```
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 37]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 37]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 35]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 33]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 36]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 37]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 33]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 40]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 32]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 37]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 32]]
CACHE (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 32]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 32]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 40]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 32]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 34]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 40]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 41]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 38]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 41]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 38]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 32]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 37]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 32]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 40]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 34]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 37]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 32]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 36]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 41]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 41]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 38]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 39]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 41]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 41]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 39]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 37]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 36]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 41]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 39]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 32]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 39]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 35]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 40]]
```

Rendered cookbooks/index.html.erb within layouts/application (104.7ms)
Completed 200 OK in 113ms (Views: 103.6ms | ActiveRecord: 6.5ms)

Started GET "/assets/my_styles.css?body=1" for 127.0.0.1 at 2014-05-13 15:57:01 -0400
[2014-05-13 15:57:01] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 15:57:01 -0400
[2014-05-13 15:57:01] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 15:57:01 -0400
[2014-05-13 15:57:01] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 15:57:01 -0400
[2014-05-13 15:57:01] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 15:57:01 -0400
[2014-05-13 15:57:01] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

e response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 15:57:01 -0400
[2014-05-13 15:57:01] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/cookbooks/402" for 127.0.0.1 at 2014-05-13 15:57:05 -0400
Processing by CookbooksController#show as HTML
Parameters: {"id"=>"402"}
Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = \$1 LIMIT 1 [["id", 402]]
Rendered recipes/_recipeform.html.erb (1.8ms)
Recipe Load (0.5ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."cookbook_id" = \$1 ORDER BY "recipes"."id" DESC [["cookbook_id", 402]]
Rendered cookbooks/show.html.erb within layouts/application (5.9ms)
Completed 200 OK in 14ms (Views: 11.1ms | ActiveRecord: 0.8ms)

Started GET "/cookbooks/402" for 127.0.0.1 at 2014-05-13 16:02:20 -0400
Processing by CookbooksController#show as HTML
Parameters: {"id"=>"402"}
Cookbook Load (0.5ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = \$1 LIMIT 1 [["id", 402]]
Completed 404 Not Found in 2ms

ActiveRecord::RecordNotFound (Couldn't find Cookbook with 'id'=402):
app/controllers/cookbooks_controller.rb:16:in `show'

Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/action_dispatch/middleware/templates/rescues/_source.erb (0.5ms)
Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/action_dispatch/middleware/templates/rescues/_trace.html.erb (1.2ms)
Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/action_dispatch/middleware/templates/rescues/_request_and_response.html.erb (1.0ms)
Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/action_dispatch/middleware/templates/rescues/diagnostics.erb within rescues/layout (16.3ms)

Started GET "/" for 127.0.0.1 at 2014-05-13 16:02:23 -0400
Processing by CookbooksController#index as HTML
Rendered cookbooks/_cookbookform.html.erb (2.3ms)
Cookbook Load (2.3ms) SELECT "cookbooks".* FROM "cookbooks" ORDER BY "cookbooks"."id" DESC
Chef Load (0.7ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 68]]
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 63]]
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 65]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 68]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 65]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 63]]
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 70]]
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 71]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 71]]
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 66]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 65]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 71]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 63]]
Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 62]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 66]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 66]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 70]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 62]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 66]]
Chef Load (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 69]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 62]]
Chef Load (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 67]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 70]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 63]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 69]]

[illegible]

```
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 68]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 64]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 63]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 63]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 67]]
Rendered cookbooks/index.html.erb within layouts/application (60.0ms)
Completed 200 OK in 94ms (Views: 87.3ms | ActiveRecord: 5.4ms)
```

Started GET "/assets/my_styles.css?body=1" for 127.0.0.1 at 2014-05-13 16:02:23 -0400
[2014-05-13 16:02:23] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 16:02:23 -0400
[2014-05-13 16:02:23] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 16:02:23 -0400
[2014-05-13 16:02:23] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 16:02:23 -0400
[2014-05-13 16:02:23] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 16:02:23 -0400
[2014-05-13 16:02:23] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 16:02:23 -0400
[2014-05-13 16:02:23] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/cookbooks/502" for 127.0.0.1 at 2014-05-13 16:02:25 -0400
Processing by CookbooksController#show as HTML
Parameters: {"id"=>"502"}
Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = \$1 LIMIT 1 [["id", 502]]
Rendered recipes/_recipeform.html.erb (2.2ms)
Recipe Load (1.9ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."cookbook_id" = \$1 ORDER BY "recipes"."id" DESC [["cookbook_id", 502]]
Rendered cookbooks/show.html.erb within layouts/application (7.8ms)
Completed 200 OK in 54ms (Views: 10.3ms | ActiveRecord: 2.1ms)

Started GET "/recipes/5003" for 127.0.0.1 at 2014-05-13 16:02:28 -0400
Processing by RecipesController#show as HTML
Parameters: {"id"=>"5003"}
Recipe Load (0.3ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."id" = \$1 LIMIT 1 [["id", 5003]]
Ingredient Load (1.3ms) SELECT "ingredients".* FROM "ingredients" INNER JOIN "portions" ON "ingredients"."id" = "portions"."ingredient_id" WHERE "portions"."recipe_id" = \$1 [["recipe_id", 5003]]
Rendered recipes/show.html.erb within layouts/application (7.1ms)
Completed 500 Internal Server Error in 11ms

ActionView::Template::Error (undefined method `quantity' for #<Ingredient id: 22, name: "bread">):
11: <tbody>
12: <% @recipe.ingredients.each do |ingredient| %>
13: <tr>
14: <td><%= ingredient.quantity %></td>
15: <td><%= ingredient.name %></td>
16: </tr>
17: <% end %>
app/views/recipes/show.html.erb:14:in `block in _app_views_recipes_show_html_erb___2745355909886798867_

70133950388680'

app/views/recipes/show.html.erb:12:in `_app_views_recipes_show_html_erb___2745355909886798867_70133950388680'

Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/action_dispatch/middleware/templates/rescues/_trace.html.erb (1.5ms)

Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/action_dispatch/middleware/templates/rescues/_request_and_response.html.erb (1.2ms)

Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/action_dispatch/middleware/templates/rescues/template_error.html.erb within rescues/layout (14.6ms)

Started GET "/recipes/5003" for 127.0.0.1 at 2014-05-13 16:02:28 -0400

Processing by RecipesController#show as HTML

Parameters: {"id"=>"5003"}

Recipe Load (0.9ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."id" = \$1 LIMIT 1 [{"id", 5003}]

Ingredient Load (1.1ms) SELECT "ingredients".* FROM "ingredients" INNER JOIN "portions" ON "ingredients"."id" = "portions"."ingredient_id" WHERE "portions"."recipe_id" = \$1 [{"recipe_id", 5003}]

Rendered recipes/show.html.erb within layouts/application (4.7ms)

Completed 500 Internal Server Error in 11ms

ActionView::Template::Error (undefined method `quantity' for #<Ingredient id: 22, name: "bread">):

```
11: <tbody>
12:   <% @recipe.ingredients.each do |ingredient| %>
13:     <tr>
14:       <td><%= ingredient.quantity %></td>
15:       <td><%= ingredient.name %></td>
16:     </tr>
17:   <% end %>
```

app/views/recipes/show.html.erb:14:in `block in _app_views_recipes_show_html_erb___2745355909886798867_70133987117500'

app/views/recipes/show.html.erb:12:in `_app_views_recipes_show_html_erb___2745355909886798867_70133987117500'

Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/action_dispatch/middleware/templates/rescues/_trace.html.erb (1.0ms)

Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/action_dispatch/middleware/templates/rescues/_request_and_response.html.erb (0.9ms)

Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/action_dispatch/middleware/templates/rescues/template_error.html.erb within rescues/layout (11.6ms)

Started GET "/recipes/5003" for 127.0.0.1 at 2014-05-13 16:03:52 -0400

Processing by RecipesController#show as HTML

Parameters: {"id"=>"5003"}

Recipe Load (1.2ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."id" = \$1 LIMIT 1 [{"id", 5003}]

Portion Load (0.5ms) SELECT "portions".* FROM "portions" WHERE "portions"."recipe_id" = \$1 [{"recipe_id", 5003}]

Ingredient Load (0.1ms) SELECT "ingredients".* FROM "ingredients" WHERE "ingredients"."id" = \$1 LIMIT 1 [{"id", 24}]

Ingredient Load (0.2ms) SELECT "ingredients".* FROM "ingredients" WHERE "ingredients"."id" = \$1 LIMIT 1 [{"id", 23}]

Ingredient Load (0.2ms) SELECT "ingredients".* FROM "ingredients" WHERE "ingredients"."id" = \$1 LIMIT 1 [{"id", 22}]

Rendered recipes/show.html.erb within layouts/application (21.1ms)

Completed 200 OK in 33ms (Views: 22.0ms | ActiveRecord: 5.9ms)

Started GET "/assets/my_styles.css?body=1" for 127.0.0.1 at 2014-05-13 16:03:52 -0400

[2014-05-13 16:03:52] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 16:03:52 -0400

[2014-05-13 16:03:52] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 16:03:52 -0400
[2014-05-13 16:03:52] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 16:03:52 -0400
[2014-05-13 16:03:52] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 16:03:52 -0400
[2014-05-13 16:03:52] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 16:03:52 -0400
[2014-05-13 16:03:52] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true
[2014-05-13 16:03:52] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/recipes/5003" for 127.0.0.1 at 2014-05-13 16:04:49 -0400
Processing by RecipesController#show as HTML
Parameters: {"id"=>"5003"}
Recipe Load (0.2ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."id" = \$1 LIMIT 1 [["id", 5003]]
Portion Load (0.5ms) SELECT "portions".* FROM "portions" WHERE "portions"."recipe_id" = \$1 [["recipe_id", 5003]]
Ingredient Load (0.3ms) SELECT "ingredients".* FROM "ingredients" WHERE "ingredients"."id" = \$1 LIMIT 1 [["id", 24]]
Ingredient Load (0.4ms) SELECT "ingredients".* FROM "ingredients" WHERE "ingredients"."id" = \$1 LIMIT 1 [["id", 23]]
Ingredient Load (0.6ms) SELECT "ingredients".* FROM "ingredients" WHERE "ingredients"."id" = \$1 LIMIT 1 [["id", 22]]
Rendered recipes/show.html.erb within layouts/application (7.8ms)
Completed 200 OK in 14ms (Views: 10.4ms | ActiveRecord: 1.9ms)
[2014-05-13 16:04:49] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/my_styles.css?body=1" for 127.0.0.1 at 2014-05-13 16:04:49 -0400
[2014-05-13 16:04:49] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 16:04:49 -0400
[2014-05-13 16:04:49] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 16:04:49 -0400
[2014-05-13 16:04:49] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 16:04:49 -0400
[2014-05-13 16:04:49] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 16:04:49 -0400
[2014-05-13 16:04:49] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 16:04:49 -0400
[2014-05-13 16:04:49] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

e response or set Response#chunked = true

Started GET "/recipes/5003" for 127.0.0.1 at 2014-05-13 16:16:13 -0400

Processing by RecipesController#show as HTML

Parameters: {"id"=>"5003"}

Recipe Load (0.1ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."id" = \$1 LIMIT 1 [["id", 5003]]

Completed 404 Not Found in 7ms

ActiveRecord::RecordNotFound (Couldn't find Recipe with 'id'=5003):

app/controllers/recipes_controller.rb:27:in `show'

Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/action_dispatch/middleware/templates/rescues/_source.erb (0.5ms)

Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/action_dispatch/middleware/templates/rescues/_trace.html.erb (0.9ms)

Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/action_dispatch/middleware/templates/rescues/_request_and_response.html.erb (0.9ms)

Rendered /Users/omardelarosa/.rbenv/versions/1.9.3-p448/lib/ruby/gems/1.9.1/gems/actionpack-4.1.0/lib/action_dispatch/middleware/templates/rescues/diagnostics.erb within rescues/layout (13.9ms)

Started GET "/" for 127.0.0.1 at 2014-05-13 16:16:16 -0400

Processing by CookbooksController#index as HTML

Rendered cookbooks/_cookbookform.html.erb (5.1ms)

Cookbook Load (0.9ms) SELECT "cookbooks".* FROM "cookbooks" ORDER BY "cookbooks"."id" DESC

Chef Load (0.3ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 81]]

Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 76]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 81]]

Chef Load (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 73]]

Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 74]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 73]]

Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 77]]

Chef Load (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 80]]

Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 75]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 77]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 76]]

Chef Load (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 72]]

Chef Load (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 78]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 73]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 76]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 77]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 80]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 75]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 74]]

Chef Load (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 79]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 81]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 73]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 72]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 73]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 78]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 78]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 74]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 77]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 80]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 79]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 77]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 80]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 81]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 79]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 75]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 72]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 75]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 79]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 80]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 78]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 80]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 76]]

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 16:16:16 -0400
[2014-05-13 16:16:16] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 16:16:16 -0400
[2014-05-13 16:16:16] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 16:16:16 -0400
[2014-05-13 16:16:16] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 16:16:16 -0400
[2014-05-13 16:16:16] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/cookbooks/602" for 127.0.0.1 at 2014-05-13 16:16:18 -0400
Processing by CookbooksController#show as HTML
Parameters: {"id"=>"602"}
Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = \$1 LIMIT 1 [["id", 602]]
Rendered recipes/_recipeform.html.erb (7.9ms)
Recipe Load (5.6ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."cookbook_id" = \$1 ORDER BY "recipes"."id" DESC [["cookbook_id", 602]]
Rendered cookbooks/show.html.erb within layouts/application (56.1ms)
Completed 200 OK in 64ms (Views: 55.4ms | ActiveRecord: 5.9ms)

Started GET "/recipes/6003" for 127.0.0.1 at 2014-05-13 16:16:21 -0400
Processing by RecipesController#show as HTML
Parameters: {"id"=>"6003"}
Recipe Load (0.4ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."id" = \$1 LIMIT 1 [["id", 6003]]
Portion Load (6.8ms) SELECT "portions".* FROM "portions" WHERE "portions"."recipe_id" = \$1 [["recipe_id", 6003]]
Ingredient Load (0.4ms) SELECT "ingredients".* FROM "ingredients" WHERE "ingredients"."id" = \$1 LIMIT 1 [["id", 6]]
Ingredient Load (0.2ms) SELECT "ingredients".* FROM "ingredients" WHERE "ingredients"."id" = \$1 LIMIT 1 [["id", 5]]
Ingredient Load (0.1ms) SELECT "ingredients".* FROM "ingredients" WHERE "ingredients"."id" = \$1 LIMIT 1 [["id", 4]]
Rendered recipes/show.html.erb within layouts/application (38.6ms)
Completed 200 OK in 47ms (Views: 31.8ms | ActiveRecord: 12.9ms)

^C[2014-05-13 16:18:38] INFO going to shutdown ...

[2014-05-13 16:18:38] INFO WEBrick::HTTPServer#start done.

Exiting

omardelarosa ~/code/wdi/WDI_NYC_Apr14_String/w04/d02/INSTRUCTORS/cookly2 on master[!?\$]

\$ rails s

=> Booting WEBrick

=> Rails 4.1.0 application starting in development on http://0.0.0.0:3000

=> Run `rails server -h` for more startup options

=> Notice: server is listening on all interfaces (0.0.0.0). Consider using 127.0.0.1 (--binding option)

=> Ctrl-C to shutdown server

[2014-05-13 16:23:33] INFO WEBrick 1.3.1

[2014-05-13 16:23:33] INFO ruby 1.9.3 (2013-06-27) [x86_64-darwin13.1.0]

[2014-05-13 16:23:33] INFO WEBrick::HTTPServer#start: pid=70484 port=3000

Started GET "/" for 127.0.0.1 at 2014-05-13 16:23:34 -0400

ActiveRecord::SchemaMigration Load (0.4ms) SELECT "schema_migrations".* FROM "schema_migrations"
Processing by CookbooksController#index as HTML
Rendered cookbooks/_cookbookform.html.erb (1194.2ms)
Cookbook Load (2.0ms) SELECT "cookbooks".* FROM "cookbooks" ORDER BY "cookbooks"."id" DESC
Chef Load (0.8ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 84]]

[illegible]


```
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 90]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 88]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 90]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 88]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 83]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 89]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 86]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 89]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 86]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 91]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 89]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 91]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 85]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 90]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 91]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 85]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 91]]
CACHE (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 89]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 83]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 86]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 91]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 84]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 86]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 86]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 85]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 86]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 88]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 82]]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [["id", 89]]
```

Rendered cookbooks/index.html.erb within layouts/application (1305.7ms)
Completed 200 OK in 1414ms (Views: 1361.2ms | ActiveRecord: 8.6ms)

Started GET "/assets/my_styles.css?body=1" for 127.0.0.1 at 2014-05-13 16:23:36 -0400
[2014-05-13 16:23:36] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 16:23:36 -0400
[2014-05-13 16:23:36] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 16:23:36 -0400
[2014-05-13 16:23:36] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 16:23:36 -0400
[2014-05-13 16:23:36] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 16:23:36 -0400
[2014-05-13 16:23:36] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 16:23:36 -0400
[2014-05-13 16:23:36] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/cookbooks/702" for 127.0.0.1 at 2014-05-13 16:23:39 -0400

Processing by CookbooksController#show as HTML

Parameters: {"id"=>"702"}

```
Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = $1 LIMIT 1 [["id", 702]]
```

Rendered recipes/_recipeform.html.erb (15.4ms)

```
Recipe Load (7.4ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."cookbook_id" = $1 ORDER BY "r
```


ecipes"."id" DESC [{"cookbook_id", 702}]
Rendered cookbooks/show.html.erb within layouts/application (41.0ms)
Completed 200 OK in 61ms (Views: 39.8ms | ActiveRecord: 9.6ms)

Started GET "/recipes/7003" for 127.0.0.1 at 2014-05-13 16:23:41 -0400

Processing by RecipesController#show as HTML

Parameters: {"id"=>"7003"}

Recipe Load (0.3ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."id" = \$1 LIMIT 1 [{"id", 7003}]

Portion Load (8.0ms) SELECT "portions".* FROM "portions" WHERE "portions"."recipe_id" = \$1 [{"recipe_id", 7003}]

Ingredient Load (0.4ms) SELECT "ingredients".* FROM "ingredients" WHERE "ingredients"."id" = \$1 LIMIT 1 [{"id", 6}]

Ingredient Load (0.3ms) SELECT "ingredients".* FROM "ingredients" WHERE "ingredients"."id" = \$1 LIMIT 1 [{"id", 5}]

Ingredient Load (0.3ms) SELECT "ingredients".* FROM "ingredients" WHERE "ingredients"."id" = \$1 LIMIT 1 [{"id", 4}]

Rendered recipes/show.html.erb within layouts/application (45.2ms)

Completed 200 OK in 54ms (Views: 38.9ms | ActiveRecord: 13.2ms)

Started GET "/recipes/7003" for 127.0.0.1 at 2014-05-13 16:24:22 -0400

Processing by RecipesController#show as HTML

Parameters: {"id"=>"7003"}

Recipe Load (0.4ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."id" = \$1 LIMIT 1 [{"id", 7003}]

Portion Load (2.0ms) SELECT "portions".* FROM "portions" WHERE "portions"."recipe_id" = \$1 [{"recipe_id", 7003}]

Ingredient Load (0.3ms) SELECT "ingredients".* FROM "ingredients" WHERE "ingredients"."id" = \$1 LIMIT 1 [{"id", 6}]

Ingredient Load (0.3ms) SELECT "ingredients".* FROM "ingredients" WHERE "ingredients"."id" = \$1 LIMIT 1 [{"id", 5}]

Ingredient Load (0.3ms) SELECT "ingredients".* FROM "ingredients" WHERE "ingredients"."id" = \$1 LIMIT 1 [{"id", 4}]

Rendered recipes/show.html.erb within layouts/application (8.3ms)

Completed 200 OK in 17ms (Views: 11.4ms | ActiveRecord: 3.3ms)

Started GET "/assets/my_styles.css?body=1" for 127.0.0.1 at 2014-05-13 16:24:23 -0400

[2014-05-13 16:24:23] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 16:24:23 -0400

[2014-05-13 16:24:23] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 16:24:23 -0400

[2014-05-13 16:24:23] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 16:24:23 -0400

[2014-05-13 16:24:23] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 16:24:23 -0400

[2014-05-13 16:24:23] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 16:24:23 -0400

[2014-05-13 16:24:23] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/recipes/7003" for 127.0.0.1 at 2014-05-13 16:24:44 -0400

Processing by RecipesController#show as HTML

Parameters: {"id"=>"7003"}

Recipe Load (0.3ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."id" = \$1 LIMIT 1 [["id", 7003]]

Portion Load (2.5ms) SELECT "portions".* FROM "portions" WHERE "portions"."recipe_id" = \$1 [["recipe_id", 7003]]

Ingredient Load (0.5ms) SELECT "ingredients".* FROM "ingredients" WHERE "ingredients"."id" = \$1 LIMIT 1 [["id", 6]]

Ingredient Load (0.2ms) SELECT "ingredients".* FROM "ingredients" WHERE "ingredients"."id" = \$1 LIMIT 1 [["id", 5]]

Ingredient Load (0.1ms) SELECT "ingredients".* FROM "ingredients" WHERE "ingredients"."id" = \$1 LIMIT 1 [["id", 4]]

Rendered recipes/show.html.erb within layouts/application (8.7ms)

Completed 200 OK in 14ms (Views: 9.4ms | ActiveRecord: 3.6ms)

Started GET "/assets/my_styles.css?body=1" for 127.0.0.1 at 2014-05-13 16:24:44 -0400

[2014-05-13 16:24:44] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 16:24:44 -0400

[2014-05-13 16:24:44] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 16:24:44 -0400

[2014-05-13 16:24:44] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 16:24:44 -0400

[2014-05-13 16:24:44] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 16:24:44 -0400

[2014-05-13 16:24:44] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 16:24:44 -0400

[2014-05-13 16:24:44] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/" for 127.0.0.1 at 2014-05-13 16:27:55 -0400

Processing by CookbooksController#index as HTML

Rendered cookbooks/_cookbookform.html.erb (5.3ms)

Cookbook Load (1.7ms) SELECT "cookbooks".* FROM "cookbooks" ORDER BY "cookbooks"."id" DESC

Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 84]]

Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 87]]

Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 85]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 87]]

Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 88]]

Chef Load (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 82]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 88]]

Chef Load (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 91]]

Chef Load (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 86]]

Chef Load (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 83]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 83]]

Chef Load (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 89]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 82]]

Chef Load (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 90]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 83]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 83]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 83]]

CACHE (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 89]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 82]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 90]]

[illegible]

```

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 86}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 91}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 84}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 86}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 86}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 85}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 86}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 88}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 82}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 89}]
Rendered cookbooks/index.html.erb within layouts/application (80.5ms)
Completed 200 OK in 90ms (Views: 78.9ms | ActiveRecord: 7.4ms)
[2014-05-13 16:27:55] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/my_styles.css?body=1" for 127.0.0.1 at 2014-05-13 16:27:55 -0400
[2014-05-13 16:27:55] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 16:27:55 -0400
[2014-05-13 16:27:55] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 16:27:55 -0400
[2014-05-13 16:27:55] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 16:27:55 -0400
[2014-05-13 16:27:55] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 16:27:55 -0400
[2014-05-13 16:27:55] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 16:27:55 -0400
[2014-05-13 16:27:55] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/cookbooks/702" for 127.0.0.1 at 2014-05-13 16:27:57 -0400
Processing by CookbooksController#show as HTML
Parameters: {"id"=>"702"}
Cookbook Load (1.9ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = $1 LIMIT 1 [{"id", 702}]
Rendered recipes/_recipeform.html.erb (7.7ms)
Recipe Load (1.2ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."cookbook_id" = $1 ORDER BY "recipes"."id" DESC [{"cookbook_id", 702}]
Rendered cookbooks/show.html.erb within layouts/application (14.9ms)
Completed 200 OK in 33ms (Views: 20.0ms | ActiveRecord: 4.9ms)
[2014-05-13 16:27:57] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started POST "/recipes" for 127.0.0.1 at 2014-05-13 16:28:16 -0400
Processing by RecipesController#create as HTML
Parameters: {"utf8"=>"✓", "authenticity_token"=>"hL6sYdpinC10cl1xICsSz25LtpSMk85tAFG6QL8spM=", "recipe"=>{"title"=>"Gravy and Biscuits", "content"=>"Saucy mixture.", "cookbook_id"=>"702"}, "commit"=>"Create Recipe"}
(0.1ms) BEGIN
SQL (0.3ms) INSERT INTO "recipes" ("content", "cookbook_id", "created_at", "title", "updated_at") VALUES ($1, $2, $3, $4, $5) RETURNING "id" [{"content", "Saucy mixture."}, [{"cookbook_id", 702}, [{"created_at", "2014-05-13 20:28:16.439000"}, [{"title", "Gravy and Biscuits"}, [{"updated_at", "2014-05-13 20:28:16.439000"}]]

```

(6.1ms) COMMIT

Redirected to http://localhost:3000/cookbooks/702
Completed 302 Found in 10ms (ActiveRecord: 6.5ms)

Started GET "/cookbooks/702" for 127.0.0.1 at 2014-05-13 16:28:16 -0400

Processing by CookbooksController#show as HTML

Parameters: {"id"=>"702"}

Cookbook Load (0.2ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."id" = \$1 LIMIT 1 [["id", 702]]

Rendered recipes/_recipeform.html.erb (1.8ms)

Recipe Load (0.8ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."cookbook_id" = \$1 ORDER BY "recipes"."id" DESC [["cookbook_id", 702]]

Rendered cookbooks/show.html.erb within layouts/application (6.3ms)

Completed 200 OK in 35ms (Views: 32.2ms | ActiveRecord: 1.0ms)

Started GET "/assets/my_styles.css?body=1" for 127.0.0.1 at 2014-05-13 16:28:16 -0400

[2014-05-13 16:28:16] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery.js?body=1" for 127.0.0.1 at 2014-05-13 16:28:16 -0400

[2014-05-13 16:28:16] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.css?body=1" for 127.0.0.1 at 2014-05-13 16:28:16 -0400

[2014-05-13 16:28:16] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/jquery_ujs.js?body=1" for 127.0.0.1 at 2014-05-13 16:28:16 -0400

[2014-05-13 16:28:16] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/turbolinks.js?body=1" for 127.0.0.1 at 2014-05-13 16:28:16 -0400

[2014-05-13 16:28:16] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/assets/application.js?body=1" for 127.0.0.1 at 2014-05-13 16:28:16 -0400

[2014-05-13 16:28:16] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/recipes/7004" for 127.0.0.1 at 2014-05-13 16:28:23 -0400

Processing by RecipesController#show as HTML

Parameters: {"id"=>"7004"}

Recipe Load (0.3ms) SELECT "recipes".* FROM "recipes" WHERE "recipes"."id" = \$1 LIMIT 1 [["id", 7004]]

Portion Load (1.1ms) SELECT "portions".* FROM "portions" WHERE "portions"."recipe_id" = \$1 [["recipe_id", 7004]]

Rendered recipes/show.html.erb within layouts/application (54.1ms)

Completed 200 OK in 61ms (Views: 56.7ms | ActiveRecord: 2.4ms)

Started GET "/cookbooks" for 127.0.0.1 at 2014-05-13 16:29:33 -0400

Processing by CookbooksController#index as HTML

Rendered cookbooks/_cookbookform.html.erb (2.9ms)

Cookbook Load (3.5ms) SELECT "cookbooks".* FROM "cookbooks" ORDER BY "cookbooks"."id" DESC

Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 84]]

Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 87]]

Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 85]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 87]]

Chef Load (0.3ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 88]]

Chef Load (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 82]]

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 88]]

Chef Load (0.3ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = \$1 LIMIT 1 [["id", 91]]

[illegible]

```

CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 89}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 86}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 91}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 89}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 91}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 85}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 90}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 91}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 85}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 91}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 89}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 83}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 86}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 91}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 84}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 86}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 86}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 85}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 86}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 88}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 82}]
CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 89}]
Rendered cookbooks/index.html.erb within layouts/application (115.1ms)
Completed 200 OK in 122ms (Views: 111.6ms | ActiveRecord: 8.7ms)
[2014-05-13 16:29:33] WARN Could not determine content-length of response body. Set content-length of the response or set Response#chunked = true

Started GET "/"chefs" for 127.0.0.1 at 2014-05-13 16:29:47 -0400
Processing by ChefsController#index as HTML
  Chef Load (0.3ms) SELECT "chefs".* FROM "chefs"
  Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [{"chef_id", 82}]
  Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [{"chef_id", 83}]
  Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [{"chef_id", 84}]
  Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [{"chef_id", 85}]
  Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [{"chef_id", 86}]
  Cookbook Load (0.3ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [{"chef_id", 87}]
  Cookbook Load (0.6ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [{"chef_id", 88}]
  Cookbook Load (0.4ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [{"chef_id", 89}]
  Cookbook Load (0.9ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [{"chef_id", 90}]
  Cookbook Load (0.5ms) SELECT "cookbooks".* FROM "cookbooks" WHERE "cookbooks"."chef_id" = $1 [{"chef_id", 91}]
Rendered chefs/index.html.erb within layouts/application (34.0ms)
Completed 200 OK in 43ms (Views: 37.0ms | ActiveRecord: 4.6ms)

Started GET "/"cookbooks" for 127.0.0.1 at 2014-05-13 16:29:52 -0400
Processing by CookbooksController#index as HTML
Rendered cookbooks/_cookbookform.html.erb (1.5ms)
  Cookbook Load (0.6ms) SELECT "cookbooks".* FROM "cookbooks" ORDER BY "cookbooks"."id" DESC
  Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 84}]
  Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 87}]
  Chef Load (0.1ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 85}]
  CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 87}]
  Chef Load (0.5ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 88}]
  Chef Load (0.6ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 82}]
  CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 88}]
  Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 91}]
  Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 86}]
  Chef Load (0.2ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 83}]
  CACHE (0.0ms) SELECT "chefs".* FROM "chefs" WHERE "chefs"."id" = $1 LIMIT 1 [{"id", 83}]

```

[illegible]