

# Historical algal blooms in the UCFR

Feijo-Lima, Rafael

2023-06-23

## **Tentative title:**

“Forecasting algal blooms in a montane river under multiple stressors: A boosted regression tree approach.”

## **Background**

Blooms at the UCFR

Historical monitoring

Historical changes to Nut inputs. Future directions? (Claire)

Potential changes due to climate change. Freshet has been shown to influence max growth. Temperature has been shown to influence *Cladophora* metabolism. Timing of freshet, temperature and nutrient availability may have an interplay with secondary cyanobacterial blooms.

Nonlinear relationships and thresholds are not easily captured by traditional modelling methods, hence Boosted Regression Trees.

One of the strengths of BRTs is the ease to generate predictive models.

## **Objectives**

Based on the historical datasets, determine the factors predicting algal blooms in the UCFR. Given that future nutrient mitigations are necessary: Estimate how previous nutrient reductions may have influenced the pervasiveness of algal blooms in the UCFR. (Claire?) Using climatic forecasts, estimate how algal blooms might respond to a warming climate under different nutrient scenarios.

## **Methods**

### **Historical Datasets:**

VNRP data USGS gauge data Statistical analyses: ### Prior to analyses:

How much to include? Glms prior to variable selection.

### **Variable Selection**

Groups:

Temporal selection of nutrient datasets.

Total Nitrogen

Total Phosphorous

Phischem variables from VNRD dataset (Temp, pH).

Temperature pH

Variables derived from hydrograph.

Q anomaly: Days since freshet:

Variables:

## Results

General patterns of main variables by site. Table.

Predicted vs observed. How to report binomial?

Holdout deviance number of trees: How to report?

Partial dependency plots. Importance of variables.

Fitted Values. Appendix?

Interaction plots?

## Discussion

Performance of boosted regression trees.

Main variables that explained peak biomass.

```
summary(cars)
```

```
##      speed      dist
##  Min.   : 4.0    Min.   : 2.00
##  1st Qu.:12.0    1st Qu.: 26.00
##  Median :15.0    Median : 36.00
##  Mean   :15.4    Mean   : 42.98
##  3rd Qu.:19.0    3rd Qu.: 56.00
##  Max.   :25.0    Max.   :120.00
```

## Including Plots

You can also embed plots, for example:



Note that the `echo = FALSE` parameter was added to the code chunk to prevent printing of the R code that generated the plot.