



UCLouvain beamer template

stay at home

Author S. Name¹

¹MODL, IMCN,
Université catholique de Louvain, Belgium

Seminar Talk, May 2020

(optional) subtitle

1. Theme options
2. Frames and text
3. Itemization and enumeration
4. Blocks and other environments

Section/Subsection title

1. Theme options

2. Frames and text

3. Itemization and enumeration

4. Blocks and other environments

sdfsds Optionally, you can add your own title page graphic by declaring `titlegraphic` (does not work in combination with `sedes` option).

Example:

```
\titlegraphic{ \includegraphics{mytitlepagepic.png} }
```

1. Theme options
2. Frames and text
3. Itemization and enumeration
4. Blocks and other environments

Frame option [c] for text at the centre of the frame. siza dori hogyi vagyi

$$E = mc^2 \quad (1)$$

Frame option [b] for text at the bottom of the frame.

Frame option [plain] to remove footline on individual frame

To remove footline from *all* frames delete this line from preamble in .tex file:

```
\setbeamertemplate{footline}[body]
```

This frame has no title.

This is the top of the first column.

This is the top of the second column.

Left justified environment ...

Center environment ...

Right justified environment ...

Ragged right command ...

Centering command ...

Ragged left command ...

Flush left command ...

Flush right command ...

Recommended, predefined colours

- black
- KU Leuven primary blue, secondary blue, and dark blue
- ← white, when background is dark
- 50% gray , for text and 5% gray for background
- red text colour, used for alert text

Sans-serif family of Modern Latin font

- Normal text
- **Bold**
- *Italic, Emphasis, Slanted*
- Underline
- SMALL CAPS
- Typewriter

- tiny
- scriptsize
- footnotesize
- small
- normalsize
- large
- Large
- LARGE
- huge
- Huge

Equations and other mathematical symbols use serif typeface:

$$f(x) = ax^2 + bx + c$$

Style of individual symbols can be changed manually:

$$\hat{\beta} = \arg \min_b (\mathbf{y} - \mathbf{X}\mathbf{b})^\top \mathbf{\Omega}^{-1} (\mathbf{y} - \mathbf{X}\mathbf{b})$$

$$G_t = \alpha e^{-\beta e^{-\gamma \cdot t}}$$

To change all math into sans-serif delete this line from the preamble in .tex file:

```
\usefonttheme[onlymath]{serif}
```




Figure: Example graphic

Do not delete logo files in the graphics folder. They are used on the title page and in the footline.

Table: Example table


	(1)	(2)	(3)
x_1	0.705*** (0.107)	0.215** (0.0964)	0.123 (0.105)
x_2	0.476*** (0.0489)		0.114** (0.0519)
x_3		0.592*** (0.0361)	0.538*** (0.0436)
Constant	0.0478 (0.0487)	0.0576 (0.0427)	0.0511 (0.0426)
Observations	500	500	500
R-squared	0.711	0.776	0.779

Standard errors in parentheses, *** $p < 0.01$, ** $p < 0.05$, * $p < 0.1$

Default screen ration is 4:3. Load the following package in the preamble to make all frames wider to 16:9 ratio:

```
\usepackage[orientation=landscape,size=custom,  
width=16,height=9,scale=0.5,debug]{beamerposter}
```

Title page or other frames should not get distorted because of it.



1. Theme options
2. Frames and text
- 3. Itemization and enumeration**
4. Blocks and other environments

(default)

- Itemize style
- Itemize style
 - Itemize subitem
 - Itemize subitem
 - Itemize subsubitem
 - Itemize subsubitem
 - Itemize subitem
- Itemize style

(extra space between items)

- Itemize style

- Itemize style

- Itemize subitem

- Itemize subitem

- Itemize subitem

- Itemize style

(default)

- 1 Enumerate style
- 2 Enumerate style
 - 1 Enumerate subitem
 - 2 Enumerate subitem
 - 1 Enumerate subsubitem
 - 2 Enumerate subsubitem
 - 3 Enumerate subitem
- 3 Enumerate style

(option I) + pause

I Enumerate style

II Enumerate style

I Enumerate subitem

II Enumerate subitem

(option I) + pause

- I Enumerate style

- II Enumerate style

- I Enumerate subitem

- II Enumerate subitem

- I Enumerate subsubitem

- II Enumerate subsubitem

(option I) + pause

I Enumerate style

II Enumerate style

I Enumerate subitem

II Enumerate subitem

I Enumerate subsubitem

II Enumerate subsubitem

III Enumerate subitem

III Enumerate style

(option i.)

- i. Enumerate style
- ii. Enumerate style
 - i. Enumerate subitem
 - ii. Enumerate subitem
 - i. Enumerate subsubitem
 - ii. Enumerate subsubitem
 - iii. Enumerate subitem
- iii. Enumerate style

(option A.) + effects

A. Enumerate style

B. Enumerate style

(option A.) + effects

A. Enumerate style

B. Enumerate style

A. Enumerate subitem

(option A.) + effects

A. Enumerate style

B. Enumerate style

A. Enumerate subitem

B. Enumerate subitem

A. Enumerate subsubitem

B. Enumerate subsubitem

(option A.) + effects

A. Enumerate style

B. Enumerate style

A. Enumerate subitem

B. Enumerate subitem

A. Enumerate subsubitem

B. Enumerate subsubitem

C. Enumerate subitem

(option A.) + effects

A. Enumerate style

B. Enumerate style

A. Enumerate subitem

B. Enumerate subitem

C. Enumerate subitem

C. Enumerate style

(option a + extra space)

a Enumerate style

b Enumerate style

a Enumerate subitem

b Enumerate subitem

a Enumerate subsubitem

b Enumerate subsubitem

c Enumerate subitem

c Enumerate style

1. Theme options
2. Frames and text
3. Itemization and enumeration
4. Blocks and other environments

Title of the bloc

Text for generic block

Example block title

Text for example block

Alert block title

Text for alert block

Theorem environment

Theorem

$$a^2 + b^2 = c^2$$

Definition environment

Definition

Here is definition text

Example environment

Example

Example text

Proof environment

Proof.

Proof text.



Proof with custom title

Proof with any name and optionally without full stop in the title



Corollary environment

Corollary

$$x + y = y + x$$

'Beamer color box' with five different pre-set colour combinations

box1 scheme

box2 scheme
second line

box3 scheme, aligned
right

box4 scheme, aligned left

box5

Quote

Quote environment is for a short quotation, or a series of small quotes, separated by blank lines.

Quotation

Quotation environment is for use with longer quotations, of more than one paragraph, because it indents the first line of each paragraph.

Quotation environment is for use with longer quotations, of more than one paragraph, because it indents the first line of each paragraph.

– WikiBooks \LaTeX guide

Verse

*Verse environment
is for quotations where
line breaks are important.*

Verbatim

Verbatim text is ideal for typesetting program
source code. To use it in Beamer the frame needs
option `[fragile]`.

Abstract environment

Abstract

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Pellentesque quis pharetra sapien, non tempor tortor. Vestibulum gravida mauris ac lorem semper, vel vulputate mauris tincidunt. Sed diam ante, dignissim consequat pulvinar in, placerat eu nibh. Donec congue id elit sit amet iaculis.

Proin pellentesque vel ex in fermentum. Pellentesque suscipit odio ut accumsan feugiat. Aliquam erat volutpat. Sed feugiat cursus eros, sit amet vestibulum ipsum pulvinar at. Sed eget porttitor purus. Duis nec nunc ex. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae.

Standard buttons

Link to Figure 1

▶ Extra frame

▶▶ Button with long title and no link

◀

These buttons can link to any frame, figure, table, theorem, section, or anything else with defined label

Merci

Because of frame option [noframenumbering] this frame is not counted in the total number of frames.

This button with cross-referencing link that will take you back to the frame:

[◀ Back to Buttons](#)