

Física Computacional II

Felipe Ávila Vera

28 de septiembre de 2026

1 LateX

En el curso de Física Computacional II realizaremos múltiples trabajos utilizando LaTeX. ¿Por qué usar LaTeX? Porque es una herramienta flexible para escribir ecuaciones, como en el ejemplo 1. También nos permite agregar figuras, como se muestra en la Figura 1.

Además, si queremos escribir símbolos matemáticos, debemos utilizar el modo matemático, por ejemplo: α .

2 Ecuaciones

$$\beta = \theta - \alpha \tag{1}$$

3 Figura




Figure 1: Euclid imaging of Altieri’s lens, an example of an Einstein ring [1]. The main panel shows a composite false-colour image constructed from Euclid VIS and NISP observations. The VIS instrument provides high-resolution optical imaging, while NISP provides lower-resolution near-infrared photometry in the Y_E , J_E , and H_E bands. In this composite, the broadband VIS I_E image defines the brightness structure, and the NISP bands provide the colour information. The central light of the lens galaxy has been suppressed to enhance the visibility of the lensed arc. The inset shows the central 8 arcsec using only the higher-resolution VIS data, corresponding to the square marked in the main panel. The angular scale and the physical scale at the lens redshift are shown in each frame.

References

- [1] C. M. O’Riordan et al. “Euclid: A complete Einstein ring in NGC 6505”.
In: 694, A145 (Feb. 2025), A145. DOI: 10.1051/0004-6361/202453014.
arXiv: 2502.06505 [astro-ph.GA].