



Algorithm 1



Dr Benabderrezak
Researcher in Cyber Security
Full-stack Web developer

Variables

المتغيرات



Variables

Variables are symbolic **names** given to **data** where the **value** of the data stored **may change** during the execution of the program

المتغيرات هي أسماء رمزية تُعطى للبيانات حيث قد تتغير قيمة البيانات المخزنة أثناء تنفيذ البرنامج.

Variables Syntax

Int age = 20;

Int age = 20;
Data Variable_name Value
Type



RAM

Constants

الثوابت

π


Constants

A constant is a **data item whose value cannot change during the program's execution**

الثابت هو عنصر بيانات لا يمكن أن تتغير قيمته أثناء تنفيذ البرنامج

Constants

Constants



Constants

How to Declare Constants

`const int var;`



`const int var;
var=5`



`Const int var = 5;`



Basic Data types

أنواع البيانات الأساسية

Basic Data types

- Each **variable / constant** has an associated **data type**
- It specifies the **type** of data that the **variable can store** like
 1. **integers** : -1 , -7 , 0 , 1 , 2
 2. **character** : 'a' , 'b' ,
 3. **floats** : 2.3 , 3.8, -7.89
 4. **Strings / characters** : “a” , “word not single letter”

Basic Data types ranges

Type	Range
Int	-32,768 to 32,767
Float	3.4E-38 to 3.4E+38
Double	1.7E-308 to 1.7E+308
Char	-128 to 127



Thank
You!

