


Algorithm 1



Dr Benabderrezak
Researcher in Cyber Security
Full-stack Web developer

Reading & Writing

القراءة والكتابة

Read in an algorithm

To **read** a variable from **keyboard** we use :

1. **read (variable_name)** : when we write a **pseudo algorithm**
2. **scanf(“%x”,&variable_name”)** : when we write a **program c**



Write in an algorithm

To write (print) a variable to the console we use :

1. **write (variable_name)** : when we write a pseudo algorithm
2. **printf(“%x”,variable_name)** : when we write a program c

The word "write" is rendered in a playful, hand-drawn style. Each letter is a different color: 'w' is blue, 'r' is red, 'i' is green, 't' is blue, and 'e' is yellow. The letters have a slightly irregular, sketched appearance with some internal shading.

Data Type		Format
Integer	Integer	%d
	Short	%d
	Short unsigned	%u
	Long	%ld
	Long assigned	%lu
	Hexadecimal	%x
	Long hexadecimal	%lx
	Octal	%O (letter O)
	long octal	%lo
Real	float,double	%f, %lf, %g
Character		%c
String		%s

Example 1

```
#include <stdio.h>

int main() {
    int num;
    // Prompt the user to enter an integer
    printf("Enter an integer: ");

    // Read the integer entered by the user
    scanf("%d", &num);

    // Display the integer entered by the user
    printf("You entered the integer: %d\n", num);

    return 0;
}
```

Example 2



```
#include <stdio.h>
void main() {
    char letter;

    // Prompt the user to enter a character
    printf("Enter a character: ");

    // Read the character entered by the user
    scanf(" %c", &letter);

    // Display the character entered by the user
    printf("You entered the character: %c\n", letter);

}
```



Thank
You!

