

Лабораторная работа №2

Выполнил Дмитриев Александр Сергеевич


```
[redos@localhost ~]$ sudo useradd test
[sudo] password for redos:
[redos@localhost ~]$ grep test /etc/passwd
grep: /etc/passwd: No such file or directory
[redos@localhost ~]$ grep test /etc/passwd
test:x:1001:1001:./home/test:/bin/bash
[redos@localhost ~]$
```

1.3, 1.4

```
[redos@localhost ~]$ sudo userdel -r test
[redos@localhost ~]$
```

Удаление пользователя

```

[redos@localhost ~]$ sudo useradd -m -d /home/user -s /bin/sh -c "My test user for lab2" -e 2030-12-13 user
[redos@localhost ~]$ grep test /etc/passwd
user:x:1001:1001:My test user for lab2:/home/user:/bin/sh
[redos@localhost ~]$

```

1.6

```

input:x:104:
kvm:x:36:
render:x:105:
sgx:x:106:
systemd-journal:x:198:
systemd-oom:x:997:
systemd-resolve:x:193:
polkitd:x:114:
printadmin:x:996:
abrt:x:173:
dip:x:40:
avahi:x:70:
unbound:x:995:
ssstpc:x:994:
colord:x:993:
postfix:x:89:
postdrop:x:90:
sshd:x:74:
nm-openconnect:x:992:
openswitch:x:991:
lugetlbf:x:990:openswitch
guster:x:909:
jackuser:x:908:
dnsmasq:x:987:
rpc:x:32:
usbmuxd:x:113:
brlapi:x:906:
saslauth:x:76:saslauth
libvirt:x:985:
openvpn:x:984:
nm-openvpn:x:983:
abrt:x:173:
ssdd:x:982:
ydm:x:42:
firebird:x:981:
rpcuser:x:29:
power:x:900:
chrony:x:979:
tcpdump:x:972:
cacha:x:978:
yamemod:x:977:
boxsf:x:976:
gnome-remote-desktop:x:975:
systemd-coredump:x:974:
systemd-timesync:x:973:
redos:x:1000:
ldap:x:55:
passim:x:971:

```

2.1 Вывод файла /etc/group

```
(redos@localhost ~)$ groups
redos wheel
(redos@localhost ~)$ _
```

2.2

```
# Disable this option for new behavior.
Defaults    always_query_group_plugin

Defaults    env_reset
Defaults    env_keep = "COLORS DISPLAY HOSTNAME HISTSIZE KDEDIR LS_COLORS"
Defaults    env_keep += "MAIL PS1 PS2 QTDIR USERNAME LANG LC_ADDRESS LC_CTYPE"
Defaults    env_keep += "LC_COLLATE LC_IDENTIFICATION LC_MEASUREMENT LC_MESSAGES"
Defaults    env_keep += "LC_MONETARY LC_NAME LC_NUMERIC LC_PAPER LC_TELEPHONE"
Defaults    env_keep += "LC_TIME LC_ALL LANGUAGE LINGUAS _XKB_CHARSET XAUTHORITY"

##
## Adding HOME to env_keep may enable a user to run unrestricted
## commands via sudo.
##
Defaults    env_keep += "HOME"

Defaults    secure_path = /sbin:/bin:/usr/sbin:/usr/bin

## Next comes the main part: which users can run what software on
## which machines (the sudoers file can be shared between multiple
## systems).
## Syntax:
##
##      user    MACHINE=COMMANDS
##
## The COMMANDS section may have other options added to it.
##
## Allow root to run any commands anywhere
root    ALL=(ALL)    ALL

## Allow members of the 'sys' group to run networking, software,
## service management apps and more.
# %sys ALL = NETWORKING, SOFTWARE, SERVICES, STORAGE, DELEGATING, PROCESSES, LOCATE, DRIVERS

## Allow people in group wheel to run all commands
%wheel  ALL=(ALL)    ALL

## Same thing without a password
# %wheel    ALL=(ALL)    NOPASSWD: ALL

## Allows members of the users group to mount and unmount the
## cdrom as root
# %users ALL=/sbin/mount /mnt/cdrom, /sbin/unmount /mnt/cdrom

## Allows members of the users group to shutdown this system
# %users localhost=/sbin/shutdown -h now

### Read drop-in files from /etc/sudoers.d (the # here does not mean a comment)
```

2.3

```
(redos@localhost ~)$ sudo groupadd group
(redos@localhost ~)$ grep group /etc/group
group:x:1002:
(redos@localhost ~)$ sudo groupdel group
(redos@localhost ~)$ _
```

2.4, 2.5

```
(redos@localhost ~)$ sudo groupadd -g 1323 testgroup1
(redos@localhost ~)$ sudo groupadd -g 132 testgroup2
(redos@localhost ~)$ _
```

2.6

```
(redos@localhost ~)$ sudo usermod -aG group user
(redos@localhost ~)$ sudo gpasswd --delete user group
Removing user user from group group
(redos@localhost ~)$ _
```

2.7, 2.8

```
(redos@localhost ~)$ whoami
redos
(redos@localhost ~)$ sudo whoami
root
(redos@localhost ~)$ sudo su user -c whoami
user
(redos@localhost ~)$ sudo -u user whoami
user
(redos@localhost ~)$ _
```

3.1

```
(redos@localhost ~)$ sudo passwd user
Changing password for user user.
New password:
Retype new password:
passwd: all authentication tokens updated successfully.
(redos@localhost ~)$
```

3.2

```
(redos@localhost ~)$ sudo passwd -S user
[sudo] password for redos:
user PS 2025-09-18 0 99999 7 -1 (Password set, Yescrypt crypt.)
(redos@localhost ~)$ _
```

3.3


```
(redos@localhost ~)$ sudo -u user sudo passwd root
```

We trust you have received the usual lecture from the local System Administrator. It usually boils down to these three things:

- #1) Respect the privacy of others.
- #2) Think before you type.
- #3) With great power comes great responsibility.

For security reasons, the password you type will not be visible.

```
(sudo) password for user:
user is not in the sudoers file.
This incident has been reported to the administrator.
(redos@localhost ~)$
```

3.4

```
(redos@localhost ~)$ grep ^user /etc/passwd
user:x:1001:1001:My test user for lab2:/home/user:/bin/sh
(redos@localhost ~)$ sudo su user whoami
(sudo) password for redos:
sh: whoami: Permission denied
(redos@localhost ~)$ sudo su user whoami
sh: whoami: Permission denied
(redos@localhost ~)$ sudo su user-c whoami
su: user user-c does not exist or the user entry does not contain all the required fields
(redos@localhost ~)$ sudo su user -c whoami
user
(redos@localhost ~)$ sudo chsh -s /sbin/nologin user
Changing shell for user.
chsh: Warning: "/sbin/nologin" is not listed in /etc/shells.
Shell changed.
(redos@localhost ~)$ sudo su user -c whoami
This account is currently not available.
(redos@localhost ~)$ _
```


3.5, 3.6

```
redos@localhost:~  
File Edit View Search Terminal Help  
[redos@localhost ~]$ sudo chfn user  
[sudo] password for redos:  
Sorry, try again.  
[sudo] password for redos:  
Changing finger information for user.  
Name [My test user for lab2]: ivan ivanov  
Office []: 123  
Office Phone []: 123  
Home Phone []: 123  
  
Finger information changed.  
[redos@localhost ~]$ sudo usermod -c "vanya" user  
[redos@localhost ~]$ grep ^user: /etc/passwd  
user:x:1001:1001:vanya:/home/user:/bin/sh  
[redos@localhost ~]$
```

3.7

```
redos@localhost:~  
File Edit View Search Terminal Help  
[redos@localhost ~]$ sudo usermod -d /home/new_user -m user  
[sudo] password for redos:  
Sorry, try again.  
[sudo] password for redos:  
[redos@localhost ~]$ grep ^user /etc/passwd  
user:x:1001:1001:vanya:/home/new_user:/bin/sh  
[redos@localhost ~]$
```


3.8



A terminal window titled 'redos@localhost:~' with a menu bar (File, Edit, View, Search, Terminal, Help). The terminal shows the command `sudo chage -m 5 -M 365 user` being executed. The prompt is `[redos@localhost ~]$`. The window has a dark background and a light-colored title bar. The system tray at the bottom shows the date 'Fri Sep 19, 18:38'.

```
[redos@localhost ~]$ sudo chage -m 5 -M 365 user
[redos@localhost ~]$
```

3.9



A terminal window titled 'redos@localhost:~' with a menu bar (File, Edit, View, Search, Terminal, Help). The terminal shows the following sequence of commands: `sudo nano /etc/passwd`, `grep ^user /etc/passwd`, and `sudo -u user whoami`. The output of the `grep` command is `user::1001:1001:vanya:/home/new_user:/bin/sh`. The output of the `whoami` command is `user`. The prompt is `[redos@localhost ~]$`. The window has a dark background and a light-colored title bar. The system tray at the bottom shows the date 'Fri Sep 19, 18:41'.

```
[redos@localhost ~]$ sudo nano /etc/passwd
[redos@localhost ~]$ grep ^user /etc/passwd
user::1001:1001:vanya:/home/new_user:/bin/sh
[redos@localhost ~]$ sudo -u user whoami
user
[redos@localhost ~]$
```

3.10

```
redos@localhost:~  
File Edit View Search Terminal Help  
[redos@localhost ~]$ sudo nano /etc/shadow  
[redos@localhost ~]$ grep ^user /etc/passwd  
user::1001:1001:vanya:/home/new_user:/bin/sh  
[redos@localhost ~]$ grep ^user /etc/shadow  
grep: /etc/shadow: Permission denied  
[redos@localhost ~]$ sudo gper ^user /etc/shadow  
sudo: gper: command not found  
[redos@localhost ~]$ sudo grep ^user /etc/shadow  
user:something:20349:5:365:7::22261:  
[redos@localhost ~]$ su - user  
-sh-5.2$ ^C  
-sh-5.2$ ^C  
-sh-5.2$ ^C  
-sh-5.2$ ^C  
-sh-5.2$  
logout  
[redos@localhost ~]$
```

3.11