

Пункт 5

GET https://vk.com

https://vk.com

Save

</>

GET

https://vk.com

Send

Params

Authorization

Headers (7)

Body

Pre-request Script

Tests

Settings

Cookies

Query Params

Key	Value	Bulk Edit
Key	Value	

Body

Cookies (4)

Headers (30)

Test Results

Status: 200 OK

Time: 642 ms

Size: 30.42 KB

Save Response

Key	Value
Server	kittenx
Date	Sat, 16 May 2026 13:38:33 GMT
Content-Type	text/html; charset=utf-8
Content-Length	28277
Connection	keep-alive
X-Powered-By	KPHP/7.4.126664
Set-Cookie	remixir=DELETED; expires=Thu, 01 Jan 1970 00:00:01 GMT; path=/; domain=.vk.com; ...
Set-Cookie	remixir=DELETED; expires=Thu, 01 Jan 1970 00:00:01 GMT; path=/; domain=.vk.com; ...
Set-Cookie	remixQUIC=DELETED; expires=Thu, 01 Jan 1970 00:00:01 GMT; path=/; domain=.vk.co...
Set-Cookie	remixff=0; expires=Tue, 26 May 2026 13:38:33 GMT; path=/; domain=.vk.com; secure
Set-Cookie	remixua=-1%7C-1%7C53%7C437574854; expires=Mon, 17 May 2027 01:44:36 GMT; p...
Cache-control	no-store

Обращение к vk

GET https://json.geoiplookup.io/ + ...

https://json.geoiplookup.io/ Save </>

GET https://json.geoiplookup.io/ Send

Params Authorization Headers (6) Body Pre-request Script Tests Settings Cookies

Query Params

Key	Value	Bulk Edit
Key	Value	

Body Cookies Headers (16) Test Results Status: 200 OK Time: 363 ms Size: 1.33 KB Save Response

Key	Value
Date	Sat, 16 May 2026 13:39:59 GMT
Content-Type	application/json; charset=utf-8
Transfer-Encoding	chunked
Connection	keep-alive
vary	origin, access-control-request-method, access-control-request-headers
vary	accept-encoding
access-control-allow-origin	*
content-encoding	gzip
access-control-allow-methods	GET, OPTIONS
access-control-allow-headers	*
Nel	{"report_to": "cf-nel", "success_fraction": 0.0, "max_age": 604800}
cf-cache-status	DYNAMIC

Обращение к geoiplookup

Postman не ограничен политикой CORS

Пункт 6

Request builder

Classic API

Pick a preset or craft a request from scratch.

GET

▼

/api/users

Send request

https://reqres.in/api/users

PRESETS

GET /api/users

READ

List users

Single user

List resources

Generic resource

/api/

products

CREATE + AUTH

Register (success)

Login (success)

UPDATE

Update user

DELETE

Delete user

Query params

Add key/value pairs to build query strings.

0 params

▼

Headers

x-api-key auto-injected

x-api-key injected

•

0 custom

▼

Response viewer

Inspect status, headers, and payload.

GET

200

Response received

•

Latency 206 ms

•

Size 1.5 KB

•

At 17:35

Copy cURL

Copy fetch

Copy JSON

RESPONSE BODY

Wrap

Expand

json

```
{
  "page": 1,
  "per_page": 6,
  "total": 12,
  "total_pages": 2,
  "data": [
    {
      "id": 1,
      "email": "george.bluth@reqres.in",
      "first_name": "George",
      "last_name": "Bluth",
      "avatar": "https://reqres.in/img/faces/1-image.jpg"
    },
    {
      "id": 2,
      "email": "janet.weaver@reqres.in",
      "first_name": "Janet",
      "last_name": "Weaver",
      "avatar": "https://reqres.in/img/faces/2-image.jpg"
    }
  ]
}
```

GET https://reqres.in/api/register

Send

Params Authorization Headers (9) Body Pre-request Script Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary

Key	Value	Bulk Edit
☒ george.bluth@reqres.in	qwerty	
Key	Value	

Body Cookies Headers (45) Test Results

Status: 200 OK Time: 339 ms Size: 3.21 KB Save Response

Pretty Raw Preview Visualize JSON

```
1  {
2    "page": 1,
3    "per_page": 6,
4    "total": 12,
5    "total_pages": 2,
6    "data": [
7      {
8        "id": 1,
9        "name": "cerulean",
10       "year": 2000,
11       "color": "#9882D1",
12       "pantone_value": "15-4020"
13     },
14     {
15       "id": 2,
16       "name": "fuchsia rose",
17       "year": 2001,
18       "color": "#C74375",
19       "pantone_value": "17-2031"
20     }
21   ]
22 }
```

Получили id и token

Пункт 7

The screenshot shows a REST client interface with a POST request to `https://reqres.in/api/login`. The request body is a JSON object with email and password fields. The response is a 200 OK status with a JSON body containing a token and meta-information.

Request:

```
POST https://reqres.in/api/login

{
  "email": "george.bluth@reqres.in",
  "password": "qwerty"
}
```

Response:

```
200 OK
Time: 336 ms
Size: 2.3 KB

{
  "token": "QpwL5tke4Pnpja7X1",
  "_meta": {
    "powered_by": "ReqRes",
    "docs_url": "https://app.reqres.in/documentation",
    "upgrade_url": "https://app.reqres.in/upgrade",
    "example_url": "https://app.reqres.in/examples/notes-app",
    "variant": "v1_b",
    "message": "This is a read-only demo endpoint. Sign up to create your own collections with full CRUD and auth.",
    "cta": {
      "label": "Get started",
      "url": "https://app.reqres.in/upgrade"
    }
  },
  "context": "legacy_success"
}
```

Получили токен успешной авторизации