DATASHEET

FEATURES

- Protection against liquids and solid objects: IP65 rating
- Each enclosure meets the universal IK07 rating required for all models and relevant certifications
- Supplied with silicone gasket and four M3x17/10 captive screws
- Threaded brass inserts for reliable assembly
- Base with lugs

KRADEX ZP60.60.40UJH TM PC

Stock No.: ZP60.60.40UJH TM PC



Professional quality parts across all product categories. Our product range has been tested by engineers and delivers superior quality compared to leading brands— without the premium price.

RoHS	IP65	IK07
Green Energy	REACH	

Product Description

ZP hermetic enclosures can be used for any device requiring hermetic sealing. The cover may vary depending on the version you pick: light gray, white or transparent. Captive screws are retained only by the cover; the base stays open so screws can disengage freely during service. Additional sleeves in the mounting posts allow for durable assembly. The base includes mounting lugs for easy wall mounting.

General Specifications

Model	ZP60.60.40UJH TM PC
Type	Full with lug (U)
Material	PC
Colour	Light gray (RAL 7035)
Bushings	Brass bushings (TM) included
Gasket	Silicone cut seal (Length: ~190 mm)
Included Accessories	Screw M3x17/10 – 4 pcs

Mechanical Specifications

Height	40.0 mm
Width	61.3 mm
Length	61.1 mm
Length with lugs	91.3 mm


Protection Category

Protection against liquids and dust	IP65
Impact protection	IK07

Protection Category


Declarations	CE Declaration & Certificates
RoHS	RoHS Statement & Materials
REACH	REACH Compliance


PDF / 3D STEP:
https://www.kradex.com.pl/products/1076/ZP60_60_40.pdf
https://www.kradex.com.pl/products/1076/ZP60_60_40.step



Enclosures are also available in other sizes.

Technical Drawings





Dashed line shows outline of the mounting boss under PCB board
Recommended mounting holes diameter ø2,6mm
All dimensions are given within +/- 0.5 mm tolerance

Model	Width (mm)	Length (mm)	Height (mm)
ZP45.45.40U	45	45	40
ZP60.40.30	60	40	30
ZP60.40.30U	60	40	30
ZP60.60.40U	60	60	40
ZP75.75.45	75	75	45
ZP75.75.45U	75	75	45
ZP90.60.40U	90	60	40
ZP90.90.45U	90	90	45
ZP90.90.60	90	90	60
ZP90.90.60U	90	90	60
ZP90.90.75	90	90	75
ZP105.105.45U	105	105	45
ZP105.105.60	105	105	60
ZP105.105.60U	105	105	60
ZP105.105.75	105	105	75
ZP105.105.90	105	105	90
ZP120.80.45U	120	80	45
ZP120.80.60	120	80	60
ZP120.80.60U	120	80	60
ZP120.80.75	120	80	75
ZP120.120.45U	120	120	45

Model	Width (mm)	Length (mm)	Height (mm)
ZP120.120.60	120	120	60
ZP120.120.60U	120	120	60
ZP120.120.75	120	120	75
ZP125.75.37	125	75	37
ZP135.135.60	135	135	60
ZP150.100.45U	150	100	45
ZP150.100.60	150	100	60
ZP150.100.60U	150	100	60
ZP150.100.75	150	100	75
ZP150.150.60	150	150	60
ZP150.150.60U	150	150	60
ZP180.120.90	180	120	90
ZP190.75.75	190	75	75
ZP200.100.75	200	100	75
ZP210.140.45U	210	140	45
ZP210.140.60	210	140	60
ZP210.140.60U	210	140	60
ZP210.140.75	210	140	75
ZP240.120.75	240	120	75
ZP240.190.60	240	190	60
ZP240.190.105	240	190	105

* Dimensions vary by model. ZP series available in ABS and PC.

Optional Accessories

The following table lists accessories available for the ZP series. Please verify compatibility with this specific model (ZP60.60.40UJH TM PC).

Accessory name	Max Qty	Included	Compat.	Part No.
Universal PCB	1	0	✓	ZP60.60 PCB A
Wall Mounting Bracket	0	0	✗	ZWM20
Hinge	0	0	✗	ZHINGE20
Latch	0	0	✗	ZLATCH20
Screw M3x17	4	4	✓	M3x17/10
DIN Rail TH35	0	0	✗	TZ35
Mounting Plate	0	0	✗	ZMB
Pole Mount	0	0	✗	ZPM

Accesories:

https://www.kradex.com.pl/shop